

# Florida ATS Quality Control Report

**SUBMITTED TO:**

CDC Office on Smoking and Health  
Peter Mariolis / K50  
4770 Buford Hwy. NE.  
Atlanta, GA 30341-3717

**DEVELOPED BY:**

Henry E. Wells  
RTI International  
2951 Flowers Rd. South  
Ste. 119  
Atlanta, GA 30341

**August 1, 2003**



**Table of Contents**

Summary .....	1
Section I: Univariate Distributions .....	2
Section II: Bivariate Distributions – demographics .....	86
Section III: Bivariate Distributions – smoking status .....	346

## **Summary**

This report displays various univariate and bivariate tables for Florida's Adult Tobacco Survey (ATS), fielded from May – June 2003. Florida collected data on all 43 questions in the core sections, as well as all questions in optional module E. Data was also collected on 5 state-added questions. In addition, OSH defined 9 sampling and weighting variables and 6 calculated demographic and tobacco control variables. These variables were created for the completes only (disposition code = 110 or 120) and added to the analytical file.

Section I presents univariate distributions for number of attempts, number of adults in the household, number of men in the household, number of women in the household, 69 survey questions, the 5 state-added questions, and the 6 calculated variables. The unweighted count, unweighted percent, weighted percent, and a 95% confidence interval for the weighted percent are shown for each value of the variables.

Section II presents bivariate distributions of selected variables, each crossed with gender, age group (18-24, 25-34, 35-44, 45-54, 55-64, and 65+), education level (less than high school graduate, high school graduate or GED, some college or technical school, and college graduate plus), income level (<\$20,000, \$20,000-\$34,999, \$35,000-\$49,999, \$50,000-\$74,999, and \$75,000+), and marital status (married and not married). In each table, the demographic variable is treated as the independent variable and the survey question variable is treated as the dependent variable. The unweighted count, unweighted percent, weighted percent, and a 95% confidence interval for the weighted percent are shown for each cross-classification.

Section III presents bivariate distributions of selected variables, each crossed with smoking status (current everyday smoker, current some days smoker, former smoker, and never smoker). There are two tables shown for each cross-classification; one that treats smoking status as the independent variable and the survey question as the dependent variable, and another that treats the survey question as the independent variable and smoking status as the dependent variable. The unweighted count, unweighted percent, weighted percent, and a 95% confidence interval for the weighted percent are shown for each cross-classification.

Section I: Univariate Distributions

Variable Label: Number of Attempts

Question Number:

Variable Name: noattempts

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
1	281	21.60	20.18	(17.06,23.29)
2	172	13.22	13.10	(10.17,16.04)
3	127	9.76	8.55	(6.32,10.79)
4	104	7.99	8.59	(6.05,11.14)
5	86	6.61	6.38	(4.29,8.47)
6	84	6.46	7.76	(5.31,10.21)
7	71	5.46	6.96	(4.68,9.25)
8	53	4.07	4.48	(2.79,6.17)
9	46	3.54	3.09	(1.66,4.51)
10	52	4.00	5.09	(3.28,6.89)
11	43	3.31	3.11	(1.51,4.70)
12	29	2.23	1.92	(0.91,2.93)
13	31	2.38	2.21	(1.07,3.35)
14	29	2.23	2.23	(1.04,3.41)
15	22	1.69	1.67	(0.66,2.68)
16	27	2.08	1.25	(0.61,1.88)
17	17	1.31	1.36	(0.55,2.17)
18	9	0.69	0.91	(0.09,1.73)
19	10	0.77	0.53	(0.11,0.94)
20	3	0.23	0.08	(0.00,0.21)
21	4	0.31	0.54	(0.00,1.34)
22	1	0.08	0.02	(0.00,0.05)

## Section I: Univariate Distributions

Variable Label: Number of Adults in Household

Question Number:

Variable Name: noadult

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
1	458	35.20	21.05	(18.41,23.69)
2	684	52.57	56.18	(51.98,60.37)
3	112	8.61	12.78	(9.70,15.87)
4	41	3.15	7.53	(4.43,10.63)
5	4	0.31	1.75	(0.00,3.67)
6	2	0.15	0.70	(0.00,1.70)

## Section I: Univariate Distributions

Variable Label: Number of Men in Household

Question Number:

Variable Name: nomen

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
0	329	25.29	16.83	(14.37,19.30)
1	864	66.41	66.64	(62.53,70.75)
2	96	7.38	12.84	(9.39,16.29)
3	12	0.92	3.69	(1.19,6.18)

## Section I: Univariate Distributions

Variable Label: Number of Women in Household

Question Number:

Variable Name: nowomen

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
0	200	15.37	11.25	(9.04,13.46)
1	954	73.33	69.92	(65.87,73.97)
2	132	10.15	15.92	(12.30,19.54)
3	12	0.92	1.89	(0.51,3.27)
4	3	0.23	1.02	(0.00,2.27)

Section I: Univariate Distributions

Variable Label: General Health Status

Question Number: 1

Variable Name: genhealth

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Excellent	261	20.14	23.34	(19.58,27.10)
2	Very Good	414	31.94	32.52	(28.64,36.40)
3	Good	393	30.32	31.24	(27.35,35.13)
4	Fair	151	11.65	8.69	(6.66,10.72)
5	Poor	77	5.94	4.21	(2.75,5.67)
D	Don't know/Not sure (7)	4	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Smoked at Least 100 Cigs Lifetime

Question Number: 2

Variable Name: smok100

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	666	51.35	53.02	(48.87,57.18)
2	No	631	48.65	46.98	(42.82,51.13)
D	Don't know/Not sure (7)	4	.	.	

Section I: Univariate Distributions

Variable Label: Current Smoking Status

Question Number: 3

Variable Name: smoknow

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Everyday	224	33.68	35.73	(29.81,41.66)
2	Some days	43	6.47	9.33	(5.09,13.58)
3	Not at all	398	59.85	54.93	(48.88,60.98)
.	Not Asked	635	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Avg. # Cigs Smoked Per Day

Question Number: 4

Variable Name: smokperday

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1		1	0.45	0.60	(0.00,1.78)
3		3	1	0.45	(0.00,1.77)
4		4	1.82	1.21	(0.00,2.62)
5		5	7	3.18	(0.33,6.88)
6		6	3	1.36	(0.00,14.93)
7		7	2	0.91	(0.00,2.27)
8		8	2	0.91	(0.00,5.69)
9		9	1	0.45	(0.00,3.49)
10		10	35	15.91	(6.58,17.90)
11		11	1	0.45	(0.00,0.18)
12		12	3	1.36	(0.00,0.85)
13		13	1	0.45	(0.00,0.38)
14		14	1	0.45	(0.00,3.08)
15		15	17	7.73	(2.38,12.25)
20		20	87	39.55	(31.80,53.23)
25		25	3	1.36	(0.00,1.93)
30		30	25	11.36	(3.23,12.92)
35		35	1	0.45	(0.00,11.33)
40		40	20	9.09	(1.96,8.88)
50		50	1	0.45	(0.00,0.07)
60		60	2	0.91	(0.00,2.11)
75		75	1	0.45	(0.00,0.81)
80		80	1	0.45	(0.00,0.37)
.	Not Asked	1077	.	.	
D	Don't know/Not sure (777)	4	.	.	

Section I: Univariate Distributions

Variable Label: # Days Smoked Cigs, Past 30

Question Number: 5

Variable Name: smokdays30

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	1	2	4.65	0.64	(0.00,1.80)
2	2	1	2.33	1.61	(0.00,4.80)
3	3	1	2.33	0.19	(0.00,0.58)
5	5	3	6.98	2.65	(0.00,6.34)
8	8	1	2.33	0.57	(0.00,1.70)
10	10	4	9.30	14.90	(0.00,32.34)
15	15	9	20.93	37.36	(12.02,62.70)
20	20	7	16.28	14.51	(0.00,29.44)
25	25	6	13.95	11.44	(0.00,23.98)
28	28	1	2.33	7.19	(0.00,20.69)
30	30	8	18.60	8.96	(0.00,19.04)
.	Not Asked	1258	.	.	

Section I: Univariate Distributions

Variable Label: Avg. # Cigs Smoked Per Day, Past 30

Question Number: 6

Variable Name: smoksomeday

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	1	3	6.98	6.17	(0.00,15.63)
2	2	6	13.95	4.74	(0.00,9.98)
3	3	5	11.63	3.37	(0.00,7.33)
4	4	3	6.98	2.50	(0.00,5.95)
5	5	13	30.23	36.67	(12.91,60.42)
6	6	4	9.30	22.31	(0.00,45.27)
7	7	2	4.65	0.29	(0.00,0.74)
8	8	1	2.33	7.80	(0.00,22.35)
9	9	2	4.65	8.60	(0.00,22.31)
10	10	3	6.98	2.06	(0.00,4.58)
15	15	1	2.33	5.48	(0.00,15.98)
.	Not Asked	1258	.	.	

Section I: Univariate Distributions

Variable Label: First Morning Cigarette

Question Number: 7

Variable Name: smokwake

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Within 5 minutes	63	23.95	24.03	(15.53,32.52)
2	6-30 minutes	92	34.98	32.37	(23.13,41.62)
3	31-60 minutes	32	12.17	6.32	(3.05,9.59)
4	After 60 minutes	76	28.90	37.28	(27.16,47.40)
.	Not Asked	1034	.	.	
D	Don't know/Not sure (7)	4	.	.	

Section I: Univariate Distributions

Variable Label: Time Since Last Smoked Cigs Regularly

Question Number: 8

Variable Name: smoklast

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Within the past month	11	2.78	4.54	(0.87,8.20)
2	>1 month but less than 3 months ago	3	0.76	1.19	(0.00,2.82)
3	>3 months but less than 6 months ago	11	2.78	2.26	(0.71,3.82)
4	>6 months but less than 1 year ago	10	2.53	4.32	(1.25,7.38)
5	>1 year but less than 5 years ago	59	14.94	16.93	(11.28,22.59)
6	>5 years but less than 10 years ago	45	11.39	15.02	(9.61,20.43)
7	10 or more years ago	256	64.81	55.74	(48.55,62.93)
.	Not Asked	903	.	.	
D	Don't know/Not sure (77)	2	.	.	
R	Refused (99)	1	.	.	

Section I: Univariate Distributions

Variable Label: Tried Quitting, Past 12 Months

Question Number: 9

Variable Name: quitatt

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	113	42.64	41.55	(31.71,51.40)
2	No	152	57.36	58.45	(48.60,68.29)
.	Not Asked	1034	.	.	
D	Don't know/Not sure (7)	2	.	.	

Section I: Univariate Distributions

Variable Label: Use Medication Last Time Quit

Question Number: 10

Variable Name: quitmed

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	65	31.40	25.55	(16.99,34.11)
2	No	142	68.60	74.45	(65.89,83.01)
.	Not Asked	1094	.	.	

Section I: Univariate Distributions

Variable Label: Use Assistance Last Time Quit

Question Number: 11

Variable Name: quitasst

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	8	3.88	4.17	(0.41,7.93)
2	No	198	96.12	95.83	(92.07,99.59)
.	Not Asked	1094	.	.	
D	Don't know/Not sure (7)	1	.	.	

Section I: Univariate Distributions

Variable Label: Considering Quitting, Next 6 Months

Question Number: 12

Variable Name: quit6mo

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	142	55.47	51.69	(41.46,61.93)
2	No	114	44.53	48.31	(38.07,58.54)
.	Not Asked	1034	.	.	
D	Don't know/Not sure (7)	11	.	.	

Section I: Univariate Distributions

Variable Label: Planning to Stop, Next 30 Days

Question Number: 13

Variable Name: quit30day

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	66	54.10	56.73	(42.81,70.64)
2	No	56	45.90	43.27	(29.36,57.19)
.	Not Asked	1159	.	.	
D	Don't know/Not sure (7)	20	.	.	

Section I: Univariate Distributions

Variable Label: Seen a Health Prof, Past 12 Months

Question Number: 14

Variable Name: hcwcare

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	1056	81.17	78.53	(74.99,82.06)
2	No	245	18.83	21.47	(17.94,25.01)

Section I: Univariate Distributions

Variable Label: Health Prof Advise to Quit, Pst 12 Mnths

Question Number: 15

Variable Name: hcwadvise

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	134	74.03	75.12	(65.15,85.08)
2	No	47	25.97	24.88	(14.92,34.85)
.	Not Asked	1120	.	.	

Section I: Univariate Distributions

Variable Label: Health Prof Ask if Smoke, Pst 12 Mnths

Question Number: 16

Variable Name: hcwask

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	592	66.59	68.50	(64.02,72.97)
2	No	297	33.41	31.50	(27.03,35.98)
.	Not Asked	380	.	.	
D	Don't know/Not sure (7)	31	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Health Prof Prescribe Medicine

Question Number: 17a

Variable Name: hcwmed

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	41	30.60	21.58	(12.19,30.97)
2	No	93	69.40	78.42	(69.03,87.81)
.	Not Asked	1167	.	.	

Section I: Univariate Distributions

Variable Label: Health Prof Suggest Setting Quit Date

Question Number: 17b

Variable Name: hcwsetdate

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	31	23.31	24.13	(10.37,37.89)
2	No	102	76.69	75.87	(62.11,89.63)
.	Not Asked	1167	.	.	
D	Don't know/Not sure (7)	1	.	.	

Section I: Univariate Distributions

Variable Label: Health Prof Suggest Cessation Class

Question Number: 17c

Variable Name: hcwsugasst

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	15	11.28	20.51	(4.41,36.62)
2	No	118	88.72	79.49	(63.38,95.59)
.	Not Asked	1167	.	.	
D	Don't know/Not sure (7)	1	.	.	

Section I: Univariate Distributions

Variable Label: Health Prof Provide Quit Materials

Question Number: 17d

Variable Name: hcwmaterials

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	20	15.04	15.65	(7.01,24.29)
2	No	113	84.96	84.35	(75.71,92.99)
.	Not Asked	1167	.	.	
D	Don't know/Not sure (7)	1	.	.	

Section I: Univariate Distributions

Variable Label: # Adults in Household Who Smoke

Question Number: 18

Variable Name: othsmoker

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
0	None	635	75.33	72.83	(68.15,77.51)
1	1	183	21.71	21.06	(17.04,25.08)
2	2	21	2.49	5.10	(2.17,8.04)
3	3	4	0.47	1.01	(0.00,2.46)
.	Not Asked	456	.	.	
D	Don't know/Not sure (77)	1	.	.	
R	Refused (99)	1	.	.	

Section I: Univariate Distributions

Variable Label: # Days Someone Smoked in Home, Pst 7

Question Number: 19

Variable Name: smokhome7d

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
0	None	1060	81.79	80.69	(77.16,84.22)
1	1	37	2.85	3.67	(1.73,5.61)
2	2	14	1.08	0.84	(0.23,1.46)
3	3	11	0.85	1.44	(0.00,3.09)
4	4	6	0.46	0.61	(0.00,1.35)
5	5	1	0.08	0.00	(0.00,0.01)
6	6	1	0.08	0.11	(0.00,0.33)
7	7	166	12.81	12.63	(9.92,15.34)
D	D	4	.	.	
R	R	1	.	.	

Section I: Univariate Distributions

Variable Label: Home Smoking Rules  
 Question Number: 20  
 Variable Name: homerules  
 Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Smoking not allowed anywhere inside home	987	76.75	75.96	(72.17,79.75)
2	Smoking allowed some places or some time	124	9.64	11.31	(8.20,14.41)
3	Smoking allowed anywhere inside home	175	13.61	12.73	(10.00,15.47)
D	Don't know/Not sure (7)	14	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Employment Status

Question Number: 21

Variable Name: employ

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	A student and employed for wages	47	3.64	4.87	(3.12,6.63)
2	A student	14	1.08	1.50	(0.39,2.62)
3	Employed for wages	534	41.36	45.84	(41.70,49.97)
4	Self-employed	102	7.90	6.69	(4.85,8.54)
5	Out of work for > 1 year	34	2.63	2.69	(1.22,4.15)
6	Out of work for < 1 year	44	3.41	6.08	(3.47,8.69)
7	A homemaker	75	5.81	5.44	(3.33,7.55)
8	Retired	380	29.43	22.93	(19.93,25.94)
9	Unable to work	61	4.73	3.96	(2.46,5.45)
D	Don't know (77)	9	.	.	
R	Refused (99)	1	.	.	

Section I: Univariate Distributions

Variable Label: Respondent Works Indoors Most of Time

Question Number: 22

Variable Name: workindoors

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	532	78.70	80.55	(75.73,85.38)
2	No	144	21.30	19.45	(14.62,24.27)
.	Not Asked	618	.	.	
D	Don't know/Not sure (7)	6	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Anyone Smoked in Work Area, Pst 7 Days

Question Number: 23

Variable Name: worksmok

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	65	12.29	13.25	(9.02,17.48)
2	No	464	87.71	86.75	(82.52,90.98)
.	Not Asked	769	.	.	
D	Don't know/Not sure (7)	3	.	.	

Section I: Univariate Distributions

Variable Label: Official Work Smoking Policy, Work Areas

Question Number: 24

Variable Name: workpol

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Not allowed in any work areas	437	82.77	84.77	(80.59,88.95)
2	Allowed in some work areas	61	11.55	10.45	(7.03,13.86)
3	Allowed in all work areas	11	2.08	2.59	(0.37,4.81)
4	No official policy	19	3.60	2.20	(0.67,3.72)
.	Not Asked	769	.	.	
D	Don't know/Not sure (7)	4	.	.	

Section I: Univariate Distributions

Variable Label: Official Work Smoking Policy, Pub. Areas

Question Number: 25

Variable Name: workpolpub

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Not allowed in any public areas	431	82.10	83.72	(79.33,88.11)
2	Allowed in some public areas	57	10.86	11.12	(7.27,14.97)
3	Allowed in all public areas	9	1.71	1.48	(0.00,3.10)
4	No official policy	28	5.33	3.69	(1.91,5.46)
.	Not Asked	769	.	.	
D	Don't know/Not sure (7)	7	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Opinion, Indoor Work Areas

Question Number: 26

Variable Name: workindopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Allowed in all areas	37	2.86	2.22	(1.13,3.30)
2	Allowed in some areas	273	21.11	19.07	(16.02,22.12)
3	Not allowed at all	950	73.47	77.41	(74.17,80.64)
7	Don't know/Not sure	33	2.55	1.30	(0.60,2.00)
R	Refused (9)	8	.	.	

Section I: Univariate Distributions

Variable Label: Someone Smoking in Car, Pst 7 Days

Question Number: 27

Variable Name: carsmok7d

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	313	24.08	28.37	(24.29,32.45)
2	No	987	75.92	71.63	(67.55,75.71)
D	Don't know/Not sure (7)	1	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Opinion, Indoor Dining Areas

Question Number: 28

Variable Name: shsopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Allowed in all areas	22	1.70	1.79	(0.60,2.97)
2	Allowed in some areas	462	35.62	35.63	(31.58,39.68)
3	Not allowed at all	797	61.45	61.33	(57.22,65.44)
7	Don't know/Not sure	16	1.23	1.26	(0.41,2.10)
R	Refused (9)	4	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Opinion, Indoor Malls

Question Number: 29

Variable Name: mallopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Allowed in all areas	17	1.31	1.26	(0.37,2.16)
2	Allowed in some areas	395	30.43	28.92	(25.09,32.76)
3	Not allowed at all	869	66.95	68.61	(64.72,72.51)
7	Don't know/Not sure	17	1.31	1.20	(0.43,1.97)
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: Little Benefit Quitting After 20 Yrs

Question Number: 30

Variable Name: benquitpn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	105	8.08	7.89	(5.77,10.00)
2	Agree	244	18.77	20.00	(16.53,23.48)
3	Disagree	536	41.23	39.98	(35.92,44.03)
4	Strongly disagree	328	25.23	27.23	(23.45,31.01)
7	Don't know/Not sure	87	6.69	4.90	(3.20,6.60)
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - Harmful

Question Number: 31

Variable Name: shsharmopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Very harmful to one's health	694	53.43	51.72	(47.56,55.88)
2	Somewhat harmful to one's health	431	33.18	34.02	(30.01,38.04)
3	Not very harmful to one's health	89	6.85	8.33	(5.99,10.67)
4	Not harmful at all to one's health	44	3.39	3.37	(1.93,4.82)
7	Don't know/Not sure	41	3.16	2.55	(1.37,3.73)
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - Lung Cancer

Question Number: 32a

Variable Name: shslungca

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	988	85.62	85.64	(82.50,88.77)
2	No	166	14.38	14.36	(11.23,17.50)
D	Don't know/Not sure (7)	147	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - Heart Disease

Question Number: 32b

Variable Name: shsheart

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	841	79.87	79.98	(76.28,83.69)
2	No	212	20.13	20.02	(16.31,23.72)
D	Don't know/Not sure (7)	248	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - Colon Cancer

Question Number: 32c

Variable Name: shscolonca

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	270	38.08	41.67	(36.05,47.30)
2	No	439	61.92	58.33	(52.70,63.95)
D	Don't know/Not sure (7)	591	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - Child Resp Probs

Question Number: 32d

Variable Name: shschild

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	1124	92.97	91.79	(89.44,94.14)
2	No	85	7.03	8.21	(5.86,10.56)
D	Don't know/Not sure (7)	91	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Second-Hand Smoke - SIDS

Question Number: 32e

Variable Name: shssids

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	350	48.21	47.36	(41.72,53.00)
2	No	376	51.79	52.64	(47.00,58.28)
D	Don't know/Not sure (7)	574	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Age  
 Question Number: 33  
 Variable Name: age  
 Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	18-24	79	6.20	11.19	(7.83,14.55)
2	25-34	167	13.11	16.59	(13.26,19.91)
3	35-44	230	18.05	19.65	(16.36,22.94)
4	45-54	234	18.37	16.45	(13.49,19.42)
5	55-64	204	16.01	13.22	(10.39,16.04)
6	65+	360	28.26	22.90	(19.84,25.96)
D	Don't know/Not sure (7)	1	.	.	
R	Refused (9)	26	.	.	

Section I: Univariate Distributions

Variable Label: # Children Less Than 7 Years Old

Question Number: 34a

Variable Name: childlt07

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
0	1105	84.93	80.46	(76.94,83.97)
1	124	9.53	12.37	(9.37,15.38)
2	62	4.77	5.70	(3.71,7.69)
3	7	0.54	1.16	(0.10,2.22)
4	3	0.23	0.30	(0.00,0.67)

Section I: Univariate Distributions

Variable Label: # Children 7-11 Years Old

Question Number: 34b

Variable Name: child0711

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
0	1144	87.93	87.54	(84.95,90.12)
1	119	9.15	9.60	(7.28,11.91)
2	35	2.69	2.70	(1.49,3.92)
3	3	0.23	0.17	(0.00,0.40)

Section I: Univariate Distributions

Variable Label: # Children 12-17 Years Old

Question Number: 34c

Variable Name: child1217

Survey/State-Added/Calculated: Survey

Value	Count	Percent	Weighted Percent	95% CI
0	1119	86.01	86.51	(83.51,89.52)
1	128	9.84	8.67	(6.14,11.21)
2	43	3.31	3.96	(2.26,5.65)
3	8	0.61	0.67	(0.02,1.31)
4	3	0.23	0.19	(0.00,0.45)

Section I: Univariate Distributions

Variable Label: Respondent is Hispanic or Latino

Question Number: 35

Variable Name: hispanic

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	85	6.57	11.05	(7.86,14.23)
2	No	1209	93.43	88.95	(85.77,92.14)
D	Don't know/Not sure (7)	3	.	.	
R	Refused (9)	4	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Race (multiple categories)

Question Number: 36

Variable Name: racemulti

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White	1088	84.54	80.03	(76.48,83.57)
2	Black or African American	116	9.01	9.90	(7.32,12.48)
3	Asian	8	0.62	0.95	(0.08,1.83)
4	Native American or Oth. Pacific Islander	5	0.39	0.39	(0.00,0.87)
5	American Indian, Alaska Native	13	1.01	0.79	(0.17,1.41)
6	Other(specify)	49	3.81	6.95	(4.46,9.45)
12	12	2	0.16	0.49	(0.00,1.16)
15	15	3	0.23	0.30	(0.00,0.70)
23	23	1	0.08	0.12	(0.00,0.36)
25	25	1	0.08	0.00	(0.00,0.01)
51	51	1	0.08	0.08	(0.00,0.24)
D	Don't know/Not sure (7)	3	.	.	
R	Refused (9)	11	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Race (best category)

Question Number: 37

Variable Name: racepref

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White	2	40.00	58.15	(9.94,100.00)
2	Black or African American	2	40.00	25.38	(0.00,67.87)
5	American Indian, Alaska Native	1	20.00	16.47	(0.00,47.69)
.	Not Asked	1293	.	.	
D	Don't know/Not sure (7)	2	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Marital Status

Question Number: 38

Variable Name: marital

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Married	661	51.48	55.81	(51.64,59.98)
2	Divorced	205	15.97	11.79	(9.52,14.06)
3	Widowed	178	13.86	8.75	(6.97,10.53)
4	Separated	28	2.18	2.23	(0.75,3.71)
5	Never married	173	13.47	16.84	(13.32,20.36)
6	A member of an unmarried couple	39	3.04	4.58	(2.54,6.62)
R	Refused (9)	17	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Highest Level of Education

Question Number: 39

Variable Name: educa

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Never attended or only kindergarten	2	0.15	0.17	(0.00,0.48)
2	Grades 1-8 (Elementary)	32	2.47	1.49	(0.64,2.33)
3	Grades 9-11 (Some high school)	94	7.25	5.54	(3.70,7.37)
4	Grade 12 (High school graduate)	388	29.94	29.63	(25.81,33.45)
5	GED	17	1.31	1.04	(0.08,2.00)
6	Some college, no degree	250	19.29	19.66	(16.18,23.13)
7	AA, Technical/Vocational	75	5.79	4.43	(2.69,6.17)
8	AA, Academic	44	3.40	4.18	(2.39,5.96)
9	BA, BS (College graduate)	225	17.36	18.59	(15.41,21.78)
10	Some graduate or professional school	28	2.16	2.84	(1.45,4.23)
11	Graduate or professional degree	141	10.88	12.44	(9.76,15.11)
D	Don't know (77)	1	.	.	
R	Refused (99)	4	.	.	

Section I: Univariate Distributions

Variable Label: Respondent's Annual Household Income

Question Number: 40

Variable Name: income

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Less than \$10,000	45	4.12	3.07	(1.24,4.89)
2	\$10,000 to less than \$15,000	58	5.32	4.79	(3.08,6.49)
3	\$15,000 to less than \$20,000	100	9.17	7.71	(5.30,10.12)
4	\$20,000 to less than \$25,000	138	12.65	11.93	(9.10,14.77)
5	\$25,000 to less than \$35,000	188	17.23	14.60	(11.73,17.47)
6	\$35,000 to less than \$50,000	196	17.97	17.24	(13.70,20.78)
7	\$50,000 to less than \$75,000	172	15.77	20.09	(15.99,24.19)
8	\$75,000 or more	194	17.78	20.58	(16.97,24.18)
D	Don't know/Not sure (77)	80	.	.	
R	Refused (99)	130	.	.	

## Section I: Univariate Distributions

Variable Label: Respondent's Gender

Question Number: 41

Variable Name: gender

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Male	542	41.66	47.94	(43.74,52.14)
2	Female	759	58.34	52.06	(47.86,56.26)

Section I: Univariate Distributions

Variable Label: More Than 1 Telephone # in Household

Question Number: 42

Variable Name: telnosgt1

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	185	14.29	12.21	(9.64,14.77)
2	No	1110	85.71	87.79	(85.23,90.36)
R	Refused (9)	6	.	.	

Section I: Univariate Distributions

Variable Label: # of Residential Numbers

Question Number: 43

Variable Name: telnosres

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	1	47	25.68	36.30	(25.28,47.32)
2	2	117	63.93	57.81	(46.84,68.79)
3	3	17	9.29	5.66	(1.83,9.49)
5	5	2	1.09	0.23	(0.00,0.54)
.	Not Asked	1116	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Heart Attacks

Question Number: E1a

Variable Name: cigheart

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	911	77.93	79.02	(75.52,82.51)
2	No	258	22.07	20.98	(17.49,24.48)
D	Don't know/Not sure (7)	130	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Colon Cancer

Question Number: E1b

Variable Name: cigcolonca

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	344	39.59	41.20	(36.15,46.26)
2	No	525	60.41	58.80	(53.74,63.85)
D	Don't know/Not sure (7)	430	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Strokes

Question Number: E1c

Variable Name: cigstroke

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	912	79.37	80.52	(77.09,83.94)
2	No	237	20.63	19.48	(16.06,22.91)
D	Don't know/Not sure (7)	149	.	.	
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Low Birth Weight

Question Number: E1d

Variable Name: ciglbw

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	975	86.05	87.50	(84.83,90.17)
2	No	158	13.95	12.50	(9.83,15.17)
D	Don't know/Not sure (7)	165	.	.	
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Lung Cancer  
 Question Number: E1e  
 Variable Name: ciglungca  
 Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	1215	96.12	96.92	(95.65,98.19)
2	No	49	3.88	3.08	(1.81,4.35)
D	Don't know/Not sure (7)	34	.	.	
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: Cigarettes Cause Impotence

Question Number: E1f

Variable Name: cigimpotent

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	436	53.43	56.62	(51.31,61.94)
2	No	380	46.57	43.38	(38.06,48.69)
D	Don't know/Not sure (7)	482	.	.	
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: Dr. Told Asthma/Bronchitis/Emphysema

Question Number: E2a

Variable Name: toldlung

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	514	40.09	41.39	(37.21,45.58)
2	No	768	59.91	58.61	(54.42,62.79)
D	Don't know/Not sure (7)	8	.	.	
R	Refused (9)	11	.	.	

Section I: Univariate Distributions

Variable Label: Dr. Told Diabetes  
 Question Number: E2b  
 Variable Name: tolldiab  
 Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	148	12.12	11.30	(8.66,13.94)
2	No	1073	87.88	88.70	(86.06,91.34)
D	Don't know/Not sure (7)	67	.	.	
R	Refused (9)	13	.	.	

Section I: Univariate Distributions

Variable Label: Dr. Told Heart Disease

Question Number: E2c

Variable Name: toldheart

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	326	25.87	26.20	(22.45,29.95)
2	No	934	74.13	73.80	(70.05,77.55)
D	Don't know/Not sure (7)	28	.	.	
R	Refused (9)	13	.	.	

Section I: Univariate Distributions

Variable Label: Smoking is Physically Addictive

Question Number: E3

Variable Name: rskaddictopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	814	62.66	63.95	(59.93,67.97)
2	Agree	421	32.41	30.08	(26.28,33.89)
3	Disagree	40	3.08	3.88	(2.08,5.68)
4	Strongly disagree	12	0.92	0.56	(0.04,1.08)
7	Don't know/Not sure	12	0.92	1.52	(0.45,2.59)
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Light Cigarettes is Safer

Question Number: E4

Variable Name: rskliteopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	33	2.54	2.76	(1.54,3.98)
2	Agree	204	15.73	13.59	(10.97,16.22)
3	Disagree	617	47.57	48.12	(43.94,52.31)
4	Strongly disagree	285	21.97	24.66	(20.85,28.47)
7	Don't know/Not sure	158	12.18	10.86	(8.55,13.17)
R	Refused (9)	4	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Can Harm Unborn Baby

Question Number: E5

Variable Name: rskpregopn

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	711	54.78	59.03	(54.95,63.10)
2	Agree	479	36.90	34.11	(30.20,38.02)
3	Disagree	46	3.54	2.75	(1.56,3.93)
4	Strongly disagree	7	0.54	0.42	(0.04,0.80)
7	Don't know/Not sure	55	4.24	3.70	(2.08,5.32)
R	Refused (9)	3	.	.	

Section I: Univariate Distributions

Variable Label: # Friends Using Tobacco Products

Question Number: E6

Variable Name: friendsuse

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	None	19	12.75	12.14	(4.11,20.16)
2	A few	54	36.24	33.99	(23.23,44.74)
3	Less than half	16	10.74	13.77	(4.84,22.70)
4	About half	19	12.75	9.18	(3.87,14.50)
5	Most or all	41	27.52	30.92	(19.50,42.35)
.	Not Asked	1152	.	.	

Section I: Univariate Distributions

Variable Label: People Would Be Upset if I Smoked

Question Number: E7

Variable Name: upsetifsmok

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	508	51.37	54.49	(49.90,59.08)
2	Agree	386	39.03	36.78	(32.36,41.20)
3	Disagree	87	8.80	8.11	(5.81,10.42)
4	Strongly disagree	8	0.81	0.62	(0.06,1.18)
.	Not Asked	268	.	.	
D	Don't know/Not sure (7)	42	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: People Are Upset About My Smoking

Question Number: E8

Variable Name: upsetatsmok

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	48	18.32	18.63	(10.11,27.16)
2	Agree	107	40.84	35.26	(26.44,44.08)
3	Disagree	96	36.64	43.58	(33.45,53.71)
4	Strongly disagree	11	4.20	2.52	(0.47,4.57)
.	Not Asked	1034	.	.	
D	Don't know/Not sure (7)	5	.	.	

Section I: Univariate Distributions

Variable Label: Children Are Upset About My Smoking

Question Number: E9

Variable Name: upsetchild

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Strongly agree	25	29.76	23.54	(11.44,35.64)
2	Agree	29	34.52	43.91	(27.12,60.71)
3	Disagree	27	32.14	29.58	(13.68,45.47)
4	Strongly disagree	3	3.57	2.97	(0.00,8.29)
.	Not Asked	1213	.	.	
D	Don't know/Not sure (7)	2	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: Children Talked About You Not Smoking

Question Number: E10

Variable Name: childaskstop

Survey/State-Added/Calculated: Survey

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Yes	64	76.19	82.98	(69.49,96.48)
2	No	20	23.81	17.02	(3.52,30.51)
.	Not Asked	1213	.	.	
D	Don't know/Not sure (7)	2	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: State-added Question 1  
 Question Number: fl\_rt\_1  
 Variable Name: fl\_rt\_1  
 Survey/State-Added/Calculated: State-Added

Value	Label	Count	Percent	Weighted Percent	95% CI
1	One that prohibits smoking in all areas	854	66.30	67.47	(63.58,71.36)
2	One that allows smoking in some areas	289	22.44	21.31	(17.91,24.72)
3	It doesn't matter	145	11.26	11.22	(8.66,13.77)
D	Don't know/Not sure (7)	11	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: State-added Question 2  
 Question Number: fl\_rt\_2  
 Variable Name: fl\_rt\_2  
 Survey/State-Added/Calculated: State-Added

Value	Label	Count	Percent	Weighted Percent	95% CI
1	More often	166	12.93	15.07	(11.98,18.16)
2	Less often	118	9.19	12.30	(8.84,15.76)
3	About the same as I do now	1000	77.88	72.63	(68.54,76.72)
D	Don't know/Not sure (7)	15	.	.	
R	Refused (9)	2	.	.	

Section I: Univariate Distributions

Variable Label: State-added Question 3  
 Question Number: fl\_rt\_3  
 Variable Name: fl\_rt\_3  
 Survey/State-Added/Calculated: State-Added

Value	Label	Count	Percent	Weighted Percent	95% CI
1	One that prohibits smoking in all areas	301	77.18	77.99	(71.10,84.87)
2	One that allows smoking in some areas	61	15.64	16.95	(10.29,23.60)
3	It doesn't matter	28	7.18	5.07	(2.34,7.79)
.	Not Asked	907	.	.	
D	Don't know/Not sure (7)	3	.	.	
R	Refused (9)	1	.	.	

Section I: Univariate Distributions

Variable Label: State-added Question 4  
 Question Number: fl\_rt\_4  
 Variable Name: fl\_rt\_4  
 Survey/State-Added/Calculated: State-Added

Value	Label	Count	Percent	Weighted Percent	95% CI
1	One that prohibits smoking in all areas	600	49.14	47.98	(43.69,52.27)
2	One that allows smoking in some areas	375	30.71	31.90	(27.80,35.99)
3	It doesn't matter	246	20.15	20.13	(16.75,23.51)
D	Don't know/Not sure (7)	61	.	.	
R	Refused (9)	19	.	.	

Section I: Univariate Distributions

Variable Label: State-added Question 5  
 Question Number: fl\_rt\_5  
 Variable Name: fl\_rt\_5  
 Survey/State-Added/Calculated: State-Added

Value	Label	Count	Percent	Weighted Percent	95% CI
1	More often	101	8.39	9.91	(7.19,12.63)
2	Less often	163	13.54	14.72	(11.13,18.32)
3	About the same as I do now	940	78.07	75.37	(71.27,79.47)
D	Don't know/Not sure (7)	65	.	.	
R	Refused (9)	32	.	.	

Section I: Univariate Distributions

Variable Label: Sequential Race  
 Question Number:  
 Variable Name: raceseq  
 Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White	1088	84.54	80.03	(76.48,83.57)
2	Black or African American	116	9.01	9.90	(7.32,12.48)
3	Asian	8	0.62	0.95	(0.08,1.83)
4	Native American or Oth. Pacific Islander	5	0.39	0.39	(0.00,0.87)
5	American Indian, Alaska Native	13	1.01	0.79	(0.17,1.41)
6	Other(specify)	49	3.81	6.95	(4.46,9.45)
12	12	2	0.16	0.49	(0.00,1.16)
15	15	4	0.31	0.38	(0.00,0.81)
23	23	1	0.08	0.12	(0.00,0.36)
25	25	1	0.08	0.00	(0.00,0.01)
D	Don't know/Not sure (7)	3	.	.	
R	Refused (9)	11	.	.	

Section I: Univariate Distributions

Variable Label: Multiple Race  
 Question Number:  
 Variable Name: racemulticlc  
 Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White Only	1088	84.54	80.03	(76.48,83.57)
2	Black or African American Only	116	9.01	9.90	(7.32,12.48)
3	Asian Only	8	0.62	0.95	(0.08,1.83)
4	Nat. Amer. or Oth. Pacific Islander Only	5	0.39	0.39	(0.00,0.87)
5	American Indian, Alaska Native Only	13	1.01	0.79	(0.17,1.41)
6	Other Race Only	49	3.81	6.95	(4.46,9.45)
7	Multiracial	8	0.62	0.99	(0.15,1.82)
D	Don't know/Not sure (77)	3	.	.	
R	Refused (99)	11	.	.	

Section I: Univariate Distributions

Variable Label: Preferred Race  
 Question Number:  
 Variable Name: racepreflc  
 Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White	1090	84.69	80.31	(76.77,83.85)
2	Black or African American	118	9.17	10.02	(7.44,12.61)
3	Asian	8	0.62	0.95	(0.08,1.83)
4	Native American or Oth. Pacific Islander	5	0.39	0.39	(0.00,0.87)
5	American Indian, Alaska Native	14	1.09	0.87	(0.23,1.51)
6	Other Race	49	3.81	6.95	(4.46,9.45)
7	No Preferred Race	3	0.23	0.50	(0.00,1.17)
D	Don't know/Not sure (77)	3	.	.	
R	Refused (99)	11	.	.	

Section I: Univariate Distributions

Variable Label: Race/Ethnicity  
 Question Number:  
 Variable Name: raceethnic  
 Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	White Only, Non-Hispanic	1045	81.45	75.59	(71.69,79.48)
2	Black Only, Non-Hispanic	108	8.42	8.97	(6.52,11.42)
3	Asian Only, Non-Hispanic	8	0.62	0.96	(0.08,1.84)
4	Nat. Amer., Pac. Isl. Only, Non-Hispanic	4	0.31	0.38	(0.00,0.86)
5	Amer. Indian, AK Nat. Only, Non-Hispanic	12	0.94	0.57	(0.12,1.02)
6	Other Race Only, Non-Hispanic	13	1.01	1.45	(0.47,2.43)
7	Multiracial, Non-Hispanic	8	0.62	0.99	(0.15,1.83)
8	Hispanic	85	6.63	11.10	(7.90,14.31)
U	Undetermined	18	.	.	

Section I: Univariate Distributions

Variable Label: Smoking Status  
 Question Number:  
 Variable Name: smokstatus  
 Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	Current Everyday Smoker	224	17.28	18.93	(15.34,22.53)
2	Current Some Days Smoker	43	3.32	4.94	(2.62,7.27)
3	Former Smoker	398	30.71	29.10	(25.49,32.72)
4	Never Smoker	631	48.69	47.02	(42.86,51.18)
U	Unknown	5	.	.	

Section I: Univariate Distributions

Variable Label: Mean Daily Cigarette Consumption

Question Number:

Variable Name: smokmeanday

Survey/State-Added/Calculated: Calculated

Value	Label	Count	Percent	Weighted Percent	95% CI
1	< 10	99	37.64	43.93	(33.86,54.01)
2	11-20	110	41.83	40.67	(31.03,50.32)
3	21-30	28	10.65	7.08	(3.12,11.03)
4	31-40	21	7.98	7.38	(1.05,13.71)
5	41+	5	1.90	0.94	(0.00,2.10)
N	None	1029	.	.	
.	Not Asked	9	.	.	

## Section II: Bivariate Distributions – demographics

Description: Smoking Status by Respondent's Gender

Independent Variable: Gender

Dependent Variable: smokstatus

	Gender	
	Male	Female
Count		
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	94 17.38 20.11 (14.38,25.84)	130 17.22 17.84 (13.40,22.28)
Current Some Days Smoker	19 3.51 5.50 (1.78,9.23)	24 3.18 4.43 (1.59,7.28)
Former Smoker	210 38.82 31.71 (26.14,37.28)	188 24.90 26.69 (21.99,31.40)
Never Smoker	218 40.30 42.67 (36.27,49.08)	413 54.70 51.03 (45.64,56.42)
Total	541 100.00 100.00	755 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Status by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smokstatus

		Age					
Count	Percent						
Weighted Percent	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Smoking Status</b>							
Current Everyday Smoker	16	34	51	51	47	22	
	20.25	20.48	22.27	21.79	23.04	6.16	
	16.83	21.60	23.90	20.24	31.61	6.01	
	(2.63,31.04)	(11.92,31.27)	(15.94,31.86)	(12.29,28.19)	(19.43,43.79)	(2.47,9.55)	
Current Some Days Smoker	6	9	10	10	3	3	
	7.59	5.42	4.37	4.27	1.47	0.84	
	17.95	4.74	3.12	5.81	2.64	1.04	
	(4.00,31.91)	(0.00,11.26)	(1.02,5.22)	(0.12,11.49)	(0.00,6.60)	(0.00,2.72)	
Former Smoker	3	28	39	71	70	179	
	3.80	16.87	17.03	30.34	34.31	50.14	
	2.05	20.40	20.52	35.90	28.66	51.15	
	(0.00,4.63)	(11.91,28.89)	(12.16,28.88)	(26.51,45.29)	(19.34,37.98)	(43.86,58.45)	
Never Smoker	54	95	129	102	84	153	
	68.35	57.23	56.33	43.59	41.18	42.86	
	63.16	53.26	52.46	38.06	37.09	41.80	
	(46.36,79.96)	(41.97,64.56)	(43.09,61.83)	(28.96,47.16)	(26.29,47.89)	(34.61,48.98)	
Total	79	166	229	234	204	357	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Status by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: smokstatus

Education				
Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Smoking Status				
Current Everyday Smoker	30 23.62 25.89 (13.25,38.53)	93 23.02 27.47 (20.49,34.45)	64 17.39 20.32 (12.21,28.42)	37 9.44 8.95 (4.98,12.91)
Current Some Days Smoker	4 3.15 5.75 (0.00,15.21)	13 3.22 6.14 (1.20,11.07)	13 3.53 6.06 (1.07,11.05)	13 3.32 2.86 (0.48,5.24)
Former Smoker	42 33.07 32.70 (19.51,45.89)	112 27.72 22.54 (16.71,28.37)	119 32.34 31.46 (24.47,38.45)	122 31.12 31.77 (25.23,38.32)
Never Smoker	51 40.16 35.66 (21.56,49.76)	186 46.04 43.85 (36.37,51.34)	172 46.74 42.16 (34.17,50.15)	220 56.12 56.42 (49.46,63.38)
Total	127 100.00 100.00	404 100.00 100.00	368 100.00 100.00	392 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Status by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smokstatus

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
Smoking Status						
Current Everyday Smoker	45	65	37	35	20	
	22.39	20.00	18.88	20.47	10.31	
	23.53	23.36	23.17	22.98	9.95	
	(14.05,33.02)	(16.00,30.71)	(11.58,34.76)	(12.05,33.90)	(4.03,15.87)	
Current Some Days Smoker	8	18	4	4	8	
	3.98	5.54	2.04	2.34	4.12	
	8.39	6.13	6.34	1.33	5.90	
	(0.00,17.98)	(2.16,10.11)	(0.00,14.90)	(0.00,2.81)	(0.54,11.25)	
Former Smoker	61	96	62	54	54	
	30.35	29.54	31.63	31.58	27.84	
	27.98	27.74	30.78	28.68	25.20	
	(17.98,37.99)	(20.76,34.71)	(21.25,40.30)	(18.48,38.88)	(16.98,33.41)	
Never Smoker	87	146	93	78	112	
	43.28	44.92	47.45	45.61	57.73	
	40.09	42.77	39.72	47.01	58.96	
	(29.07,51.12)	(34.93,50.61)	(29.14,50.30)	(34.99,59.03)	(49.37,68.55)	
Total	201	325	196	171	194	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Status by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smokstatus

Marital Status		
Count		
Percent		
Weighted Percent		
95% CI	Married	Not Married
Smoking Status		
Current Everyday Smoker	105	118
	15.89	19.09
	18.53	19.87
	(13.70,23.36)	(14.38,25.35)
Current Some Days Smoker	18	23
	2.72	3.72
	3.56	6.77
	(1.30,5.82)	(2.33,11.22)
Former Smoker	225	169
	34.04	27.35
	32.74	24.47
	(27.56,37.92)	(19.62,29.32)
Never Smoker	313	308
	47.35	49.84
	45.17	48.89
	(39.59,50.74)	(42.55,55.23)
Total	661	618
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs Smoked per Day (5 groups) by Respondent's Gender

Independent Variable: Gender

Dependent Variable: smokperday

Avg. # Cigs Smoked per Day (5 groups)	Gender	
	Male	Female
	Count	Count
	Percent	Percent
1-10	16 17.78 26.50 (9.89,43.11)	40 31.01 31.87 (19.92,43.81)
11-20	44 48.89 53.92 (37.28,70.55)	66 51.16 49.00 (35.04,62.96)
21-30	14 15.56 11.99 (3.07,20.91)	14 10.85 5.88 (1.61,10.15)
31-40	12 13.33 5.50 (0.81,10.18)	9 6.98 13.25 (0.00,27.76)
41+	4 4.44 2.10 (0.00,5.00)	0 0.00 0.00 (0.00,0.00)
Total	90 100.00 100.00	129 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs Smoked per Day (5 groups) by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: smokperday

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<hr/>							
Avg. # Cigs Smoked per Day (5 groups)							
<hr/>							
1-10	5	7	16	13	6	7	
	33.33	20.59	32.65	25.49	12.77	33.33	
	65.09	22.38	42.60	21.35	6.86	36.30	
	(26.68,100.00)	(2.53,42.23)	(23.37,61.84)	(7.48,35.21)	(0.00,14.36)	(6.40,66.20)	
11-20	9	20	23	20	27	11	
	60.00	58.82	46.94	39.22	57.45	52.38	
	33.18	62.50	42.59	52.05	61.78	47.27	
	(0.00,70.64)	(38.50,86.49)	(23.22,61.96)	(30.54,73.56)	(35.01,88.54)	(16.65,77.88)	
21-30	0	6	6	10	5	1	
	0.00	17.65	12.24	19.61	10.64	4.76	
	0.00	14.80	9.52	18.50	1.03	5.52	
	(0.00,0.00)	(0.00,32.24)	(0.00,20.00)	(5.06,31.94)	(0.00,2.11)	(0.00,16.28)	
31-40	1	1	3	6	8	2	
	6.67	2.94	6.12	11.76	17.02	9.52	
	1.73	0.33	2.45	6.11	30.23	10.91	
	(0.00,5.45)	(0.00,0.99)	(0.00,5.50)	(0.00,12.85)	(2.20,58.25)	(0.00,25.86)	
41+	0	0	1	2	1	0	
	0.00	0.00	2.04	3.92	2.13	0.00	
	0.00	0.00	2.84	2.00	0.11	0.00	
	(0.00,0.00)	(0.00,0.00)	(0.00,8.36)	(0.00,5.24)	(0.00,0.33)	(0.00,0.00)	
Total	15	34	49	51	47	21	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs Smoked per Day (5 groups) by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: smokperday

Count Percent Weighted Percent 95% CI	Education			
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Avg. # Cigs Smoked per Day (5 groups)			
1-10	7 24.14 15.99 (0.00,32.99)	22 23.91 28.96 (15.49,42.44)	14 22.95 29.32 (5.13,53.52)	13 35.14 37.35 (16.19,58.51)
11-20	14 48.28 52.41 (24.47,80.34)	48 52.17 60.88 (46.66,75.10)	32 52.46 43.76 (20.94,66.58)	16 43.24 39.22 (15.97,62.47)
21-30	4 13.79 13.27 (0.00,27.80)	13 14.13 6.35 (1.85,10.84)	9 14.75 10.49 (0.29,20.68)	2 5.41 10.77 (0.00,29.90)
31-40	4 13.79 18.33 (0.00,39.01)	5 5.43 1.43 (0.00,3.07)	6 9.84 16.43 (0.00,39.24)	6 16.22 12.66 (0.00,26.35)
41+	0 0.00 0.00 (0.00,0.00)	4 4.35 2.38 (0.00,5.65)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
Total	29 100.00 100.00	92 100.00 100.00	61 100.00 100.00	37 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs Smoked per Day (5 groups) by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smokperday

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Avg. # Cigs Smoked per Day (5 groups)				
1-10	12 27.27 41.48 (18.73,64.23)	12 18.46 25.51 (9.35,41.67)	9 25.71 37.83 (3.66,72.01)	11 31.43 21.35 (4.38,38.31)	6 30.00 30.19 (3.27,57.11)
11-20	22 50.00 37.85 (15.69,60.02)	36 55.38 57.95 (40.06,75.84)	15 42.86 42.07 (13.41,70.72)	16 45.71 50.28 (22.31,78.26)	11 55.00 57.75 (27.98,87.51)
21-30	5 11.36 6.51 (0.00,14.37)	8 12.31 9.25 (0.00,18.72)	7 20.00 18.64 (0.00,39.21)	5 14.29 6.76 (0.00,14.18)	2 10.00 4.60 (0.00,12.69)
31-40	5 11.36 14.16 (0.00,30.04)	8 12.31 6.29 (0.46,12.13)	2 5.71 0.89 (0.00,2.26)	3 8.57 21.61 (0.00,52.64)	0 0.00 0.00 (0.00,0.00)
41+	0 0.00 0.00 (0.00,0.00)	1 1.54 1.00 (0.00,2.96)	2 5.71 0.57 (0.00,1.53)	0 0.00 0.00 (0.00,0.00)	1 5.00 7.47 (0.00,21.76)
Total	44 100.00 100.00	65 100.00 100.00	35 100.00 100.00	35 100.00 100.00	20 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs Smoked per Day (5 groups) by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smokperday

Avg. # Cigs Smoked per Day (5 groups)	Marital Status	
	Married	Not Married
	Count	Count
	Percent	Percent
Weighted Percent	Weighted Percent	Weighted Percent
95% CI	95% CI	95% CI
1-10	26 24.76 25.84 (13.88,37.79)	30 26.55 33.45 (16.77,50.13)
11-20	53 50.48 51.56 (36.70,66.42)	57 50.44 51.78 (35.50,68.05)
21-30	15 14.29 9.50 (3.19,15.80)	12 10.62 7.61 (0.00,15.52)
31-40	9 8.57 11.72 (0.00,25.24)	12 10.62 6.49 (1.76,11.23)
41+	2 1.90 1.39 (0.00,3.85)	2 1.77 0.67 (0.00,1.89)
Total	105 100.00 100.00	113 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Smoked Cigs, Pst 30 (5 groups) by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: smokdays30

	Gender		
	Count	Female	
	Percent	Male	
	Weighted Percent	Female	
	95% CI	Male	Female
<b># Days Smoked Cigs, Pst 30 (5 groups)</b>			
1-7		3	4
		15.79	16.67
		2.30	8.27
		(0.00,5.81)	(0.00,18.77)
8-14		4	1
		21.05	4.17
		26.15	3.21
		(0.00,56.60)	(0.00,9.67)
15		2	7
		10.53	29.17
		23.46	53.28
		(0.00,60.38)	(21.21,85.34)
20		3	4
		15.79	16.67
		17.36	11.24
		(0.00,42.77)	(0.00,23.66)
21-30		7	8
		36.84	33.33
		30.72	24.00
		(2.32,59.12)	(0.00,51.54)
Total		19	24
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Smoked Cigs, Pst 30 (5 groups) by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smokdays30

Count Percent Weighted Percent 95% CI	Age						
	18-24	25-34	35-44	45-54	55-64	65+	
	<b># Days Smoked Cigs, Pst 30 (5 groups)</b>						
	1-7	0 0.00 0.00 (0.00,0.00)	4 44.44 10.75 (0.00,29.76)	2 20.00 26.47 (0.00,57.19)	1 10.00 1.00 (0.00,3.20)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
8-14	1 16.67 19.46 (0.00,53.80)	1 11.11 0.72 (0.00,2.45)	0 0.00 0.00 (0.00,0.00)	1 10.00 28.75 (0.00,75.72)	1 33.33 21.53 (0.00,67.24)	1 33.33 12.06 (0.00,40.44)	
15	3 50.00 50.94 (7.27,94.62)	1 11.11 71.31 (26.84,100.00)	2 20.00 13.24 (0.00,32.05)	2 20.00 1.71 (0.00,4.64)	0 0.00 0.00 (0.00,0.00)	1 33.33 81.54 (44.85,100.00)	
20	0 0.00 0.00 (0.00,0.00)	2 22.22 16.23 (0.00,46.41)	3 30.00 27.81 (0.00,58.31)	1 10.00 38.32 (0.00,91.68)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
21-30	2 33.33 29.60 (0.00,66.87)	1 11.11 0.99 (0.00,3.39)	3 30.00 32.47 (0.99,63.95)	5 50.00 30.21 (0.00,69.75)	2 66.67 78.47 (32.76,100.00)	1 33.33 6.40 (0.00,22.04)	
Total	6 100.00 100.00	9 100.00 100.00	10 100.00 100.00	10 100.00 100.00	3 100.00 100.00	3 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: # Days Smoked Cigs, Pst 30 (5 groups) by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: smokdays30

		Education			
# Days Smoked Cigs, Pst 30 (5 groups)	Count	Less Than High School	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI	High Graduate			
1-7	0 0.00 0.00 (0.00,0.00)	1 7.69 1.49 (0.00,4.64)	1 7.69 0.65 (0.00,2.03)	5 38.46 22.15 (0.00,48.16)	
8-14	0 0.00 0.00 (0.00,0.00)	3 23.08 24.87 (0.00,60.76)	0 0.00 0.00 (0.00,0.00)	2 15.38 31.20 (0.00,74.41)	
15	0 0.00 0.00 (0.00,0.00)	2 15.38 39.62 (0.00,83.03)	5 38.46 48.58 (5.25,91.92)	2 15.38 28.81 (0.00,71.93)	
20	0 0.00 0.00 (0.00,0.00)	4 30.77 26.73 (0.00,61.65)	1 7.69 4.91 (0.00,14.97)	2 15.38 13.92 (0.00,34.02)	
21-30	4 100.00 100.00 (100.00,100.00)	3 23.08 7.29 (0.00,18.26)	6 46.15 45.86 (4.42,87.30)	2 15.38 3.92 (0.00,10.27)	
Total	4 100.00 100.00	13 100.00 100.00	13 100.00 100.00	13 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: # Days Smoked Cigs, Pst 30 (5 groups) by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smokdays30

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	# Days Smoked Cigs, Pst 30 (5 groups)				
1-7	1 12.50 3.72 (0.00,12.10)	4 22.22 12.82 (0.00,29.31)	1 25.00 3.06 (0.00,10.31)	1 25.00 4.26 (0.00,13.53)	0 0.00 0.00 (0.00,0.00)
8-14	1 12.50 35.66 (0.00,93.23)	3 16.67 22.47 (0.00,55.36)	0 0.00 0.00 (0.00,0.00)	1 25.00 33.39 (0.00,86.25)	0 0.00 0.00 (0.00,0.00)
15	2 25.00 51.62 (0.00,100.00)	3 16.67 25.77 (0.00,54.92)	3 75.00 96.94 (89.69,100.00)	1 25.00 23.88 (0.00,66.84)	0 0.00 0.00 (0.00,0.00)
20	2 25.00 4.96 (0.00,14.59)	3 16.67 17.17 (0.00,36.80)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	2 25.00 42.45 (0.00,91.34)
21-30	2 25.00 4.04 (0.00,11.97)	5 27.78 21.78 (0.00,51.19)	0 0.00 0.00 (0.00,0.00)	1 25.00 38.47 (0.00,94.41)	6 75.00 57.55 (8.66,100.00)
Total	8 100.00 100.00	18 100.00 100.00	4 100.00 100.00	4 100.00 100.00	8 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Smoked Cigs, Pst 30 (5 groups) by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smokdays30

# Days Smoked Cigs, Pst 30 (5 groups)	Marital Status	
	Count	Not Married
	Percent	Weighted Percent
	95% CI	Married
1-7	2 11.11 4.51 (0.00,12.65)	5 21.74 5.54 (0.00,12.58)
8-14	2 11.11 17.52 (0.00,42.72)	3 13.04 14.29 (0.00,38.24)
15	3 16.67 12.79 (0.00,31.64)	6 26.09 54.35 (21.09,87.61)
20	2 11.11 22.59 (0.00,53.62)	5 21.74 9.28 (0.00,19.61)
21-30	9 50.00 42.59 (10.97,74.22)	4 17.39 16.54 (0.00,39.49)
Total	18 100.00 100.00	23 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs per Day, Pst 30 (7 groups) by Respondent's Gender

Independent Variable: Gender

Dependent Variable: smksomeday

	Gender	
	Count	Female
	Percent	Male
	Weighted Percent	95% CI
Avg. # Cigs per Day, Pst 30 (7 groups)		
1	1 5.26 8.77 (0.00,25.53)	2 8.33 3.19 (0.00,9.32)
2	3 15.79 4.03 (0.00,10.82)	3 12.50 5.55 (0.00,13.63)
3	2 10.53 1.95 (0.00,5.28)	3 12.50 4.99 (0.00,12.57)
4	1 5.26 0.51 (0.00,1.56)	2 8.33 4.79 (0.00,12.17)
5	4 21.05 36.26 (0.00,72.70)	9 37.50 37.13 (7.64,66.62)
6-10	7 36.84 38.22 (4.63,71.80)	5 20.83 44.35 (9.36,79.33)
11+	1 5.26 10.27 (0.00,29.63)	0 0.00 0.00 (0.00,0.00)
Total	19 100.00 100.00	24 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs per Day, Pst 30 (7 groups) by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smksomeday

		Age							
		Count		Percent		Weighted Percent			
		95% CI		18-24		25-34			
		35-44		45-54		55-64			
		65+							
<b>Avg. # Cigs per Day, Pst 30 (7 groups)</b>									
1	1	1	1	1	0	0	0		
	16.67	11.11	10.00	0.00	0.00	0.00	0.00		
	11.67	0.50	11.63	0.00	0.00	0.00	0.00		
	(0.00,34.16)	(0.00,1.70)	(0.00,33.06)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)		
2	0	1	3	2	0	0	0		
	0.00	11.11	30.00	20.00	0.00	0.00	0.00		
	0.00	5.41	29.42	1.71	0.00	0.00	0.00		
	(0.00,0.00)	(0.00,18.05)	(0.00,60.99)	(0.00,4.64)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)		
3	0	4	1	0	0	0	0		
	0.00	44.44	10.00	0.00	0.00	0.00	0.00		
	0.00	11.24	13.24	0.00	0.00	0.00	0.00		
	(0.00,0.00)	(0.00,30.85)	(0.00,37.23)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)		
4	0	0	0	1	2	0	0		
	0.00	0.00	0.00	10.00	66.67	0.00	0.00		
	0.00	0.00	0.00	3.84	25.43	0.00	0.00		
	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,12.07)	(0.00,74.46)	(0.00,0.00)	(0.00,0.00)		
5	3	2	3	1	1	2	2		
	50.00	22.22	30.00	10.00	33.33	66.67	66.67		
	50.94	11.54	27.47	2.56	74.57	87.94	87.94		
	(7.27,94.62)	(0.00,36.39)	(0.00,56.71)	(0.00,8.11)	(25.54,100.00)	(59.56,100.00)	(59.56,100.00)		
6-10	2	1	2	5	0	1	1		
	33.33	11.11	20.00	50.00	0.00	33.33	33.33		
	37.39	71.31	18.24	63.13	0.00	12.06	12.06		
	(0.00,79.23)	(26.84,100.00)	(0.00,42.49)	(15.54,100.00)	(0.00,0.00)	(0.00,40.44)	(0.00,40.44)		
11+	0	0	0	1	0	0	0		
	0.00	0.00	0.00	10.00	0.00	0.00	0.00		
	0.00	0.00	0.00	28.75	0.00	0.00	0.00		
	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,75.72)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)		
Total	6	9	10	10	3	3	3		
	100.00	100.00	100.00	100.00	100.00	100.00	100.00		
	100.00	100.00	100.00	100.00	100.00	100.00	100.00		

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs per Day, Pst 30 (7 groups) by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: smksomeday

		Education			
Count Percent Weighted Percent 95% CI		Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
<hr/>					
Avg. # Cigs per Day, Pst 30 (7 groups)					
<hr/>					
1	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 7.69 13.55 (0.00,39.05)	2 15.38 7.68 (0.00,22.31)
2	0 0.00 0.00 (0.00,0.00)	3 23.08 7.42 (0.00,18.60)	1 7.69 0.39 (0.00,1.22)	1 7.69 0.65 (0.00,2.03)	2 15.38 9.27 (0.00,25.96)
3	1 25.00 1.89 (0.00,6.77)	1 7.69 1.49 (0.00,4.64)	1 7.69 0.65 (0.00,2.03)	1 7.69 0.65 (0.00,2.03)	2 15.38 12.48 (0.00,31.43)
4	0 0.00 0.00 (0.00,0.00)	2 15.38 5.89 (0.00,15.40)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 7.69 1.40 (0.00,4.35)
5	0 0.00 0.00 (0.00,0.00)	4 30.77 15.78 (0.00,38.21)	6 46.15 68.12 (33.61,100.00)	6 46.15 68.12 (33.61,100.00)	3 23.08 36.98 (0.00,79.47)
6-10	3 75.00 98.11 (93.23,100.00)	3 23.08 69.41 (39.10,99.73)	4 30.77 17.28 (0.00,40.88)	4 30.77 17.28 (0.00,40.88)	2 15.38 3.91 (0.00,10.58)
11+	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 7.69 28.28 (0.00,71.98)
Total	4 100.00 100.00	13 100.00 100.00	13 100.00 100.00	13 100.00 100.00	13 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs per Day, Pst 30 (7 groups) by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smoksome day

		Income				
	Count Percent Weighted Percent 95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
1	0 0.00 0.00 (0.00,0.00)	2 11.11 17.36 (0.00,46.84)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 12.50 6.87 (0.00,20.99)	
2	3 37.50 5.57 (0.00,15.73)	2 11.11 12.15 (0.00,28.95)	1 25.00 1.03 (0.00,3.52)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
3	1 12.50 3.72 (0.00,12.10)	3 16.67 7.24 (0.00,19.08)	1 25.00 3.06 (0.00,10.31)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
4	0 0.00 0.00 (0.00,0.00)	1 5.56 2.67 (0.00,8.09)	0 0.00 0.00 (0.00,0.00)	1 25.00 33.39 (0.00,86.25)	1 12.50 1.32 (0.00,4.17)	
5	0 0.00 0.00 (0.00,0.00)	7 38.89 38.15 (6.82,69.48)	2 50.00 95.91 (87.51,100.00)	2 50.00 62.35 (9.28,100.00)	2 25.00 27.65 (0.00,70.07)	
6-10	4 50.00 90.71 (75.70,100.00)	2 11.11 2.44 (0.00,6.77)	0 0.00 0.00 (0.00,0.00)	1 25.00 4.26 (0.00,13.53)	4 50.00 64.16 (20.39,100.00)	
11+	0 0.00 0.00 (0.00,0.00)	1 5.56 19.99 (0.00,53.18)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
Total	8 100.00 100.00	18 100.00 100.00	4 100.00 100.00	4 100.00 100.00	8 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Avg. # Cigs per Day, Pst 30 (7 groups) by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smoksome day

		Marital Status	
		Married	Not Married
Avg. # Cigs per Day, Pst 30 (7 groups)			
	Count Percent Weighted Percent 95% CI		
1	1 5.56 11.75 (0.00,33.29)	2 8.70 2.51 (0.00,7.37)	
2	2 11.11 4.51 (0.00,12.65)	4 17.39 4.96 (0.00,11.94)	
3	1 5.56 0.39 (0.00,1.19)	4 17.39 5.41 (0.00,12.41)	
4	2 11.11 4.44 (0.00,12.14)	1 4.35 1.23 (0.00,3.77)	
5	6 33.33 34.67 (5.22,64.12)	7 30.43 38.50 (3.98,73.01)	
6-10	5 27.78 30.48 (0.00,62.53)	5 21.74 47.39 (12.47,82.32)	
11+	1 5.56 13.76 (0.00,38.37)	0 0.00 0.00 (0.00,0.00)	
Total	18 100.00 100.00	23 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Mean Daily Cigarette Consumption by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: smokmeanday

				Gender	
				Male	Female
Count					
Percent					
Weighted Percent					
95% CI					
Mean Daily Cigarette Consumption					
<= 10	35	64			
	31.82	41.83			
	42.49	45.44			
	(27.01,57.97)	(32.55,58.33)			
11-20	44	66			
	40.00	43.14			
	42.04	39.24			
	(27.31,56.78)	(27.03,51.45)			
21-30	14	14			
	12.73	9.15			
	9.35	4.71			
	(2.33,16.37)	(1.29,8.13)			
31-40	12	9			
	10.91	5.88			
	4.29	10.61			
	(0.64,7.93)	(0.00,22.57)			
41+	5	0			
	4.55	0.00			
	1.83	0.00			
	(0.00,4.13)	(0.00,0.00)			
Total	110	153			
	100.00	100.00			
	100.00	100.00			

## Section II: Bivariate Distributions – demographics

Description: Mean Daily Cigarette Consumption by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smokmeanday

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Mean Daily Cigarette Consumption</b>							
<= 10	11	16	26	23	9	10	
	52.38	37.21	43.33	37.70	18.00	41.67	
	83.17	36.34	49.12	38.88	14.03	45.74	
	(65.89,100.00)	(12.06,60.62)	(31.64,66.60)	(18.98,58.78)	(0.74,27.32)	(16.97,74.51)	
11-20	9	20	23	20	27	11	
	42.86	46.51	38.33	32.79	54.00	45.83	
	15.99	51.25	37.41	40.45	57.02	40.26	
	(0.00,33.02)	(26.57,75.93)	(19.95,54.88)	(19.17,61.72)	(32.06,81.98)	(11.94,68.59)	
21-30	0	6	6	10	5	1	
	0.00	13.95	10.00	16.39	10.00	4.17	
	0.00	12.14	8.36	14.38	0.95	4.70	
	(0.00,0.00)	(0.00,26.76)	(0.00,17.58)	(3.75,25.00)	(0.00,1.94)	(0.00,13.90)	
31-40	1	1	3	6	8	2	
	4.76	2.33	5.00	9.84	16.00	8.33	
	0.83	0.27	2.15	4.74	27.90	9.29	
	(0.00,2.54)	(0.00,0.81)	(0.00,4.82)	(0.00,10.00)	(1.34,54.46)	(0.00,22.09)	
41+	0	0	2	2	1	0	
	0.00	0.00	3.33	3.28	2.00	0.00	
	0.00	0.00	2.95	1.55	0.10	0.00	
	(0.00,0.00)	(0.00,0.00)	(0.00,7.88)	(0.00,4.07)	(0.00,0.30)	(0.00,0.00)	
Total	21	43	60	61	50	24	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Mean Daily Cigarette Consumption by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: smokmeanday

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<hr/>					
Mean Daily Cigarette Consumption					
<= 10	11	35	27	26	
	32.35	33.33	36.49	52.00	
	31.09	42.02	45.89	52.53	
	(3.80,58.37)	(27.31,56.73)	(24.66,67.13)	(32.13,72.92)	
11-20	14	48	32	16	
	41.18	45.71	43.24	32.00	
	42.33	49.69	33.50	29.72	
	(14.52,70.15)	(35.05,64.34)	(15.72,51.28)	(10.53,48.90)	
21-30	4	13	9	2	
	11.76	12.38	12.16	4.00	
	10.72	5.18	8.03	8.16	
	(0.00,22.70)	(1.50,8.86)	(0.27,15.79)	(0.00,22.98)	
31-40	4	5	6	6	
	11.76	4.76	8.11	12.00	
	14.81	1.17	12.58	9.59	
	(0.00,32.12)	(0.00,2.50)	(0.00,30.66)	(0.00,20.08)	
41+	1	4	0	0	
	2.94	3.81	0.00	0.00	
	1.05	1.94	0.00	0.00	
	(0.00,3.17)	(0.00,4.62)	(0.00,0.00)	(0.00,0.00)	
Total	34	105	74	50	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Mean Daily Cigarette Consumption by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: smokmeanday

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Mean Daily Cigarette Consumption</b>						
<= 10	20	30	13	15	14	
	37.74	36.14	33.33	38.46	50.00	
	56.62	41.00	51.43	25.66	56.16	
	(34.66,78.59)	(25.08,56.92)	(22.99,79.88)	(7.97,43.35)	(30.01,82.31)	
11-20	22	36	15	16	11	
	41.51	43.37	38.46	41.03	39.29	
	27.69	45.90	32.86	47.53	36.26	
	(8.90,46.48)	(29.50,62.30)	(9.58,56.15)	(21.08,73.98)	(10.50,62.02)	
21-30	5	8	7	5	2	
	9.43	9.64	17.95	12.82	7.14	
	4.76	7.33	14.56	6.39	2.89	
	(0.00,10.62)	(0.00,14.87)	(0.00,30.98)	(0.00,13.34)	(0.00,7.95)	
31-40	5	8	2	3	0	
	9.43	9.64	5.13	7.69	0.00	
	10.35	4.98	0.70	20.43	0.00	
	(0.00,22.49)	(0.39,9.58)	(0.00,1.76)	(0.00,50.06)	(0.00,0.00)	
41+	1	1	2	0	1	
	1.89	1.20	5.13	0.00	3.57	
	0.57	0.79	0.45	0.00	4.69	
	(0.00,1.71)	(0.00,2.34)	(0.00,1.19)	(0.00,0.00)	(0.00,13.78)	
Total	53	83	39	39	28	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Mean Daily Cigarette Consumption by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smokmeanday

				Marital Status	
				Married	Not Married
Mean Daily Cigarette Consumption					
	Count	Percent	Weighted Percent	95% CI	
<= 10	44	35.77	37.79	(25.12,50.45)	53 38.69 50.61 (35.71,65.52)
11-20	53	43.09	43.25	(29.91,56.59)	57 41.61 38.26 (24.38,52.15)
21-30	15	12.20	7.97	(2.68,13.25)	12 8.76 5.62 (0.00,11.54)
31-40	9	7.32	9.83	(0.00,21.36)	12 8.76 4.80 (1.30,8.30)
41+	2	1.63	1.16	(0.00,3.23)	3 2.19 0.70 (0.00,1.70)
Total	123	100.00	100.00		137 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: First Morning Cigarette by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: smokwake

	Gender	
	Count	
	Percent	
	Weighted Percent	
95% CI	Male	Female
<b>First Morning Cigarette</b>		
Within 5 minutes	29 26.61 30.44 (16.49,44.40)	34 22.08 17.62 (8.35,26.90)
6-30 minutes	33 30.28 32.64 (17.68,47.59)	59 38.31 32.11 (21.24,42.98)
31-60 minutes	17 15.60 5.61 (1.88,9.34)	15 9.74 7.03 (1.68,12.37)
After 60 minutes	30 27.52 31.31 (16.85,45.77)	46 29.87 43.24 (29.77,56.72)
Total	109 100.00 100.00	154 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: First Morning Cigarette by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smokwake

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>First Morning Cigarette</b>							
Within 5 minutes	4	9	13	19	15	2	
	19.05	20.93	21.67	31.67	30.00	8.33	
	2.12	31.34	22.01	38.20	28.14	9.29	
	(0.00,4.99)	(7.63,55.05)	(5.22,38.80)	(16.39,60.00)	(8.65,47.63)	(0.00,22.09)	
6-30 minutes	5	9	22	20	20	14	
	23.81	20.93	36.67	33.33	40.00	58.33	
	34.06	25.86	33.22	28.67	32.35	53.02	
	(0.00,68.92)	(5.09,46.63)	(17.21,49.23)	(12.38,44.96)	(11.59,53.10)	(24.27,81.76)	
31-60 minutes	3	6	4	8	6	4	
	14.29	13.95	6.67	13.33	12.00	16.67	
	2.65	6.71	4.57	7.36	11.12	3.66	
	(0.00,7.17)	(0.00,13.43)	(0.00,9.90)	(0.66,14.07)	(0.00,23.54)	(0.00,8.72)	
After 60 minutes	9	19	21	13	9	4	
	42.86	44.19	35.00	21.67	18.00	16.67	
	61.17	36.08	40.20	25.77	28.39	34.03	
	(26.87,95.47)	(11.82,60.35)	(23.30,57.10)	(6.98,44.56)	(1.83,54.95)	(4.80,63.25)	
Total	21	43	60	60	50	24	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: First Morning Cigarette by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: smokwake

Education				
Count	Less Than	High School	Some College	College
Percent	High School	Diploma or	or Tech.	Graduate
Weighted Percent	Graduate	GED	School	Plus
95% CI				
First Morning Cigarette				
Within 5 minutes	15	24	18	6
	44.12	22.64	24.32	12.24
	41.07	23.59	23.58	15.74
	(13.58,68.56)	(10.72,36.45)	(7.28,39.88)	(0.00,33.52)
6-30 minutes	9	41	26	16
	26.47	38.68	35.14	32.65
	31.54	34.37	29.99	31.83
	(7.66,55.42)	(21.22,47.51)	(9.72,50.25)	(11.96,51.71)
31-60 minutes	2	13	13	4
	5.88	12.26	17.57	8.16
	4.02	5.37	8.65	5.94
	(0.00,11.18)	(0.78,9.97)	(1.08,16.21)	(0.00,12.71)
After 60 minutes	8	28	17	23
	23.53	26.42	22.97	46.94
	23.37	36.67	37.78	46.48
	(0.00,50.08)	(22.03,51.31)	(15.88,59.69)	(26.21,66.76)
Total	34	106	74	49
	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: First Morning Cigarette by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smokwake

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
Within 5 minutes	17	10	15	10	3	
	32.08	12.50	36.59	25.64	10.71	
	22.32 (6.15,38.49)	16.88 (1.00,32.77)	26.31 (4.90,47.72)	40.67 (14.47,66.87)	9.76 (0.00,21.34)	
6-30 minutes	16	35	13	16	8	
	30.19	43.75	31.71	41.03	28.57	
	26.83 (8.43,45.23)	43.00 (26.55,59.46)	40.01 (10.96,69.05)	25.03 (7.49,42.58)	21.61 (0.00,44.60)	
31-60 minutes	4	12	6	4	3	
	7.55	15.00	14.63	10.26	10.71	
	2.45 (0.00,6.36)	7.70 (0.29,15.10)	10.53 (0.00,21.91)	4.87 (0.00,10.53)	0.89 (0.00,2.04)	
After 60 minutes	16	23	7	9	14	
	30.19	28.75	17.07	23.08	50.00	
	48.40 (24.95,71.86)	32.42 (17.20,47.63)	23.16 (0.00,49.20)	29.43 (1.01,57.85)	67.73 (43.48,91.99)	
Total	53	80	41	39	28	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: First Morning Cigarette by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smokwake

	Marital Status	
	Count	Not Married
	Percent	Weighted Percent
	95% CI	Married
<b>First Morning Cigarette</b>		
Within 5 minutes	27 22.50 26.33 (13.83,38.83)	36 25.71 21.95 (10.42,33.48)
6-30 minutes	43 35.83 28.28 (16.81,39.75)	48 34.29 36.19 (21.84,50.54)
31-60 minutes	21 17.50 9.39 (3.90,14.89)	10 7.14 3.27 (0.00,6.93)
After 60 minutes	29 24.17 36.00 (21.76,50.23)	46 32.86 38.60 (24.06,53.14)
Total	120 100.00 100.00	140 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Time Since Last Smoked Cigs Regularly by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: smoklast

	Gender	
	Count	
	Percent	
	Weighted Percent	
95% CI	Male	Female
<b>Time Since Last Smoked Cigs Regularly</b>		
Within the past month	2 0.96 0.61 (0.00,1.71)	9 4.84 8.85 (1.50,16.21)
>1 month but less than 3 months ago	0 0.00 0.00 (0.00,0.00)	3 1.61 2.50 (0.00,5.90)
>3 months but less than 6 months ago	4 1.91 1.50 (0.00,3.11)	7 3.76 3.10 (0.36,5.85)
>6 months but less than 1 year ago	5 2.39 4.39 (0.00,8.87)	5 2.69 4.24 (0.10,8.38)
>1 year but less than 5 years ago	34 16.27 21.38 (12.29,30.47)	25 13.44 12.04 (6.15,17.93)
>5 years but less than 10 years ago	19 9.09 11.10 (4.81,17.39)	26 13.98 19.34 (10.49,28.19)
10 or more years ago	145 69.38 61.02 (51.04,71.00)	111 59.68 49.93 (39.62,60.23)
Total	209 100.00 100.00	186 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Time Since Last Smoked Cigs Regularly by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smoklast

		Age											
		18-24		25-34		35-44		45-54		55-64		65+	
	Count Percent Weighted Percent 95% CI												
		<b>Time Since Last Smoked Cigs Regularly</b>											
<b>Within the past month</b>													
	1	1	1	1	4	3							
	33.33	3.70	2.56	1.43	5.71	1.69							
	14.89	6.77	10.61	1.10	11.90	1.15							
	(0.00,45.53)	(0.00,19.49)	(0.00,29.77)	(0.00,3.27)	(0.00,24.83)	(0.00,2.73)							
<b>&gt;1 month but less than 3 months ago</b>													
	0	2	0	0	0	1							
	0.00	7.41	0.00	0.00	0.00	0.56							
	0.00	7.63	0.00	0.00	0.00	0.84							
	(0.00,0.00)	(0.00,20.47)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,2.47)							
<b>&gt;3 months but less than 6 months ago</b>													
	0	3	3	3	0	2							
	0.00	11.11	7.69	4.29	0.00	1.12							
	0.00	6.71	2.87	3.63	0.00	0.99							
	(0.00,0.00)	(0.00,15.13)	(0.00,6.73)	(0.00,8.37)	(0.00,0.00)	(0.00,2.52)							
<b>&gt;6 months but less than 1 year ago</b>													
	0	1	1	5	1	2							
	0.00	3.70	2.56	7.14	1.43	1.12							
	0.00	6.77	2.85	11.00	4.58	0.95							
	(0.00,0.00)	(0.00,19.54)	(0.00,8.44)	(0.10,21.89)	(0.00,13.28)	(0.00,2.34)							
<b>&gt;1 year but less than 5 years ago</b>													
	2	12	12	11	8	11							
	66.67	44.44	30.77	15.71	11.43	6.18							
	85.11	42.61	36.74	11.39	13.10	5.03							
	(54.47,100.00)	(19.72,65.50)	(13.03,60.45)	(3.35,19.43)	(1.95,24.25)	(0.85,9.21)							
<b>&gt;5 years but less than 10 years ago</b>													
	0	6	7	9	10	12							
	0.00	22.22	17.95	12.86	14.29	6.74							
	0.00	25.86	17.41	25.11	9.73	8.51							
	(0.00,0.00)	(5.65,46.08)	(1.98,32.84)	(8.99,41.23)	(1.93,17.54)	(2.09,14.94)							
<b>10 or more years ago</b>													
	0	2	15	41	47	147							
	0.00	7.41	38.46	58.57	67.14	82.58							
	0.00	3.64	29.52	47.77	60.70	82.54							
	(0.00,0.00)	(0.00,10.29)	(9.69,49.35)	(31.11,64.43)	(43.64,77.76)	(74.75,90.33)							
<b>Total</b>													
	3	27	39	70	70	178							
	100.00	100.00	100.00	100.00	100.00	100.00							
	100.00	100.00	100.00	100.00	100.00	100.00							

## Section II: Bivariate Distributions – demographics

Description: Time Since Last Smoked Cigs Regularly by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: smoklast

	Education			
	Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School
<b>Time Since Last Smoked Cigs Regularly</b>				
Within the past month	2 4.76 4.02 (0.00,11.14)	3 2.70 4.04 (0.00,9.29)	3 2.54 1.25 (0.00,2.90)	3 2.48 7.87 (0.00,16.80)
>1 month but less than 3 months ago	0 0.00 0.00 (0.00,0.00)	1 0.90 3.25 (0.00,9.48)	1 0.85 1.08 (0.00,3.19)	1 0.83 0.26 (0.00,0.78)
>3 months but less than 6 months ago	1 2.38 0.32 (0.00,0.95)	2 1.80 1.74 (0.00,4.36)	5 4.24 3.29 (0.00,6.69)	3 2.48 2.26 (0.00,4.94)
>6 months but less than 1 year ago	0 0.00 0.00 (0.00,0.00)	5 4.50 8.31 (0.00,17.07)	4 3.39 7.36 (0.26,14.45)	1 0.83 0.34 (0.00,1.01)
>1 year but less than 5 years ago	7 16.67 21.29 (1.56,41.01)	14 12.61 14.52 (4.88,24.16)	20 16.95 14.99 (6.25,23.72)	17 14.05 18.73 (7.69,29.77)
>5 years but less than 10 years ago	4 9.52 13.98 (0.00,32.05)	12 10.81 18.60 (6.09,31.11)	15 12.71 16.54 (6.21,26.88)	14 11.57 12.27 (4.52,20.02)
10 or more years ago	28 66.67 60.40 (37.05,83.75)	74 66.67 49.54 (35.37,63.71)	70 59.32 55.49 (43.08,67.90)	82 67.77 58.27 (45.50,71.04)
Total	42 100.00 100.00	111 100.00 100.00	118 100.00 100.00	121 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Time Since Last Smoked Cigs Regularly by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smoklast

	Income				
	Count				
	Percent Weighted Percent 95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999
<b>Time Since Last Smoked Cigs Regularly</b>					
Within the past month	4 6.56 8.32 (0.00,20.07)	3 3.13 5.12 (0.00,11.27)	1 1.64 0.20 (0.00,0.61)	2 3.70 10.32 (0.00,26.44)	1 1.85 4.50 (0.00,13.07)
>1 month but less than 3 months ago	1 1.64 2.63 (0.00,7.76)	1 1.04 0.46 (0.00,1.35)	1 1.64 5.06 (0.00,14.61)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
>3 months but less than 6 months ago	2 3.28 4.53 (0.00,11.14)	2 2.08 1.77 (0.00,4.49)	3 4.92 2.73 (0.00,6.72)	4 7.41 5.51 (0.00,11.72)	0 0.00 0.00 (0.00,0.00)
>6 months but less than 1 year ago	1 1.64 3.53 (0.00,10.36)	3 3.13 6.85 (0.00,14.98)	0 0.00 0.00 (0.00,0.00)	5 9.26 8.99 (0.00,18.33)	0 0.00 0.00 (0.00,0.00)
>1 year but less than 5 years ago	6 9.84 10.85 (0.00,26.92)	15 15.63 13.15 (3.75,22.56)	13 21.31 31.34 (15.35,47.33)	14 25.93 28.32 (8.53,48.11)	4 7.41 7.31 (0.00,14.97)
>5 years but less than 10 years ago	10 16.39 34.05 (12.38,55.73)	10 10.42 10.92 (1.96,19.87)	4 6.56 3.81 (0.00,9.56)	5 9.26 10.84 (0.17,21.51)	8 14.81 17.67 (2.94,32.39)
10 or more years ago	37 60.66 36.09 (18.99,53.20)	62 64.58 61.73 (47.75,75.70)	39 63.93 56.85 (39.96,73.74)	24 44.44 36.02 (17.72,54.33)	41 75.93 70.52 (53.57,87.48)
Total	61 100.00 100.00	96 100.00 100.00	61 100.00 100.00	54 100.00 100.00	54 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Time Since Last Smoked Cigs Regularly by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: smoklast

Count Percent Weighted Percent 95% CI	Marital Status	
	Married	Not Married
	Time Since Last Smoked Cigs Regularly	
	Married	Not Married
Within the past month	4 1.79 3.91 (0.00,8.86)	7 4.19 5.78 (0.39,11.17)
>1 month but less than 3 months ago	0 0.00 0.00 (0.00,0.00)	3 1.80 3.28 (0.00,7.73)
>3 months but less than 6 months ago	4 1.79 1.48 (0.00,3.21)	7 4.19 3.69 (0.62,6.76)
>6 months but less than 1 year ago	7 3.13 4.94 (0.85,9.03)	3 1.80 3.40 (0.00,8.07)
>1 year but less than 5 years ago	30 13.39 15.11 (7.54,22.68)	29 17.37 20.68 (12.13,29.23)
>5 years but less than 10 years ago	30 13.39 14.90 (8.18,21.62)	14 8.38 15.45 (6.13,24.78)
10 or more years ago	149 66.52 59.66 (50.11,69.21)	104 62.28 47.72 (37.12,58.32)
Total	224 100.00 100.00	167 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Tried Quitting, Past 12 Months by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: quitatt

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Tried Quitting, Past 12 Months			
Yes	43	70	
		38.39	45.75
		38.21	45.05
	(23.57,52.84)	(32.05,58.05)	
No	69	83	
		61.61	54.25
		61.79	54.95
	(47.16,76.43)	(41.95,67.95)	
Total	112	153	
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Tried Quitting, Past 12 Months by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: quitatt

		Age					
	Count						
	Percent						
Weighted Percent							
95% CI	18-24	25-34	35-44	45-54	55-64	65+	
<b>Tried Quitting, Past 12 Months</b>							
Yes	12	22	28	23	21	6	
	54.55	51.16	46.67	38.33	42.00	24.00	
	54.45	46.53	43.26	32.36	37.99	27.17	
	(21.79,87.10)	(21.62,71.45)	(26.54,59.98)	(12.29,52.43)	(15.87,60.12)	(2.51,51.82)	
No	10	21	32	37	29	19	
	45.45	48.84	53.33	61.67	58.00	76.00	
	45.55	53.47	56.74	67.64	62.01	72.83	
	(12.90,78.21)	(28.55,78.38)	(40.02,73.46)	(47.57,87.71)	(39.88,84.13)	(48.18,97.49)	
Total	22	43	60	60	50	25	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Tried Quitting, Past 12 Months by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: quitatt

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
Tried Quitting, Past 12 Months					
Yes	14	47	36	16	
	41.18	44.34	46.75	33.33	
	33.29 (5.24,61.34)	52.09 (37.59,66.59)	37.42 (18.40,56.45)	25.29 (9.46,41.13)	
No	20	59	41	32	
	58.82	55.66	53.25	66.67	
	66.71 (38.66,94.76)	47.91 (33.41,62.41)	62.58 (43.55,81.60)	74.71 (58.87,90.54)	
Total	34	106	77	48	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Tried Quitting, Past 12 Months by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: quitatt

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Tried Quitting, Past 12 Months</b>						
Yes	33 62.26 69.15 (50.12,88.17)	36 43.90 50.74 (34.32,67.17)	14 34.15 35.28 (8.26,62.30)	11 28.21 14.84 (2.43,27.26)	11 40.74 37.76 (12.76,62.76)	
No	20 37.74 30.85 (11.83,49.88)	46 56.10 49.26 (32.83,65.68)	27 65.85 64.72 (37.70,91.74)	28 71.79 85.16 (72.74,97.57)	16 59.26 62.24 (37.24,87.24)	
Total	53 100.00 100.00	82 100.00 100.00	41 100.00 100.00	39 100.00 100.00	27 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Tried Quitting, Past 12 Months by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: quitatt

		Marital Status	
	Count	Percent	Weighted Percent
	95% CI	Married	Not Married
Tried Quitting, Past 12 Months			
Yes	43	70	
	35.25	50.00	
	30.19	53.76	
	(18.41,41.97)	(38.99,68.52)	
No	79	70	
	64.75	50.00	
	69.81	46.24	
	(58.03,81.59)	(31.48,61.01)	
Total	122	140	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Medication Last Time Quit by Respondent's Gender

Independent Variable: Gender

Dependent Variable: quitmed

		Gender	
	Count	Male	Female
	Percent		
	Weighted Percent		
	95% CI		
Use Medication Last Time Quit			
Yes	24	41	
	27.27	34.45	
	18.73	31.93	
	(8.22,29.25)	(19.21,44.65)	
No	64	78	
	72.73	65.55	
	81.27	68.07	
	(70.75,91.78)	(55.35,80.79)	
Total	88	119	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Medication Last Time Quit by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: quitmed

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Use Medication Last Time Quit</b>					
Yes	4 26.67 21.14 (0.00,46.21)	6 14.63 10.11 (0.00,21.48)	17 37.78 35.54 (15.09,56.00)	16 37.21 19.05 (3.71,34.40)	13 38.24 41.29 (17.32,65.26)	8 32.00 34.11 (8.81,59.41)	
No	11 73.33 78.86 (53.79,100.00)	35 85.37 89.89 (78.52,100.00)	28 62.22 64.46 (44.00,84.91)	27 62.79 80.95 (65.60,96.29)	21 61.76 58.71 (34.74,82.68)	17 68.00 65.89 (40.59,91.19)	
Total	15 100.00 100.00	41 100.00 100.00	45 100.00 100.00	43 100.00 100.00	34 100.00 100.00	25 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Medication Last Time Quit by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: quitmed

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<b>Use Medication Last Time Quit</b>					
Yes	9	17	25	14	
	37.50	23.61	36.23	34.15	
	33.36 (0.85,65.88)	21.04 (8.49,33.58)	29.14 (13.86,44.42)	27.40 (6.66,48.14)	
No	15	55	44	27	
	62.50	76.39	63.77	65.85	
	66.64 (34.12,99.15)	78.96 (66.42,91.51)	70.86 (55.58,86.14)	72.60 (51.86,93.34)	
Total	24	72	69	41	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Medication Last Time Quit by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: quitmed

		Income				
Use Medication Last Time Quit	Count	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Percent Weighted Percent 95% CI					
Yes	13	16	16	9	6	
	27.66	26.67	50.00	25.00	37.50	
	24.30	18.83	40.93	25.23	27.06	
	(5.73,42.86)	(5.05,32.60)	(15.83,66.02)	(1.59,48.86)	(1.26,52.86)	
No	34	44	16	27	10	
	72.34	73.33	50.00	75.00	62.50	
	75.70	81.17	59.07	74.77	72.94	
	(57.14,94.27)	(67.40,94.95)	(33.98,84.17)	(51.14,98.41)	(47.14,98.74)	
Total	47	60	32	36	16	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Medication Last Time Quit by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: quitmed

		Marital Status	
	Count	Percent	Weighted Percent
	95% CI	Married	Not Married
Use Medication Last Time Quit			
Yes	35	30	
		39.77	25.21
		30.74	21.29
	(16.91,44.58)	(10.89,31.70)	
No	53	89	
		60.23	74.79
		69.26	78.71
	(55.42,83.09)	(68.30,89.11)	
Total	88	119	
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Use Assistance Last Time Quit by Respondent's Gender

Independent Variable: Gender

Dependent Variable: quitasst

		Gender	
Count			
Percent			
Weighted Percent			
95% CI		Male	Female
Use Assistance Last Time Quit			
Yes	3	5	
	3.41	4.24	
	3.46	4.83	
	(0.00,8.74)	(0.00,10.15)	
No	85	113	
	96.59	95.76	
	96.54	95.17	
	(91.26,100.00)	(89.85,100.00)	
Total	88	118	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Assistance Last Time Quit by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: quitasst

		Age					
		18-24	25-34	35-44	45-54	55-64	65+
	Count						
	Percent						
	Weighted Percent						
	95% CI						
<b>Use Assistance Last Time Quit</b>							
Yes	Count	1	2	0	1	3	0
	Percent	6.67	4.88	0.00	2.38	8.82	0.00
	Weighted Percent	9.98	7.70	0.00	1.71	3.00	0.00
		(0.00,29.06)	(0.00,18.68)	(0.00,0.00)	(0.00,5.10)	(0.00,7.72)	(0.00,0.00)
No	Count	14	39	45	41	31	25
	Percent	93.33	95.12	100.00	97.62	91.18	100.00
	Weighted Percent	90.02	92.30	100.00	98.29	97.00	100.00
		(70.94,100.00)	(81.32,100.00)	(100.00,100.00)	(94.90,100.00)	(92.28,100.00)	(100.00,100.00)
Total	Count	15	41	45	42	34	25
	Percent	100.00	100.00	100.00	100.00	100.00	100.00
	Weighted Percent	100.00	100.00	100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Use Assistance Last Time Quit by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: quitasst

		Education			
Count Percent Weighted Percent 95% CI	Less Than High School Graduate		High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	<hr/>				
<b>Use Assistance Last Time Quit</b>					
Yes	0	2	3	3	
	0.00	2.82	4.35	7.32	
	0.00 (0.00,0.00)	0.77 (0.00,2.07)	5.85 (0.00,14.60)	9.77 (0.00,21.71)	
No	24	69	66	38	
	100.00	97.18	95.65	92.68	
	100.00 (100.00,100.00)	99.23 (97.93,100.00)	94.15 (85.40,100.00)	90.23 (78.29,100.00)	
Total	24	71	69	41	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Use Assistance Last Time Quit by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: quitasst

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000-\$49,999	\$50,000- \$74,999	\$75,000 +
Use Assistance Last Time Quit						
<hr/>						
Yes	Count	3	5	0	0	0
	Percent	6.38	8.33	0.00	0.00	0.00
	Weighted Percent	8.70	8.61	0.00	0.00	0.00
		(0.00,20.71)	(0.00,18.50)	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)
No	Count	44	55	32	35	16
	Percent	93.62	91.67	100.00	100.00	100.00
	Weighted Percent	91.30	91.39	100.00	100.00	100.00
		(79.29,100.00)	(81.50,100.00)	(100.00,100.00)	(100.00,100.00)	(100.00,100.00)
Total	Count	47	60	32	35	16
	Percent	100.00	100.00	100.00	100.00	100.00
	Weighted Percent	100.00	100.00	100.00	100.00	100.00
<hr/>						

## Section II: Bivariate Distributions – demographics

Description: Use Assistance Last Time Quit by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: quitasst

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Use Assistance Last Time Quit					
Yes	2	2.27	3.61	(0.00,9.25)	6 5.08 4.62 (0.00,9.66)
No	86	97.73	96.39	(90.75,100.00)	112 94.92 95.38 (90.34,100.00)
Total	88	100.00	100.00		118 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Considering Quitting, Next 6 Months by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: quit6mo

	Gender	
	Count	
	Percent	
	Weighted Percent	
	95% CI	
	Male	Female
Considering Quitting, Next 6 Months		
Yes	51 48.11 41.74 (26.62,56.86)	91 60.67 61.78 (48.62,74.93)
No	55 51.89 58.26 (43.14,73.38)	59 39.33 38.22 (25.07,51.38)
Total	106 100.00 100.00	150 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Considering Quitting, Next 6 Months by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: quit6mo

		Age					
Count Percent Weighted Percent 95% CI							
	18-24	25-34	35-44	45-54	55-64	65+	
<b>Considering Quitting, Next 6 Months</b>							
Yes	11 50.00 48.46 (16.21,80.71)	25 59.52 47.29 (22.18,72.40)	34 59.65 59.02 (40.65,77.38)	38 65.52 59.96 (39.51,80.40)	24 50.00 44.44 (21.14,67.75)	8 33.33 50.88 (22.03,79.74)	
No	11 50.00 51.54 (19.29,83.79)	17 40.48 52.71 (27.60,77.82)	23 40.35 40.98 (22.62,59.35)	20 34.48 40.04 (19.60,60.49)	24 50.00 55.56 (32.25,78.86)	16 66.67 49.12 (20.26,77.97)	
Total	22 100.00 100.00	42 100.00 100.00	57 100.00 100.00	58 100.00 100.00	48 100.00 100.00	24 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Considering Quitting, Next 6 Months by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: quit6mo

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate Plus
		Graduate	GED	School	
Considering Quitting, Next 6 Months					
Yes	17	59	44	22	
	54.84	58.42	57.89	45.83	
	52.73	58.88	50.28	34.60	
	(24.14,81.33)	(44.18,73.59)	(29.37,71.18)	(16.72,52.48)	
No	14	42	32	26	
	45.16	41.58	42.11	54.17	
	47.27	41.12	49.72	65.40	
	(18.67,75.86)	(26.41,55.82)	(28.82,70.63)	(47.52,83.28)	
Total	31	101	76	48	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Considering Quitting, Next 6 Months by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: quit6mo

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Considering Quitting, Next 6 Months</b>						
Yes	34	42	21	21	13	
	68.00	51.85	52.50	56.76	48.15	
	66.00	55.69	45.47	41.60	47.80	
	(43.64,88.36)	(39.32,72.05)	(17.16,73.79)	(16.77,66.42)	(21.09,74.50)	
No	16	39	19	16	14	
	32.00	48.15	47.50	43.24	51.85	
	34.00	44.31	54.53	58.40	52.20	
	(11.64,56.36)	(27.95,60.68)	(26.21,82.84)	(33.58,83.23)	(25.50,78.91)	
Total	50	81	40	37	27	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Considering Quitting, Next 6 Months by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: quit6mo

				Marital Status	
				Married	Not Married
		Count	Percent		
		Weighted Percent	95% CI		
Considering Quitting, Next 6 Months					
	Yes	64	55.17	78	56.93
		48.90	54.97		
		(34.96,62.84)	(40.03,69.91)		
	No	52	44.83	59	43.07
		51.10	45.03		
		(37.16,65.04)	(30.09,59.97)		
	Total	116	100.00	137	100.00
		100.00	100.00		

## Section II: Bivariate Distributions – demographics

Description: Planning to Stop, Next 30 Days by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: quit30day

		Gender	
	Count	Male	Female
	Percent		
	Weighted Percent		
	95% CI		
Planning to Stop, Next 30 Days			
Yes	22	44	
	47.83	57.89	
	51.78	60.46	
	(28.27,75.30)	(43.95,76.97)	
No	24	32	
	52.17	42.11	
	48.22	39.54	
	(24.70,71.73)	(23.03,56.05)	
Total	46	76	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Planning to Stop, Next 30 Days by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: quit30day

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Planning to Stop, Next 30 Days</b>					
Yes	4 40.00 55.28 (14.80,95.77)	12 57.14 76.19 (51.95,100.00)	19 63.33 52.47 (27.73,77.22)	15 45.45 32.20 (7.52,56.88)	10 50.00 63.60 (31.65,95.55)	5 71.43 73.41 (31.64,100.00)	
No	6 60.00 44.72 (4.23,85.20)	9 42.86 23.81 (0.00,48.05)	11 36.67 47.53 (22.78,72.27)	18 54.55 67.80 (43.12,92.48)	10 50.00 36.40 (4.45,68.35)	2 28.57 26.59 (0.00,68.36)	
Total	10 100.00 100.00	21 100.00 100.00	30 100.00 100.00	33 100.00 100.00	20 100.00 100.00	7 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Planning to Stop, Next 30 Days by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: quit30day

		Education			
	Count Percent Weighted Percent 95% CI	Less Than	High School	Some College	College
		High School Graduate	Diploma or GED	or Tech. School	Graduate Plus
Planning to Stop, Next 30 Days					
Yes	9 64.29 48.40 (6.20,90.59)	24 48.00 52.16 (30.76,73.56)	23 60.53 70.89 (47.85,93.93)	10 50.00 45.10 (16.18,74.03)	
No	5 35.71 51.60 (9.41,93.80)	26 52.00 47.84 (26.44,69.24)	15 39.47 29.11 (6.07,52.15)	10 50.00 54.90 (25.97,83.82)	
Total	14 100.00 100.00	50 100.00 100.00	38 100.00 100.00	20 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Planning to Stop, Next 30 Days by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: quit30day

		Income				
Count Percent Weighted Percent 95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
	<b>Planning to Stop, Next 30 Days</b>					
Yes	20 68.97 72.01 (47.80,96.23)	21 58.33 57.20 (32.17,82.23)	7 35.00 54.05 (13.98,94.11)	8 42.11 25.21 (2.66,47.75)	4 36.36 42.68 (0.35,85.01)	
No	9 31.03 27.99 (3.77,52.20)	15 41.67 42.80 (17.77,67.83)	13 65.00 45.95 (5.89,86.02)	11 57.89 74.79 (52.25,97.34)	7 63.64 57.32 (14.99,99.65)	
Total	29 100.00 100.00	36 100.00 100.00	20 100.00 100.00	19 100.00 100.00	11 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Planning to Stop, Next 30 Days by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: quit30day

		Marital Status	
		Married	Not Married
Planning to Stop, Next 30 Days	Count		
	Percent		
	Weighted Percent		
	95% CI		
Yes		27	39
		50.94	56.52
		52.52	60.18
		(32.87,72.17)	(41.04,79.32)
No		26	30
		49.06	43.48
		47.48	39.82
		(27.83,67.13)	(20.68,58.96)
Total		53	69
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Seen a Health Prof, Past 12 Months by Respondent's Gender

Independent Variable: Gender

Dependent Variable: hcwcare

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Seen a Health Prof, Past 12 Months			
Yes	403	653	
	74.35	86.03	
	72.11	84.43	
	(66.29,77.94)	(80.39,88.48)	
No	139	106	
	25.65	13.97	
	27.89	15.57	
	(22.06,33.71)	(11.52,19.61)	
Total	542	759	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Seen a Health Prof, Past 12 Months by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: hcwcare

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Seen a Health Prof, Past 12 Months</b>					
Yes	54 68.35 69.75 (54.94,84.55)	118 70.66 67.13 (56.30,77.96)	177 76.96 76.93 (69.32,84.53)	180 76.92 74.57 (65.80,83.34)	171 83.82 81.83 (73.67,90.00)	336 93.33 93.82 (90.61,97.04)	
No	25 31.65 30.25 (15.45,45.06)	49 29.34 32.87 (22.04,43.70)	53 23.04 23.07 (15.47,30.68)	54 23.08 25.43 (16.66,34.20)	33 16.18 18.17 (10.00,26.33)	24 6.67 6.18 (2.96,9.39)	
Total	79 100.00 100.00	167 100.00 100.00	230 100.00 100.00	234 100.00 100.00	204 100.00 100.00	360 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Seen a Health Prof, Past 12 Months by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwcare

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<hr/>					
Seen a Health Prof, Past 12 Months					
	Yes	100	312	305	337
		78.13	77.04	82.66	85.53
		72.49	73.52	82.31	82.24
		(59.07,85.91)	(66.46,80.58)	(76.35,88.27)	(76.55,87.94)
	No	28	93	64	57
		21.88	22.96	17.34	14.47
		27.51	26.48	17.69	17.76
		(14.09,40.93)	(19.42,33.54)	(11.73,23.65)	(12.06,23.45)
	Total	128	405	369	394
		100.00	100.00	100.00	100.00
		100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Seen a Health Prof, Past 12 Months by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: hcwcare

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Seen a Health Prof, Past 12 Months</b>						
Yes	170 83.74 75.10 (63.74,86.46)	256 78.53 78.62 (71.75,85.49)	163 83.16 85.52 (78.93,92.11)	136 79.07 74.50 (63.92,85.08)	158 81.44 77.82 (70.29,85.35)	
No	33 16.26 24.90 (13.54,36.26)	70 21.47 21.38 (14.51,28.25)	33 16.84 14.48 (7.89,21.07)	36 20.93 25.50 (14.92,36.08)	36 18.56 22.18 (14.65,29.71)	
Total	203 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Seen a Health Prof, Past 12 Months by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwcare

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Seen a Health Prof, Past 12 Months					
Yes	556	84.11	81.30	(76.91,85.70)	489
					78.49
					75.38
					(69.63,81.14)
No	105	15.89	18.70	(14.30,23.09)	134
					21.51
					24.62
					(18.86,30.37)
Total	661	100.00	100.00		623
					100.00
					100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Advise to Quit, Pst 12 Mnths by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwadvise

				Gender	
				Male	Female
	Count	Percent	Weighted Percent		
	95% CI				
<hr/>					
Health Prof Advise to Quit, Pst 12 Mnths					
Yes	50	72.46	71.20	84	75.00
	(54.29,88.11)	(68.43,89.45)			
No	19	27.54	28.80	28	25.00
	(11.89,45.71)	(10.55,31.57)			
Total	69	100.00	100.00	112	100.00
		100.00			

## Section II: Bivariate Distributions – demographics

Description: Health Prof Advise to Quit, Pst 12 Mnths by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: hcwadvise

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Health Prof Advise to Quit, Pst 12 Mnths</b>					
Yes	11 78.57 97.31 (93.20,100.00)	15 62.50 45.39 (12.81,77.98)	30 71.43 73.58 (55.73,91.42)	27 72.97 59.25 (32.26,86.23)	31 81.58 87.81 (72.79,100.00)	17 77.27 69.12 (39.11,99.13)	
No	3 21.43 2.69 (0.00,6.80)	9 37.50 54.61 (22.02,87.19)	12 28.57 26.42 (8.58,44.27)	10 27.03 40.75 (13.77,67.74)	7 18.42 12.19 (0.00,27.21)	5 22.73 30.88 (0.87,60.89)	
Total	14 100.00 100.00	24 100.00 100.00	42 100.00 100.00	37 100.00 100.00	38 100.00 100.00	22 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Advise to Quit, Pst 12 Mnths by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: hcwadvise

		Education			
Count Percent Weighted Percent 95% CI					
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus	
<b>Health Prof Advise to Quit, Pst 12 Mnths</b>					
Yes	15 71.43 86.97 (72.99,100.00)	48 77.42 64.29 (45.15,83.43)	46 76.67 87.29 (76.74,97.84)	25 65.79 66.70 (45.13,88.27)	
No	6 28.57 13.03 (0.00,27.01)	14 22.58 35.71 (16.57,54.85)	14 23.33 12.71 (2.16,23.26)	13 34.21 33.30 (11.73,54.87)	
Total	21 100.00 100.00	62 100.00 100.00	60 100.00 100.00	38 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Advise to Quit, Pst 12 Mnths by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: hcwadvise

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
		<b>Health Prof Advise to Quit, Pst 12 Mnths</b>				
	Yes	27 79.41 84.06 (62.33,100.00)	36 67.92 58.99 (39.25,78.74)	26 76.47 91.31 (79.48,100.00)	18 69.23 68.89 (39.15,98.63)	15 78.95 77.90 (45.96,100.00)
	No	7 20.59 15.94 (0.00,37.67)	17 32.08 41.01 (21.26,60.75)	8 23.53 8.69 (0.00,20.52)	8 30.77 31.11 (1.37,60.85)	4 21.05 22.10 (0.00,54.04)
	Total	34 100.00 100.00	53 100.00 100.00	34 100.00 100.00	26 100.00 100.00	19 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Advise to Quit, Pst 12 Mnths by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwadvise

Marital Status			
	Count	Percent	
	Weighted Percent		
	95% CI		
Health Prof Advise to Quit, Pst 12 Mnths			
Yes	69	64	
	75.00	72.73	
	74.90	75.15	
	(61.70,88.11)	(59.84,90.46)	
No	23	24	
	25.00	27.27	
	25.10	24.85	
	(11.89,38.30)	(9.54,40.16)	
Total	92	88	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Ask if Smoke, Pst 12 Mnths by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwask

		Gender	
	Count		
	Percent		
	Weighted Percent		
	95% CI	Male	Female
<b>Health Prof Ask if Smoke, Pst 12 Mnths</b>			
Yes	231	361	
	68.55	65.40	
	71.76	66.00	
	(64.63,78.89)	(60.31,71.69)	
No	106	191	
	31.45	34.60	
	28.24	34.00	
	(21.11,35.37)	(28.31,39.69)	
Total	337	552	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Ask if Smoke, Pst 12 Mnths by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: hcwask

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Health Prof Ask if Smoke, Pst 12 Mnths</b>							
Yes	30	83	109	101	89	173	
	69.77	85.57	74.66	68.71	65.44	56.91	
	53.84	92.12	73.21	71.44	66.55	59.05	
	(32.74,74.94)	(85.44,98.80)	(62.86,83.57)	(60.54,82.34)	(54.39,78.71)	(51.35,66.75)	
No	13	14	37	46	47	131	
	30.23	14.43	25.34	31.29	34.56	43.09	
	46.16	7.88	26.79	28.56	33.45	40.95	
	(25.06,67.26)	(1.20,14.56)	(16.43,37.14)	(17.66,39.46)	(21.29,45.61)	(33.25,48.65)	
Total	43	97	146	147	136	304	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Ask if Smoke, Pst 12 Mnths by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwask

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<hr/>					
Health Prof Ask if Smoke, Pst 12 Mnths					
	Yes	62	166	159	205
		73.81	65.10	63.10	69.26
		70.88	71.11	65.68	68.79
		(55.41,86.36)	(62.60,79.62)	(57.34,74.02)	(61.33,76.25)
	No	22	89	93	91
		26.19	34.90	36.90	30.74
		29.12	28.89	34.32	31.21
		(13.64,44.59)	(20.38,37.40)	(25.98,42.66)	(23.75,38.67)
	Total	84	255	252	296
		100.00	100.00	100.00	100.00
		100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Ask if Smoke, Pst 12 Mnths by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: hcwask

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Health Prof Ask if Smoke, Pst 12 Mnths</b>						
Yes	93	145	91	83	96	
	65.96	68.40	69.47	72.81	68.09	
	77.78	71.07	67.10	74.63	69.02	
	(68.83,86.73)	(62.07,80.07)	(55.46,78.74)	(63.27,85.99)	(57.96,80.09)	
No	48	67	40	31	45	
	34.04	31.60	30.53	27.19	31.91	
	22.22	28.93	32.90	25.37	30.98	
	(13.27,31.17)	(19.93,37.93)	(21.26,44.54)	(14.01,36.73)	(19.91,42.04)	
Total	141	212	131	114	141	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Ask if Smoke, Pst 12 Mnths by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwask

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent		
	95% CI			Married	Not Married
Health Prof Ask if Smoke, Pst 12 Mnths					
Yes	319	68.16	69.40	(63.36,75.45)	271 65.78 68.82 (62.25,75.39)
No	149	31.84	30.60	(24.55,36.64)	141 34.22 31.18 (24.61,37.75)
Total	468	100.00	100.00		412 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Prescribe Medicine by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwmed

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Health Prof Prescribe Medicine			
Yes	11	30	
	22.00	35.71	
	14.75	27.61	
	(2.85,26.64)	(14.00,41.21)	
No	39	54	
	78.00	64.29	
	85.25	72.39	
	(73.36,97.15)	(58.79,86.00)	
Total	50	84	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Prescribe Medicine by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: hcwmed

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Health Prof Prescribe Medicine</b>					
Yes	1 9.09 7.03 (0.00,21.17)	4 26.67 40.24 (0.00,80.71)	6 20.00 18.72 (0.10,37.33)	12 44.44 35.84 (11.18,60.50)	10 32.26 13.80 (0.00,28.28)	6 35.29 40.90 (8.10,73.70)	
No	10 90.91 92.97 (78.83,100.00)	11 73.33 59.76 (19.29,100.00)	24 80.00 81.28 (62.67,99.90)	15 55.56 64.16 (39.50,88.82)	21 67.74 86.20 (71.72,100.00)	11 64.71 59.10 (26.30,91.90)	
Total	11 100.00 100.00	15 100.00 100.00	30 100.00 100.00	27 100.00 100.00	31 100.00 100.00	17 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Prescribe Medicine by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwmed

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate
95% CI		Graduate	GED	School	Plus
Health Prof Prescribe Medicine					
Yes	6	14	15	6	
	40.00	29.17	32.61	24.00	
	23.70	28.18	19.84	14.58	
	(0.00,51.63)	(10.66,45.70)	(4.89,34.79)	(0.00,31.78)	
No	9	34	31	19	
	60.00	70.83	67.39	76.00	
	76.30	71.82	80.16	85.42	
	(48.37,100.00)	(54.30,89.34)	(65.21,95.11)	(68.22,100.00)	
Total	15	48	46	25	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Prescribe Medicine by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: hcwmed

		Income				
Count Percent Weighted Percent 95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
	<b>Health Prof Prescribe Medicine</b>					
Yes	8 29.63 24.05 (2.03,46.06)	12 33.33 34.70 (12.80,56.60)	5 19.23 8.94 (0.00,19.74)	8 44.44 26.22 (0.00,58.10)	3 20.00 13.52 (0.00,36.35)	
No	19 70.37 75.95 (53.94,97.97)	24 66.67 65.30 (43.40,87.20)	21 80.77 91.06 (80.26,100.00)	10 55.56 73.78 (41.90,100.00)	12 80.00 86.48 (63.65,100.00)	
Total	27 100.00 100.00	36 100.00 100.00	26 100.00 100.00	18 100.00 100.00	15 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Prescribe Medicine by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwmed

		Marital Status	
	Count Percent Weighted Percent 95% CI	Married	Not Married
Yes	22 31.88 19.76 (8.16,31.36)	18 28.13 22.88 (7.59,38.17)	
No	47 68.12 80.24 (68.64,91.84)	46 71.88 77.12 (61.83,92.41)	
Total	69 100.00 100.00	64 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Setting Quit Date by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwsetdate

				Gender	
				Male	Female
	Count	Percent	Weighted Percent	95% CI	
Health Prof Suggest Setting Quit Date					
Yes	12	24.00	31.31	(6.51,56.12)	19 22.89 17.72 (6.72,28.71)
No	38	76.00	68.69	(43.88,93.49)	64 77.11 82.28 (71.29,93.28)
Total	50	100.00	100.00		83 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Setting Quit Date by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: hcwsetdate

		Age					
		18-24	25-34	35-44	45-54	55-64	65+
Health Prof Suggest Setting Quit Date	Count						
	Percent						
	Weighted Percent						
	95% CI						
Yes	2	3	5	9	8	2	
	18.18	20.00	17.24	33.33	25.81	11.76	
	41.30	27.97	15.80	21.69	20.70	1.70	
	(0.00,86.11)	(0.00,63.20)	(0.00,33.24)	(1.22,42.15)	(0.06,41.34)	(0.00,4.27)	
No	9	12	24	18	23	15	
	81.82	80.00	82.76	66.67	74.19	88.24	
	58.70	72.03	84.20	78.31	79.30	98.30	
	(13.89,100.00)	(36.80,100.00)	(66.76,100.00)	(57.85,98.78)	(58.66,99.94)	(95.73,100.00)	
Total	11	15	29	27	31	17	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Setting Quit Date by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwsetdate

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<b>Health Prof Suggest Setting Quit Date</b>					
Yes	4	10	9	8	
	26.67	20.83	20.00	32.00	
	11.68 (0.00,31.38)	20.29 (4.79,35.80)	32.08 (4.46,59.71)	18.43 (0.00,36.96)	
No	11	38	36	17	
	73.33	79.17	80.00	68.00	
	88.32 (68.62,100.00)	79.71 (64.20,95.21)	67.92 (40.29,95.54)	81.57 (63.04,100.00)	
Total	15	48	45	25	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Setting Quit Date by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: hcwsetdate

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Health Prof Suggest Setting Quit Date</b>						
Yes	7 25.93 22.11 (0.30,43.93)	7 19.44 23.34 (3.31,43.38)	3 11.54 24.49 (0.00,61.97)	8 44.44 31.10 (0.00,67.00)	2 14.29 18.86 (0.00,50.57)	
No	20 74.07 77.89 (56.07,99.70)	29 80.56 76.66 (56.62,96.69)	23 88.46 75.51 (38.03,100.00)	10 55.56 68.90 (33.00,100.00)	12 85.71 81.14 (49.43,100.00)	
Total	27 100.00 100.00	36 100.00 100.00	26 100.00 100.00	18 100.00 100.00	14 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Setting Quit Date by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwsetdate

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Health Prof Suggest Setting Quit Date					
Yes	18	26.09	17.74	(5.60,29.87)	13 20.63 32.42 (7.33,57.50)
No	51	73.91	82.26	(70.13,94.40)	50 79.37 67.58 (42.50,92.67)
Total	69	100.00	100.00		63 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Cessation Class by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwsugasst

		Gender	
		Male	Female
Health Prof Suggest Cessation Class	Count		
	Percent		
	Weighted Percent		
	95% CI		
Yes	Count	9	6
	Percent	18.00	7.23
	Weighted Percent	25.98	15.68
	95% CI	(0.69,51.28)	(0.00,35.86)
No	Count	41	77
	Percent	82.00	92.77
	Weighted Percent	74.02	84.32
	95% CI	(48.72,99.31)	(64.14,100.00)
Total	Count	50	83
	Percent	100.00	100.00
	Weighted Percent	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Cessation Class by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: hcwsugasst

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Health Prof Suggest Cessation Class</b>					
Yes	1 9.09 32.15 (0.00,78.86)	1 6.67 13.44 (0.00,38.93)	1 3.33 3.07 (0.00,9.09)	6 22.22 8.49 (0.00,17.98)	3 10.00 34.86 (0.00,70.24)	2 11.76 7.47 (0.00,21.25)	
No	10 90.91 67.85 (21.14,100.00)	14 93.33 86.56 (61.07,100.00)	29 96.67 96.93 (90.91,100.00)	21 77.78 91.51 (82.02,100.00)	27 90.00 65.14 (29.76,100.00)	15 88.24 92.53 (78.75,100.00)	
Total	11 100.00 100.00	15 100.00 100.00	30 100.00 100.00	27 100.00 100.00	30 100.00 100.00	17 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Cessation Class by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwsugasst

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<b>Health Prof Suggest Cessation Class</b>					
Yes	2	5	4	4	
	13.33	10.42	8.89	16.00	
	1.16 (0.00,3.14)	6.37 (0.00,13.33)	33.39 (2.60,64.19)	22.39 (0.00,49.05)	
No	13	43	41	21	
	86.67	89.58	91.11	84.00	
	98.84 (96.86,100.00)	93.63 (86.67,100.00)	66.61 (35.81,97.40)	77.61 (50.95,100.00)	
Total	15	48	45	25	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Cessation Class by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: hcwsugasst

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Health Prof Suggest Cessation Class</b>						
Yes	6 23.08 16.21 (0.00,32.98)	1 2.78 0.16 (0.00,0.47)	2 7.69 24.27 (0.00,61.81)	2 11.11 47.89 (0.00,97.31)	3 20.00 26.81 (0.00,63.71)	
No	20 76.92 83.79 (67.02,100.00)	35 97.22 99.84 (99.53,100.00)	24 92.31 75.73 (38.19,100.00)	16 88.89 52.11 (2.69,100.00)	12 80.00 73.19 (36.29,100.00)	
Total	26 100.00 100.00	36 100.00 100.00	26 100.00 100.00	18 100.00 100.00	15 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Suggest Cessation Class by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwsugasst

		Marital Status	
	Count	Percent	Weighted Percent
Health Prof Suggest Cessation Class	95% CI	Married	Not Married
Yes	8	7	
	11.59	11.11	
	19.10	22.51	
	(0.00,39.79)	(0.00,47.98)	
No	61	56	
	88.41	88.89	
	80.90	77.49	
	(60.21,100.00)	(52.02,100.00)	
Total	69	63	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Provide Quit Materials by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: hcwmaterials

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Health Prof Provide Quit Materials			
Yes	10	10	10
		20.00	12.05
		16.28	15.08
		(2.51,30.06)	(4.25,25.91)
No	40	73	87.95
		80.00	87.95
		83.72	84.92
		(69.94,97.49)	(74.09,95.75)
Total	50	83	100.00
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Health Prof Provide Quit Materials by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: hcwmaterials

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Health Prof Provide Quit Materials</b>							
Yes	1	1	4	6	4	3	
	9.09	6.67	13.33	22.22	13.33	17.65	
	5.27	13.60	14.91	35.23	17.20	3.81	
	(0.00,16.08)	(0.00,39.38)	(0.00,32.70)	(9.08,61.37)	(0.00,36.85)	(0.00,9.68)	
No	10	14	26	21	26	14	
	90.91	93.33	86.67	77.78	86.67	82.35	
	94.73	86.40	85.09	64.77	82.80	96.19	
	(83.92,100.00)	(60.62,100.00)	(67.30,100.00)	(38.63,90.92)	(63.15,100.00)	(90.32,100.00)	
Total	11	15	30	27	30	17	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Provide Quit Materials by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: hcwmaterials

		Education			
Count Percent Weighted Percent 95% CI		Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
		Health Prof Provide Quit Materials			
Yes	0	7	9	4	
	0.00	14.58	20.00	16.00	
	0.00	19.18	17.33	14.26	
	(0.00,0.00)	(3.07,35.30)	(2.11,32.55)	(0.00,31.18)	
No	15	41	36	21	
	100.00	85.42	80.00	84.00	
	100.00	80.82	82.67	85.74	
	(100.00,100.00)	(64.70,96.93)	(67.45,97.89)	(68.82,100.00)	
Total	15	48	45	25	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Provide Quit Materials by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: hcwmaterials

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Health Prof Provide Quit Materials</b>						
Yes	4 15.38 19.76 (0.00,41.94)	5 13.89 11.43 (0.00,24.80)	3 11.54 5.22 (0.00,12.68)	3 16.67 25.55 (0.00,58.56)	4 26.67 33.25 (0.00,67.72)	
No	22 84.62 80.24 (58.06,100.00)	31 86.11 88.57 (75.20,100.00)	23 88.46 94.78 (87.32,100.00)	15 83.33 74.45 (41.44,100.00)	11 73.33 66.75 (32.28,100.00)	
Total	26 100.00 100.00	36 100.00 100.00	26 100.00 100.00	18 100.00 100.00	15 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Health Prof Provide Quit Materials by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: hcwmaterials

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent		
	95% CI				
Health Prof Provide Quit Materials					
Yes	8	11.59	12.17	(1.40,22.93)	12 19.05 20.14 (5.68,34.59)
No	61	88.41	87.83	(77.07,98.60)	51 80.95 79.86 (65.41,94.32)
Total	69	100.00	100.00		63 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Someone Smoked in Home, Pst 7 by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: smokhome7d

				Gender	
				Male	Female
# Days Someone Smoked in Home, Pst 7	Count	Percent	Weighted Percent	95% CI	
0	442	82.00	81.19	(75.71,86.67)	618 81.64 80.23 (75.70,84.76)
1	19	3.53	3.49	(1.17,5.81)	18 2.38 3.84 (0.80,6.89)
2	5	0.93	0.53	(0.00,1.17)	9 1.19 1.13 (0.11,2.15)
3	3	0.56	1.89	(0.00,5.18)	8 1.06 1.02 (0.12,1.92)
4	3	0.56	0.75	(0.00,2.05)	3 0.40 0.49 (0.00,1.25)
5	0	0.00	0.00	(0.00,0.00)	1 0.13 0.01 (0.00,0.03)
6	1	0.19	0.23	(0.00,0.68)	0 0.00 0.00 (0.00,0.00)
7	66	12.24	11.92	(7.78,16.07)	100 13.21 13.28 (9.75,16.81)
Total	539	100.00	100.00		757 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Someone Smoked in Home, Pst 7 by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: smokhome7d

Count Percent Weighted Percent 95% CI	Age					
	18-24	25-34	35-44	45-54	55-64	65+
	# Days Someone Smoked in Home, Pst 7					
0	65 82.28 79.47 (64.52,94.41)	136 81.44 84.45 (76.47,92.42)	178 77.73 81.02 (74.45,87.59)	179 76.50 76.46 (67.88,85.05)	155 76.73 68.32 (56.19,80.45)	324 90.25 87.80 (82.73,92.86)
1	2 2.53 2.01 (0.00,4.88)	4 2.40 0.73 (0.00,1.74)	7 3.06 4.15 (0.00,8.42)	9 3.85 1.97 (0.00,3.95)	5 2.48 7.79 (0.00,18.48)	10 2.79 5.33 (1.55,9.11)
2	0 0.00 0.00 (0.00,0.00)	2 1.20 0.24 (0.00,0.60)	1 0.44 0.73 (0.00,2.15)	3 1.28 1.45 (0.00,3.33)	7 3.47 3.22 (0.00,6.70)	1 0.28 0.03 (0.00,0.10)
3	1 1.27 7.36 (0.00,20.90)	1 0.60 0.51 (0.00,1.52)	4 1.75 1.25 (0.00,2.54)	1 0.43 0.30 (0.00,0.88)	0 0.00 0.00 (0.00,0.00)	3 0.84 1.01 (0.00,2.67)
4	0 0.00 0.00 (0.00,0.00)	2 1.20 2.29 (0.00,6.10)	1 0.44 0.02 (0.00,0.06)	1 0.43 0.21 (0.00,0.63)	2 0.99 1.53 (0.00,4.45)	0 0.00 0.00 (0.00,0.00)
5	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.28 0.02 (0.00,0.07)
6	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.28 0.49 (0.00,1.46)
7	11 13.92 11.16 (2.17,20.15)	22 13.17 11.79 (4.67,18.91)	38 16.59 12.84 (7.78,17.90)	41 17.52 19.60 (11.22,27.99)	33 16.34 19.13 (10.06,28.19)	19 5.29 5.31 (2.14,8.49)
Total	79 100.00 100.00	167 100.00 100.00	229 100.00 100.00	234 100.00 100.00	202 100.00 100.00	359 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Days Someone Smoked in Home, Pst 7 by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: smokhome7d

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
# Days Someone Smoked in Home, Pst 7					
0	91	317	297	351	
	71.65	78.27	80.93	89.31	
	69.88	75.97	78.48	88.79	
	(56.57,83.19)	(69.56,82.38)	(70.43,86.52)	(84.26,93.32)	
1	5	14	13	5	
	3.94	3.46	3.54	1.27	
	3.39	4.53	5.49	1.51	
	(0.00,7.80)	(1.71,7.34)	(0.02,10.96)	(0.00,3.64)	
2	3	4	5	2	
	2.36	0.99	1.36	0.51	
	0.33	1.44	0.75	0.50	
	(0.00,0.74)	(0.00,3.05)	(0.00,1.61)	(0.00,1.31)	
3	0	4	4	3	
	0.00	0.99	1.09	0.76	
	0.00	1.07	3.40	0.48	
	(0.00,0.00)	(0.00,2.42)	(0.00,8.97)	(0.00,1.05)	
4	1	3	1	1	
	0.79	0.74	0.27	0.25	
	0.48	0.21	0.70	0.94	
	(0.00,1.42)	(0.00,0.57)	(0.00,2.06)	(0.00,2.79)	
5	0	0	0	1	
	0.00	0.00	0.00	0.25	
	0.00	0.00	0.00	0.01	
	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,0.04)	
6	0	0	0	1	
	0.00	0.00	0.00	0.25	
	0.00	0.00	0.00	0.33	
	(0.00,0.00)	(0.00,0.00)	(0.00,0.00)	(0.00,0.97)	
7	27	63	47	29	
	21.26	15.56	12.81	7.38	
	25.91	16.78	11.19	7.44	
	(12.93,38.90)	(11.01,22.55)	(6.60,15.78)	(3.85,11.02)	
Total	127	405	367	393	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: # Days Someone Smoked in Home, Pst 7 by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: smokhome7d

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b># Days Someone Smoked in Home, Pst 7</b>						
0	153 75.37 76.64 (67.76,85.53)	257 79.57 78.63 (71.80,85.46)	152 77.55 71.78 (60.13,83.42)	143 83.14 80.67 (70.44,90.90)	171 88.60 90.47 (84.84,96.10)	
1	7 3.45 3.70 (0.00,8.39)	8 2.48 3.27 (0.29,6.26)	8 4.08 4.26 (0.61,7.90)	3 1.74 4.58 (0.00,12.81)	5 2.59 1.88 (0.00,3.95)	
2	4 1.97 2.13 (0.00,4.73)	3 0.93 0.31 (0.00,0.70)	2 1.02 1.83 (0.00,4.62)	1 0.58 0.44 (0.00,1.31)	1 0.52 0.79 (0.00,2.33)	
3	2 0.99 0.80 (0.00,2.05)	4 1.24 1.50 (0.00,3.38)	2 1.02 5.97 (0.00,16.46)	1 0.58 0.06 (0.00,0.18)	1 0.52 0.41 (0.00,1.20)	
4	4 1.97 1.82 (0.00,4.78)	0 0.00 0.00 (0.00,0.00)	2 1.02 2.59 (0.00,6.92)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
5	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.58 0.03 (0.00,0.09)	0 0.00 0.00 (0.00,0.00)	
6	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.51 0.77 (0.00,2.27)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	
7	33 16.26 14.91 (7.85,21.98)	51 15.79 16.29 (10.04,22.54)	29 14.80 12.80 (6.06,19.55)	23 13.37 14.22 (6.77,21.67)	15 7.77 6.46 (1.40,11.52)	
Total	203 100.00 100.00	323 100.00 100.00	196 100.00 100.00	172 100.00 100.00	193 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: # Days Someone Smoked in Home, Pst 7 by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: smokhome7d

# Days Someone Smoked in Home, Pst 7	Marital Status	
	Married	Not Married
	Count	Count
	Percent	Percent
Weighted Percent	Weighted Percent	Weighted Percent
95% CI	95% CI	95% CI
0	541 82.34 80.96 (76.21,85.71)	505 81.19 80.01 (74.61,85.40)
1	20 3.04 5.01 (1.68,8.35)	17 2.73 2.10 (0.77,3.43)
2	3 0.46 0.50 (0.00,1.25)	11 1.77 1.29 (0.24,2.35)
3	6 0.91 0.80 (0.00,1.62)	5 0.80 2.28 (0.00,5.88)
4	1 0.15 0.10 (0.00,0.30)	4 0.64 1.19 (0.00,2.85)
5	0 0.00 0.00 (0.00,0.00)	1 0.16 0.01 (0.00,0.03)
6	0 0.00 0.00 (0.00,0.00)	1 0.16 0.25 (0.00,0.75)
7	86 13.09 12.62 (8.91,16.33)	78 12.54 12.86 (8.80,16.93)
Total	657 100.00 100.00	622 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Home Smoking Rules by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: homerules

Gender			
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Home Smoking Rules			
Smoking not allowed anywhere inside home	410	577	
	76.92	76.63	
	75.47	76.40	
	(69.52,81.43)	(71.61,81.20)	
Smoking allowed some places or some time	47	77	
	8.82	10.23	
	11.14	11.46	
	(6.26,16.02)	(7.54,15.38)	
Smoking allowed anywhere inside home	76	99	
	14.26	13.15	
	13.39	12.14	
	(9.05,17.72)	(8.72,15.55)	
Total	533	753	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Home Smoking Rules by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: homerules

Count Percent Weighted Percent 95% CI	Age					
	18-24	25-34	35-44	45-54	55-64	65+
	Home Smoking Rules					
	18-24	25-34	35-44	45-54	55-64	65+
Smoking not allowed anywhere inside home	64	135	171	170	146	279
	81.01	80.84	75.00	72.96	72.64	79.49
	77.69	79.19	78.02	72.29	66.34	79.14
	(62.33,93.05)	(69.87,88.51)	(70.61,85.44)	(63.02,81.56)	(54.27,78.40)	(73.14,85.14)
Smoking allowed some places or some time	9	18	27	24	21	21
	11.39	10.78	11.84	10.30	10.45	5.98
	13.90	12.09	12.75	10.85	13.69	6.74
	(0.00,28.28)	(4.78,19.40)	(6.70,18.79)	(4.20,17.50)	(2.78,24.60)	(2.71,10.77)
Smoking allowed anywhere inside home	6	14	30	39	34	51
	7.59	8.38	13.16	16.74	16.92	14.53
	8.40	8.72	9.23	16.86	19.98	14.12
	(0.10,16.71)	(1.97,15.47)	(4.22,14.23)	(9.01,24.70)	(10.72,29.23)	(9.18,19.05)
Total	79	167	228	233	201	351
	100.00	100.00	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Home Smoking Rules by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: homerules

Education				
Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Home Smoking Rules				
Smoking not allowed anywhere inside home	84 66.67 64.15 (50.08,78.21)	285 70.90 68.91 (61.77,76.05)	284 78.24 76.09 (67.88,84.31)	331 84.87 85.22 (80.29,90.15)
Smoking allowed some places or some time	19 15.08 16.03 (6.16,25.90)	47 11.69 14.52 (8.90,20.14)	31 8.54 12.51 (4.71,20.32)	25 6.41 5.62 (2.66,8.59)
Smoking allowed anywhere inside home	23 18.25 19.82 (7.43,32.22)	70 17.41 16.56 (10.93,22.20)	48 13.22 11.39 (6.74,16.05)	34 8.72 9.16 (4.99,13.32)
Total	126 100.00 100.00	402 100.00 100.00	363 100.00 100.00	390 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Home Smoking Rules by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: homerules

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Home Smoking Rules				
Smoking not allowed anywhere inside home	143 71.14 73.97 (64.22,83.72)	240 74.30 73.29 (65.90,80.68)	141 72.68 68.33 (56.57,80.10)	133 78.24 74.08 (62.82,85.34)	168 87.50 88.78 (82.69,94.88)
Smoking allowed some places or some time	21 10.45 11.30 (3.46,19.14)	31 9.60 9.67 (5.13,14.20)	21 10.82 16.44 (5.01,27.87)	15 8.82 14.81 (4.55,25.07)	11 5.73 3.32 (0.71,5.94)
Smoking allowed anywhere inside home	37 18.41 14.73 (7.76,21.70)	52 16.10 17.04 (10.41,23.67)	32 16.49 15.23 (7.93,22.53)	22 12.94 11.11 (4.27,17.95)	13 6.77 7.89 (2.27,13.52)
Total	201 100.00 100.00	323 100.00 100.00	194 100.00 100.00	170 100.00 100.00	192 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Home Smoking Rules by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: homerules

Home Smoking Rules	Marital Status	
	Count	Not Married
	Percent	95% CI
	Weighted Percent	Married
	95% CI	Not Married
Smoking not allowed anywhere inside home	509 77.71 76.19 (71.12,81.26)	465 75.61 75.23 (69.41,81.04)
Smoking allowed some places or some time	63 9.62 11.06 (7.06,15.06)	60 9.76 11.93 (6.95,16.91)
Smoking allowed anywhere inside home	83 12.67 12.75 (8.95,16.55)	90 14.63 12.85 (8.83,16.87)
Total	655 100.00 100.00	615 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Anyone Smoked in Work Area, Pst 7 Days by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: worksmok

		Gender	
Count		Male	Female
Percent			
Weighted Percent			
95% CI			
Anyone Smoked in Work Area, Pst 7 Days			
Yes	31	34	
	17.22	9.74	
	14.17	12.45	
	(7.52,20.83)	(7.04,17.86)	
No	149	315	
	82.78	90.26	
	85.83	87.55	
	(79.17,92.48)	(82.14,92.96)	
Total	180	349	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Anyone Smoked in Work Area, Pst 7 Days by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: worksmok

		Age					
		18-24	25-34	35-44	45-54	55-64	65+
Count	Percent						
Weighted Percent	95% CI						
<b>Anyone Smoked in Work Area, Pst 7 Days</b>							
Yes	7	15	15	19	6	2	
	14.29	14.42	10.79	13.57	10.91	6.90	
	10.76	15.38	10.13	18.08	17.41	4.40	
	(1.10,20.41)	(5.88,24.89)	(3.81,16.44)	(7.12,29.04)	(0.00,36.06)	(0.00,12.29)	
No	42	89	124	121	49	27	
	85.71	85.58	89.21	86.43	89.09	93.10	
	89.24	84.62	89.87	81.92	82.59	95.60	
	(79.59,98.90)	(75.11,94.12)	(83.56,96.19)	(70.96,92.88)	(63.94,100.00)	(87.71,100.00)	
Total	49	104	139	140	55	29	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Anyone Smoked in Work Area, Pst 7 Days by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: worksmok

						Education			
Count									
Percent									
Weighted Percent									
95% CI									
		Less Than High School Graduate		High School Diploma or GED		Some College or Tech. School		College Graduate Plus	
Anyone Smoked in Work Area, Pst 7 Days									
	Yes	12	18		17		18		
		42.86	12.77		11.56		8.49		
		61.22	16.06		10.70		8.41		
		(36.56,85.89)		(6.67,25.45)		(4.13,17.28)		(3.06,13.75)	
	No	16	123		130		194		
		57.14	87.23		88.44		91.51		
		38.78	83.94		89.30		91.59		
		(14.11,63.44)		(74.55,93.33)		(82.72,95.87)		(86.25,96.94)	
	Total	28	141		147		212		
		100.00	100.00		100.00		100.00		
		100.00	100.00		100.00		100.00		

## Section II: Bivariate Distributions – demographics

Description: Anyone Smoked in Work Area, Pst 7 Days by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: worksmok

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Anyone Smoked in Work Area, Pst 7 Days</b>						
Yes	9 22.50 51.58 (25.97,77.19)	21 16.80 16.12 (6.94,25.30)	12 13.64 14.45 (4.70,24.20)	10 10.42 8.47 (1.44,15.50)	8 6.96 9.83 (1.79,17.86)	
No	31 77.50 48.42 (22.81,74.03)	104 83.20 83.88 (74.70,93.06)	76 86.36 85.55 (75.80,95.30)	86 89.58 91.53 (84.50,98.56)	107 93.04 90.17 (82.14,98.21)	
Total	40 100.00 100.00	125 100.00 100.00	88 100.00 100.00	96 100.00 100.00	115 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Anyone Smoked in Work Area, Pst 7 Days by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: worksmok

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Anyone Smoked in Work Area, Pst 7 Days					
Yes	29	11.15	11.23	(5.84,16.63)	35 13.51 15.67 (8.95,22.40)
No	231	88.85	88.77	(83.37,94.16)	224 86.49 84.33 (77.60,91.05)
Total	260	100.00	100.00		259 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Work Areas by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: workpol

Count Percent Weighted Percent 95% CI	Gender		
	Male	Female	
	Official Work Smoking Policy, Work Areas		
	Not allowed in any work areas	134 74.03 81.67 (74.63,88.71)	303 87.32 87.49 (82.62,92.36)
	Allowed in some work areas	31 17.13 11.03 (5.80,16.26)	30 8.65 9.93 (5.45,14.41)
Allowed in all work areas	5 2.76 4.81 (0.18,9.43)	6 1.73 0.64 (0.00,1.34)	
No official policy	11 6.08 2.49 (0.16,4.82)	8 2.31 1.94 (0.00,3.96)	
Total	181 100.00 100.00	347 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Work Areas by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: workpol

Count Percent Weighted Percent 95% CI	Age						
	18-24	25-34	35-44	45-54	55-64	65+	
	Official Work Smoking Policy, Work Areas						
	Not allowed in any work areas	40	81	118	114	46	26
	81.63	78.64	84.29	82.61	82.14	86.67	
	89.34	80.79	84.58	83.95	81.19	93.46	
	(79.87,98.81)	(70.67,90.92)	(76.82,92.34)	(75.37,92.53)	(62.63,99.75)	(85.18,100.00)	
Allowed in some work areas	9	13	16	17	3	3	
	18.37	12.62	11.43	12.32	5.36	10.00	
	10.66	8.55	12.86	12.17	7.58	5.38	
	(1.19,20.13)	(2.06,15.04)	(5.35,20.37)	(4.82,19.53)	(0.00,18.30)	(0.00,13.32)	
Allowed in all work areas	0	3	3	2	3	0	
	0.00	2.91	2.14	1.45	5.36	0.00	
	0.00	4.80	1.54	1.62	9.74	0.00	
	(0.00,0.00)	(0.00,11.48)	(0.00,3.37)	(0.00,4.74)	(0.00,26.61)	(0.00,0.00)	
No official policy	0	6	3	5	4	1	
	0.00	5.83	2.14	3.62	7.14	3.33	
	0.00	5.86	1.01	2.26	1.49	1.16	
	(0.00,0.00)	(0.25,11.46)	(0.00,2.32)	(0.00,6.11)	(0.00,3.43)	(0.00,3.45)	
Total	49	103	140	138	56	30	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Work Areas by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: workpol

Count Percent Weighted Percent 95% CI	Education			
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
<b>Official Work Smoking Policy, Work Areas</b>				
Not allowed in any work areas	16 57.14 47.01 (20.06,73.97)	117 82.98 85.25 (76.99,93.52)	122 83.56 85.17 (77.62,92.72)	181 85.38 87.73 (81.70,93.77)
Allowed in some work areas	5 17.86 27.76 (1.72,53.81)	15 10.64 8.89 (2.80,14.97)	19 13.01 13.87 (6.44,21.30)	22 10.38 7.90 (3.32,12.48)
Allowed in all work areas	3 10.71 10.68 (0.00,26.30)	2 1.42 2.59 (0.00,7.50)	2 1.37 0.63 (0.00,1.85)	4 1.89 2.96 (0.00,6.65)
No official policy	4 14.29 14.55 (0.07,29.02)	7 4.96 3.27 (0.00,7.07)	3 2.05 0.33 (0.00,0.83)	5 2.36 1.41 (0.00,3.56)
Total	28 100.00 100.00	141 100.00 100.00	146 100.00 100.00	212 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Work Areas by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: workpol

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	<b>Official Work Smoking Policy, Work Areas</b>				
Not allowed in any work areas	30 73.17 69.53 (45.40,93.66)	94 76.42 77.81 (67.38,88.25)	75 85.23 88.79 (80.60,96.98)	81 85.26 91.94 (86.62,97.26)	100 86.21 83.89 (74.45,93.34)
Allowed in some work areas	5 12.20 12.80 (0.00,28.32)	22 17.89 19.27 (9.22,29.32)	10 11.36 9.91 (1.98,17.84)	13 13.68 7.27 (2.20,12.33)	8 6.90 8.55 (1.68,15.42)
Allowed in all work areas	2 4.88 12.26 (0.00,33.98)	4 3.25 2.68 (0.00,6.38)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	4 3.45 5.48 (0.00,11.84)
No official policy	4 9.76 5.40 (0.00,11.80)	3 2.44 0.24 (0.00,0.54)	3 3.41 1.30 (0.00,3.43)	1 1.05 0.79 (0.00,2.35)	4 3.45 2.08 (0.00,5.73)
Total	41 100.00 100.00	123 100.00 100.00	88 100.00 100.00	95 100.00 100.00	116 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Work Areas by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: workpol

Count Percent Weighted Percent 95% CI	Marital Status		
	Married	Not Married	
	Official Work Smoking Policy, Work Areas		
	Not allowed in any work areas	215 82.38 84.43 (78.48,90.37)	212 82.49 84.73 (78.71,90.74)
Allowed in some work areas	29 11.11 10.24 (5.45,15.04)	32 12.45 10.96 (5.97,15.94)	
Allowed in all work areas	4 1.53 2.52 (0.00,5.68)	7 2.72 2.74 (0.00,5.93)	
No official policy	13 4.98 2.81 (0.42,5.20)	6 2.33 1.58 (0.00,3.48)	
Total	261 100.00 100.00	257 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Pub. Areas by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: workpolpub

	Gender	
	Count	
	Percent	
	Weighted Percent	
	Male	Female
95% CI		
<b>Official Work Smoking Policy, Pub. Areas</b>		
Not allowed in any public areas	140	291
	78.21	84.10
	80.47	86.54
	(72.71,88.23)	(81.91,91.17)
Allowed in some public areas	21	36
	11.73	10.40
	13.39	9.14
	(6.56,20.23)	(5.11,13.17)
Allowed in all public areas	6	3
	3.35	0.87
	2.65	0.46
	(0.00,6.04)	(0.00,1.12)
No official policy	12	16
	6.70	4.62
	3.49	3.86
	(0.78,6.20)	(1.51,6.20)
Total	179	346
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Pub. Areas by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: workpolpub

Age						
Count						
Percent						
Weighted Percent						
95% CI	18-24	25-34	35-44	45-54	55-64	65+
Official Work Smoking Policy, Pub. Areas						
Not allowed in any public areas	39	82	116	113	46	24
	81.25	78.85	84.06	83.09	82.14	80.00
	90.52	80.86	81.10	87.31	76.67	86.60
	(81.77,99.27)	(71.12,90.60)	(71.86,90.34)	(79.39,95.22)	(57.26,96.08)	(74.23,98.97)
Allowed in some public areas	5	15	11	17	4	4
	10.42	14.42	7.97	12.50	7.14	13.33
	5.62	12.77	12.68	11.85	12.27	8.34
	(0.00,13.05)	(4.06,21.49)	(4.19,21.17)	(4.00,19.70)	(0.00,25.72)	(0.00,18.09)
Allowed in all public areas	1	2	2	2	2	0
	2.08	1.92	1.45	1.47	3.57	0.00
	0.50	1.64	0.87	0.12	9.56	0.00
	(0.00,1.48)	(0.00,4.18)	(0.00,2.13)	(0.00,0.32)	(0.00,26.45)	(0.00,0.00)
No official policy	3	5	9	4	4	2
	6.25	4.81	6.52	2.94	7.14	6.67
	3.36	4.72	5.35	0.72	1.49	5.06
	(0.00,7.81)	(0.34,9.10)	(0.95,9.75)	(0.00,1.83)	(0.00,3.43)	(0.00,12.96)
Total	48	104	138	136	56	30
	100.00	100.00	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Pub. Areas by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: workpolpub

Count Percent Weighted Percent 95% CI	Education			
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Official Work Smoking Policy, Pub. Areas			
Not allowed in any public areas	14 53.85 47.35 (19.96,74.75)	113 80.71 83.60 (75.37,91.83)	125 85.03 85.56 (77.94,93.17)	178 84.36 85.19 (78.26,92.13)
Allowed in some public areas	5 19.23 13.86 (0.00,33.59)	17 12.14 11.56 (4.08,19.03)	12 8.16 11.50 (4.28,18.72)	23 10.90 10.56 (4.53,16.59)
Allowed in all public areas	2 7.69 4.98 (0.00,12.13)	1 0.71 0.08 (0.00,0.23)	3 2.04 0.98 (0.00,2.38)	3 1.42 2.42 (0.00,6.02)
No official policy	5 19.23 33.80 (6.25,61.36)	9 6.43 4.77 (0.89,8.65)	7 4.76 1.96 (0.00,4.11)	7 3.32 1.82 (0.24,3.41)
Total	26 100.00 100.00	140 100.00 100.00	147 100.00 100.00	211 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Pub. Areas by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: workpolpub

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	<b>Official Work Smoking Policy, Pub. Areas</b>				
Not allowed in any public areas	29 74.36 76.74 (53.11,100.00)	90 72.00 71.97 (61.21,82.73)	78 89.66 93.39 (86.77,100.00)	83 87.37 89.00 (80.85,97.16)	97 84.35 82.60 (73.13,92.06)
Allowed in some public areas	4 10.26 14.76 (0.00,38.13)	24 19.20 22.81 (12.42,33.21)	5 5.75 3.18 (0.00,6.49)	10 10.53 9.08 (1.34,16.83)	8 6.96 9.48 (2.12,16.83)
Allowed in all public areas	1 2.56 0.07 (0.00,0.21)	3 2.40 1.30 (0.00,2.79)	1 1.15 0.13 (0.00,0.38)	0 0.00 0.00 (0.00,0.00)	4 3.48 4.82 (0.00,11.06)
No official policy	5 12.82 8.43 (0.00,17.30)	8 6.40 3.92 (0.27,7.57)	3 3.45 3.30 (0.00,9.12)	2 2.11 1.91 (0.00,4.61)	6 5.22 3.10 (0.19,6.02)
Total	39 100.00 100.00	125 100.00 100.00	87 100.00 100.00	95 100.00 100.00	115 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Official Work Smoking Policy, Pub. Areas by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: workpolpub

Count Percent Weighted Percent 95% CI	Marital Status		
	Married	Not Married	
	Official Work Smoking Policy, Pub. Areas		
	Not allowed in any public areas	221 85.33 84.77 (78.45,91.10)	202 78.60 82.30 (76.05,88.55)
Allowed in some public areas	21 8.11 10.24 (4.74,15.75)	35 13.62 12.20 (6.68,17.72)	
Allowed in all public areas	3 1.16 1.55 (0.00,4.41)	6 2.33 1.43 (0.01,2.86)	
No official policy	14 5.41 3.43 (1.16,5.69)	14 5.45 4.07 (1.22,6.92)	
Total	259 100.00 100.00	257 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Work Areas by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: workindopn

	Gender	
	Count	Percent
	Weighted Percent	95% CI
	Male	Female
<b>Smoking Opinion, Indoor Work Areas</b>		
Allowed in all areas	21 3.93 1.92 (0.73,3.10)	16 2.11 2.50 (0.73,4.26)
Allowed in some areas	129 24.11 21.03 (16.09,25.97)	144 19.00 17.28 (13.53,21.04)
Not allowed at all	366 68.41 75.84 (70.75,80.94)	584 77.04 78.83 (74.70,82.97)
Don't know/Not sure	19 3.55 1.21 (0.39,2.03)	14 1.85 1.38 (0.27,2.50)
Total	535 100.00 100.00	758 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Work Areas by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: workindopn

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Smoking Opinion, Indoor Work Areas</b>							
Allowed in all areas	0	1	4	10	5	16	
	0.00	0.60	1.74	4.31	2.45	4.52	
	0.00	0.49	1.57	2.86	0.96	5.50	
	(0.00,0.00)	(0.00,1.46)	(0.00,3.82)	(0.12,5.61)	(0.00,2.30)	(1.76,9.24)	
Allowed in some areas	14	33	50	41	58	74	
	17.72	19.76	21.74	17.67	28.43	20.90	
	10.83	17.82	19.95	18.27	29.76	18.11	
	(3.31,18.35)	(9.45,26.20)	(12.76,27.13)	(10.83,25.71)	(19.70,39.82)	(12.66,23.55)	
Not allowed at all	65	131	172	177	138	246	
	82.28	78.44	74.78	76.29	67.65	69.49	
	89.17	81.45	77.64	78.11	68.99	73.08	
	(81.65,96.69)	(73.03,89.87)	(70.18,85.10)	(70.30,85.92)	(58.86,79.12)	(66.64,79.52)	
Don't know/Not sure	0	2	4	4	3	18	
	0.00	1.20	1.74	1.72	1.47	5.08	
	0.00	0.24	0.85	0.76	0.29	3.31	
	(0.00,0.00)	(0.00,0.60)	(0.00,1.93)	(0.00,1.68)	(0.00,0.63)	(0.97,5.66)	
Total	79	167	230	232	204	354	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Work Areas by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: workindopn

		Education			
Count		Less Than	High School	Some College	College
Percent		High School	Diploma or	or Tech.	Graduate
Weighted Percent		Graduate	GED	School	Plus
95% CI					
<b>Smoking Opinion, Indoor Work Areas</b>					
Allowed in all areas	6	13	11	7	
	4.76	3.23	3.00	1.79	
	4.63	1.93	2.29	1.97	
	(0.00,10.43)	(0.32,3.54)	(0.28,4.31)	(0.00,3.96)	
Allowed in some areas	34	105	74	59	
	26.98	26.05	20.16	15.05	
	28.50	25.43	17.47	12.76	
	(15.03,41.97)	(18.89,31.97)	(12.09,22.86)	(8.67,16.86)	
Not allowed at all	79	273	275	320	
	62.70	67.74	74.93	81.63	
	64.12	71.00	79.60	84.56	
	(50.07,78.18)	(64.29,77.71)	(73.87,85.33)	(80.04,89.07)	
Don't know/Not sure	7	12	7	6	
	5.56	2.98	1.91	1.53	
	2.74	1.64	0.64	0.71	
	(0.00,6.07)	(0.14,3.14)	(0.00,1.27)	(0.02,1.41)	
Total	126	403	367	392	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Work Areas by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: workindopn

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Smoking Opinion, Indoor Work Areas</b>						
Allowed in all areas	14 6.90 4.22 (0.61,7.83)	8 2.48 3.12 (0.06,6.18)	6 3.06 1.61 (0.00,3.28)	2 1.16 0.18 (0.00,0.48)	2 1.05 2.09 (0.00,5.01)	
Allowed in some areas	55 27.09 27.54 (18.02,37.06)	71 22.05 21.73 (14.58,28.88)	47 23.98 22.20 (13.69,30.72)	26 15.12 11.65 (5.95,17.35)	36 18.85 15.00 (8.71,21.29)	
Not allowed at all	126 62.07 66.73 (56.70,76.76)	234 72.67 73.20 (65.65,80.75)	140 71.43 75.49 (66.75,84.23)	141 81.98 87.32 (81.49,93.16)	151 79.06 82.36 (75.51,89.20)	
Don't know/Not sure	8 3.94 1.51 (0.10,2.92)	9 2.80 1.95 (0.00,3.99)	3 1.53 0.70 (0.00,1.86)	3 1.74 0.84 (0.00,1.97)	2 1.05 0.55 (0.00,1.54)	
Total	203 100.00 100.00	322 100.00 100.00	196 100.00 100.00	172 100.00 100.00	191 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Work Areas by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: workindopn

Smoking Opinion, Indoor Work Areas	Marital Status	
	Count	Not Married
	Percent	Weighted Percent
	95% CI	95% CI
	Married	Not Married
Allowed in all areas	12 1.83 1.81 (0.47,3.15)	25 4.03 2.81 (0.98,4.63)
Allowed in some areas	144 21.95 19.16 (15.05,23.27)	127 20.48 19.35 (14.63,24.07)
Not allowed at all	486 74.09 77.56 (73.19,81.92)	450 72.58 76.80 (71.81,81.79)
Don't know/Not sure	14 2.13 1.48 (0.33,2.63)	18 2.90 1.04 (0.38,1.70)
Total	656 100.00 100.00	620 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Someone Smoking in Car, Pst 7 Days by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: carsmok7d

		Gender	
	Count		
	Percent		
	Weighted Percent		
	95% CI	Male	Female
<b>Someone Smoking in Car, Pst 7 Days</b>			
Yes	132	181	
	24.35	23.88	
	28.89	27.89	
	(22.58,35.20)	(22.60,33.18)	
No	410	577	
	75.65	76.12	
	71.11	72.11	
	(64.80,77.42)	(66.82,77.40)	
Total	542	758	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Someone Smoking in Car, Pst 7 Days by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: carsmok7d

		Age					
Count							
Percent							
Weighted Percent							
95% CI		18-24	25-34	35-44	45-54	55-64	65+
<b>Someone Smoking in Car, Pst 7 Days</b>							
Yes	38	58	65	64	46	39	
	48.10	34.73	28.26	27.47	22.55	10.83	
	53.49	35.63	30.25	26.95	31.02	10.28	
	(37.34,69.63)	(24.61,46.64)	(21.53,38.98)	(18.12,35.78)	(18.92,43.12)	(6.20,14.35)	
No	41	109	165	169	158	321	
	51.90	65.27	71.74	72.53	77.45	89.17	
	46.51	64.37	69.75	73.05	68.98	89.72	
	(30.37,62.66)	(53.36,75.39)	(61.02,78.47)	(64.22,81.88)	(56.88,81.08)	(85.65,93.80)	
Total	79	167	230	233	204	360	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Someone Smoking in Car, Pst 7 Days by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: carsmok7d

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate
		Graduate	GED	School	Plus
Someone Smoking in Car, Pst 7 Days					
Yes	34	141	86	52	
	26.56	34.81	23.31	13.23	
	35.93	42.77	27.66	14.94	
	(21.69,50.17)	(35.07,50.46)	(19.11,36.20)	(9.75,20.13)	
No	94	264	283	341	
	73.44	65.19	76.69	86.77	
	64.07	57.23	72.34	85.06	
	(49.83,78.31)	(49.54,64.93)	(63.80,80.89)	(79.87,90.25)	
Total	128	405	369	393	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Someone Smoking in Car, Pst 7 Days by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: carsmok7d

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Someone Smoking in Car, Pst 7 Days</b>						
Yes	66 32.51 38.76 (27.33,50.19)	81 24.85 27.98 (20.44,35.52)	67 34.18 40.44 (28.37,52.51)	41 23.84 32.69 (20.77,44.61)	22 11.40 12.17 (5.90,18.44)	
No	137 67.49 61.24 (49.81,72.67)	245 75.15 72.02 (64.48,79.56)	129 65.82 59.56 (47.49,71.63)	131 76.16 67.31 (55.39,79.23)	171 88.60 87.83 (81.56,94.10)	
Total	203 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	193 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Someone Smoking in Car, Pst 7 Days by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: carsmok7d

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Someone Smoking in Car, Pst 7 Days					
	Yes	136	20.57	22.28	173
				(17.22,27.35)	27.81
					36.64
					(30.10,43.17)
	No	525	79.43	77.72	449
				(72.65,82.78)	72.19
					63.36
					(56.83,69.90)
	Total	661	100.00	100.00	622
			100.00	100.00	100.00
					100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Dining Areas by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: shsopn

	Gender	
	Count	
	Percent	
	Weighted Percent	
	Male	Female
95% CI		
Smoking Opinion, Indoor Dining Areas		
Allowed in all areas	9	13
	1.67	1.71
	2.12	1.48
	(0.00,4.32)	(0.46,2.50)
Allowed in some areas	206	256
	38.29	33.73
	38.61	32.90
	(32.27,44.94)	(27.76,38.04)
Not allowed at all	313	484
	58.18	63.77
	57.80	64.57
	(51.36,64.24)	(59.37,69.76)
Don't know/Not sure	10	6
	1.86	0.79
	1.48	1.06
	(0.09,2.86)	(0.05,2.06)
Total	538	759
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Dining Areas by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: shsopn

Count Percent Weighted Percent 95% CI	Age					
	18-24	25-34	35-44	45-54	55-64	65+
	Smoking Opinion, Indoor Dining Areas					
Allowed in all areas	0 0.00 0.00 (0.00,0.00)	3 1.80 2.68 (0.00,6.60)	0 0.00 0.00 (0.00,0.00)	6 2.58 5.18 (0.00,10.63)	2 0.98 0.12 (0.00,0.29)	9 2.52 1.91 (0.17,3.65)
Allowed in some areas	30 37.97 36.67 (20.15,53.19)	59 35.33 30.01 (20.19,39.84)	78 33.91 34.18 (25.36,43.00)	83 35.62 34.94 (25.79,44.09)	89 43.63 51.08 (39.53,62.63)	115 32.21 32.68 (25.76,39.59)
Not allowed at all	49 62.03 63.33 (46.81,79.85)	103 61.68 65.66 (55.33,76.00)	150 65.22 64.39 (55.48,73.30)	143 61.37 59.57 (49.98,69.16)	112 54.90 48.73 (37.19,60.27)	226 63.31 63.89 (56.86,70.92)
Don't know/Not sure	0 0.00 0.00 (0.00,0.00)	2 1.20 1.64 (0.00,4.25)	2 0.87 1.43 (0.00,3.75)	1 0.43 0.32 (0.00,0.94)	1 0.49 0.07 (0.00,0.20)	7 1.96 1.53 (0.00,3.16)
Total	79 100.00 100.00	167 100.00 100.00	230 100.00 100.00	233 100.00 100.00	204 100.00 100.00	357 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Dining Areas by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: shsopn

Count Percent Weighted Percent 95% CI	Education			
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Smoking Opinion, Indoor Dining Areas			
Allowed in all areas	2 1.56 0.23 (0.00,0.55)	6 1.49 3.11 (0.00,6.45)	9 2.45 1.77 (0.15,3.39)	5 1.27 0.97 (0.00,2.03)
Allowed in some areas	53 41.41 35.68 (22.12,49.25)	154 38.21 38.65 (31.36,45.95)	136 37.06 40.28 (31.76,48.81)	119 30.20 29.80 (23.59,36.01)
Not allowed at all	70 54.69 61.90 (48.12,75.68)	238 59.06 57.74 (50.28,65.21)	221 60.22 57.91 (49.43,66.40)	265 67.26 67.33 (60.98,73.69)
Don't know/Not sure	3 2.34 2.18 (0.00,6.09)	5 1.24 0.50 (0.00,1.09)	1 0.27 0.03 (0.00,0.09)	5 1.27 1.90 (0.00,3.80)
Total	128 100.00 100.00	403 100.00 100.00	367 100.00 100.00	394 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Dining Areas by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: shsopn

Count Percent Weighted Percent 95% CI	Income					
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
	Smoking Opinion, Indoor Dining Areas					
	Allowed in all areas	2 0.99 0.49 (0.00,1.32)	8 2.45 3.72 (0.00,7.71)	1 0.51 0.06 (0.00,0.18)	4 2.33 2.74 (0.00,6.58)	3 1.56 1.50 (0.00,3.42)
Allowed in some areas	78 38.61 40.55 (29.38,51.72)	117 35.89 31.68 (24.44,38.92)	78 39.80 45.91 (34.15,57.66)	63 36.63 39.05 (27.42,50.68)	63 32.81 31.23 (22.52,39.95)	
Not allowed at all	120 59.41 58.37 (47.17,69.57)	197 60.43 63.89 (56.23,71.54)	116 59.18 53.66 (41.94,65.39)	104 60.47 57.88 (46.11,69.64)	125 65.10 67.22 (58.41,76.03)	
Don't know/Not sure	2 0.99 0.60 (0.00,1.71)	4 1.23 0.72 (0.00,1.67)	1 0.51 0.37 (0.00,1.09)	1 0.58 0.33 (0.00,0.99)	1 0.52 0.05 (0.00,0.16)	
Total	202 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	192 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Dining Areas by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: shsopn

Smoking Opinion, Indoor Dining Areas	Marital Status	
	Count	Not Married
	Percent	95% CI
	Weighted Percent	Married
	95% CI	Not Married
Allowed in all areas	9 1.36 1.75 (0.25,3.25)	13 2.10 1.88 (0.00,3.82)
Allowed in some areas	210 31.82 33.92 (28.44,39.39)	248 40.00 38.51 (32.35,44.67)
Not allowed at all	432 65.45 62.69 (57.13,68.25)	352 56.77 58.79 (52.56,65.02)
Don't know/Not sure	9 1.36 1.64 (0.23,3.04)	7 1.13 0.81 (0.04,1.59)
Total	660 100.00 100.00	620 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Malls by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: mallopn

	Gender	
	Count	Female
	Percent	Weighted Percent
	95% CI	Male
Smoking Opinion, Indoor Malls		
Allowed in all areas	9 1.67 1.78 (0.05,3.51)	8 1.05 0.79 (0.15,1.43)
Allowed in some areas	185 34.32 33.03 (26.96,39.09)	210 27.67 25.16 (20.38,29.93)
Not allowed at all	336 62.34 63.94 (57.76,70.13)	533 70.22 72.90 (68.07,77.74)
Don't know/Not sure	9 1.67 1.25 (0.05,2.46)	8 1.05 1.15 (0.17,2.13)
Total	539 100.00 100.00	759 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Malls by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: mallopn

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Smoking Opinion, Indoor Malls</b>							
Allowed in all areas	0	3	1	2	3	8	
	0.00	1.80	0.43	0.86	1.48	2.23	
	0.00	2.33	1.16	0.51	0.80	2.10	
	(0.00,0.00)	(0.00,6.16)	(0.00,3.42)	(0.00,1.25)	(0.00,1.90)	(0.23,3.98)	
Allowed in some areas	14	43	70	83	79	101	
	17.72	25.75	30.43	35.62	38.92	28.13	
	19.77	27.45	28.47	34.20	44.16	23.22	
	(4.50,35.05)	(17.70,37.20)	(20.37,36.56)	(25.07,43.33)	(32.30,56.03)	(17.30,29.14)	
Not allowed at all	65	119	159	148	119	239	
	82.28	71.26	69.13	63.52	58.62	66.57	
	80.23	68.58	70.37	65.29	54.89	71.22	
	(64.95,95.50)	(58.33,78.84)	(62.14,78.61)	(56.14,74.43)	(43.07,66.71)	(64.85,77.60)	
Don't know/Not sure	0	2	0	0	2	11	
	0.00	1.20	0.00	0.00	0.99	3.06	
	0.00	1.64	0.00	0.00	0.15	3.46	
	(0.00,0.00)	(0.00,4.25)	(0.00,0.00)	(0.00,0.00)	(0.00,0.35)	(0.87,6.05)	
Total	79	167	230	233	203	359	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Malls by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: mallopn

Education				
Count	Less Than	High School	Some College	College
Percent	High School	Diploma or	or Tech.	Graduate
Weighted Percent	Graduate	GED	School	Plus
95% CI				
Smoking Opinion, Indoor Malls				
Allowed in all areas	1 0.79 0.10 (0.00,0.31)	9 2.23 3.08 (0.39,5.77)	3 0.82 0.27 (0.00,0.73)	4 1.02 0.72 (0.00,1.65)
Allowed in some areas	38 29.92 21.48 (11.18,31.79)	133 32.92 34.45 (27.18,41.71)	122 33.15 32.35 (24.13,40.57)	101 25.63 22.95 (17.47,28.43)
Not allowed at all	86 67.72 78.18 (67.85,88.51)	259 64.11 62.12 (54.73,69.52)	236 64.13 65.70 (57.47,73.93)	284 72.08 74.53 (68.84,80.21)
Don't know/Not sure	2 1.57 0.23 (0.00,0.55)	3 0.74 0.35 (0.00,0.96)	7 1.90 1.68 (0.10,3.26)	5 1.27 1.80 (0.02,3.58)
Total	127 100.00 100.00	404 100.00 100.00	368 100.00 100.00	394 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Malls by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: mallopn

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Smoking Opinion, Indoor Malls				
Allowed in all areas	3 1.48 1.35 (0.00,3.01)	5 1.54 1.44 (0.00,3.48)	1 0.51 0.05 (0.00,0.16)	4 2.33 2.69 (0.00,6.52)	1 0.52 0.86 (0.00,2.54)
Allowed in some areas	66 32.51 32.42 (21.84,42.99)	99 30.46 28.06 (20.54,35.58)	64 32.65 33.32 (21.93,44.71)	46 26.74 24.76 (14.57,34.96)	59 30.57 31.25 (22.14,40.37)
Not allowed at all	130 64.04 64.77 (54.05,75.50)	217 66.77 69.36 (61.71,77.01)	130 66.33 66.24 (54.86,77.63)	120 69.77 71.65 (61.06,82.23)	132 68.39 67.84 (58.67,77.00)
Don't know/Not sure	4 1.97 1.46 (0.00,3.72)	4 1.23 1.14 (0.00,2.42)	1 0.51 0.39 (0.00,1.15)	2 1.16 0.90 (0.00,2.18)	1 0.52 0.05 (0.00,0.15)
Total	203 100.00 100.00	325 100.00 100.00	196 100.00 100.00	172 100.00 100.00	193 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Opinion, Indoor Malls by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: mallopn

	Marital Status	
	Count	
	Percent	
	Weighted Percent	
	Married	Not Married
95% CI		
Smoking Opinion, Indoor Malls		
Allowed in all areas	8 1.21 1.77 (0.22,3.33)	9 1.45 0.65 (0.07,1.24)
Allowed in some areas	199 30.15 26.86 (21.85,31.86)	192 30.92 32.06 (26.03,38.09)
Not allowed at all	445 67.42 70.13 (64.96,75.30)	411 66.18 66.11 (60.05,72.16)
Don't know/Not sure	8 1.21 1.24 (0.08,2.41)	9 1.45 1.18 (0.20,2.16)
Total	660 100.00 100.00	621 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Little Benefit Quitting After 20 Yrs by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: benquitopn

	Gender	
	Count	Female
	Percent	Male
	Weighted Percent	95% CI
Little Benefit Quitting After 20 Yrs		
Strongly agree	45 8.32 7.06 (4.19,9.93)	60 7.91 8.65 (5.57,11.72)
Agree	103 19.04 22.71 (16.88,28.54)	141 18.58 17.51 (13.66,21.36)
Disagree	229 42.33 39.40 (33.19,45.60)	307 40.45 40.51 (35.23,45.79)
Strongly disagree	127 23.48 25.96 (20.13,31.80)	201 26.48 28.40 (23.52,33.27)
Don't know/Not sure	37 6.84 4.87 (2.51,7.23)	50 6.59 4.93 (2.50,7.37)
Total	541 100.00 100.00	759 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Little Benefit Quitting After 20 Yrs by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: benquitopn

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Little Benefit Quitting After 20 Yrs</b>							
Strongly agree	5	10	22	16	21	27	
	6.33	5.99	9.57	6.84	10.29	7.52	
	8.53	6.68	6.87	7.33	10.47	7.10	
	(0.00,18.39)	(1.51,11.85)	(2.89,10.84)	(2.42,12.24)	(4.70,16.24)	(3.58,10.62)	
Agree	28	34	35	32	34	76	
	35.44	20.36	15.22	13.68	16.67	21.17	
	34.68	18.16	19.38	16.54	13.58	20.96	
	(19.22,50.14)	(9.71,26.62)	(11.19,27.58)	(8.47,24.61)	(6.44,20.72)	(14.94,26.98)	
Disagree	29	74	103	111	71	140	
	36.71	44.31	44.78	47.44	34.80	39.00	
	29.00	39.96	39.95	42.86	41.91	42.66	
	(16.07,41.94)	(28.63,51.30)	(31.12,48.78)	(33.42,52.30)	(30.02,53.80)	(35.44,49.88)	
Strongly disagree	15	43	63	70	56	73	
	18.99	25.75	27.39	29.91	27.45	20.33	
	24.45	29.57	31.18	32.06	26.60	20.99	
	(7.99,40.91)	(19.95,39.19)	(22.44,39.92)	(22.91,41.21)	(16.50,36.71)	(15.12,26.85)	
Don't know/Not sure	2	6	7	5	22	43	
	2.53	3.59	3.04	2.14	10.78	11.98	
	3.33	5.63	2.62	1.21	7.43	8.29	
	(0.00,8.34)	(0.00,11.68)	(0.00,6.10)	(0.00,2.62)	(2.49,12.38)	(4.68,11.91)	
Total	79	167	230	234	204	359	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Little Benefit Quitting After 20 Yrs by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: benquitopn

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<b>Little Benefit Quitting After 20 Yrs</b>					
Strongly agree	17	31	27	30	
	13.28	7.65	7.32	7.63	
	10.87	9.41	8.23	5.76	
	(3.50,18.24)	(4.59,14.23)	(4.61,11.85)	(2.82,8.69)	
Agree	35	104	55	49	
	27.34	25.68	14.91	12.47	
	31.85	29.02	15.33	13.32	
	(18.76,44.94)	(21.89,36.15)	(9.68,20.99)	(7.68,18.95)	
Disagree	45	186	147	157	
	35.16	45.93	39.84	39.95	
	24.81	43.13	38.80	41.44	
	(13.33,36.30)	(35.73,50.53)	(30.78,46.83)	(34.57,48.31)	
Strongly disagree	13	61	114	139	
	10.16	15.06	30.89	35.37	
	22.00	15.64	30.55	36.11	
	(7.02,36.97)	(10.15,21.14)	(22.54,38.57)	(29.52,42.70)	
Don't know/Not sure	18	23	26	18	
	14.06	5.68	7.05	4.58	
	10.46	2.79	7.08	3.37	
	(2.81,18.12)	(0.90,4.68)	(2.50,11.66)	(1.33,5.42)	
Total	128	405	369	393	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Little Benefit Quitting After 20 Yrs by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: benquitopn

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Little Benefit Quitting After 20 Yrs				
Strongly agree	24 11.82 10.13 (3.58,16.67)	23 7.06 8.58 (4.51,12.65)	23 11.73 9.10 (4.06,14.15)	8 4.65 7.08 (0.01,14.14)	13 6.70 6.50 (2.16,10.83)
Agree	57 28.08 33.70 (22.74,44.66)	72 22.09 26.28 (18.52,34.04)	34 17.35 15.77 (8.84,22.71)	27 15.70 16.74 (6.62,26.87)	21 10.82 10.14 (5.03,15.25)
Disagree	68 33.50 32.26 (21.69,42.84)	139 42.64 41.39 (33.65,49.12)	84 42.86 35.09 (24.87,45.31)	81 47.09 46.44 (34.50,58.37)	82 42.27 41.50 (31.89,51.11)
Strongly disagree	36 17.73 18.53 (8.99,28.07)	70 21.47 19.71 (13.46,25.97)	49 25.00 38.27 (26.02,50.52)	50 29.07 25.72 (16.76,34.69)	70 36.08 37.67 (28.13,47.22)
Don't know/Not sure	18 8.87 5.38 (1.38,9.38)	22 6.75 4.04 (1.41,6.67)	6 3.06 1.77 (0.00,4.02)	6 3.49 4.02 (0.00,8.49)	8 4.12 4.19 (0.50,7.88)
Total	203 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Little Benefit Quitting After 20 Yrs by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: benquitopn

Count Percent Weighted Percent 95% CI	Marital Status		
	Married	Not Married	
	Little Benefit Quitting After 20 Yrs		
	Strongly agree	54 8.18 6.49 (4.09,8.89)	49 7.87 9.23 (5.58,12.88)
Agree	111 16.82 19.35 (14.64,24.06)	130 20.87 21.13 (15.87,26.40)	
Disagree	284 43.03 42.33 (36.70,47.95)	246 39.49 37.06 (31.24,42.87)	
Strongly disagree	178 26.97 27.48 (22.63,32.32)	146 23.43 27.04 (20.96,33.11)	
Don't know/Not sure	33 5.00 4.35 (2.24,6.46)	52 8.35 5.54 (2.71,8.37)	
Total	660 100.00 100.00	623 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Harmful by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: shsharmopn

	Gender	
	Count	Female
	Percent	Male
	Weighted Percent	95% CI
Second-Hand Smoke - Harmful		
Very harmful to one's health	241 44.63 44.72 (38.27,51.17)	453 59.68 58.14 (52.86,63.42)
Somewhat harmful to one's health	203 37.59 36.88 (30.56,43.20)	228 30.04 31.39 (26.33,36.46)
Not very harmful to one's health	46 8.52 10.85 (6.74,14.95)	43 5.67 6.03 (3.64,8.41)
Not harmful at all to one's health	29 5.37 4.90 (2.21,7.60)	15 1.98 1.97 (0.76,3.18)
Don't know/Not sure	21 3.89 2.64 (0.95,4.34)	20 2.64 2.47 (0.83,4.11)
Total	540 100.00 100.00	759 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Harmful by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: shsharmopn

	Age					
	Count					
	Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64
<b>Second-Hand Smoke - Harmful</b>						
Very harmful to one's health	46 58.23 52.12 (35.57,68.67)	97 58.08 59.86 (48.99,70.74)	127 55.22 53.99 (44.77,63.20)	119 50.85 48.30 (38.61,57.99)	97 47.55 39.35 (28.35,50.35)	193 53.76 52.14 (44.90,59.38)
Somewhat harmful to one's health	28 35.44 41.73 (24.80,58.66)	54 32.34 28.26 (18.69,37.82)	86 37.39 38.80 (29.75,47.84)	80 34.19 30.96 (22.39,39.53)	66 32.35 35.93 (24.34,47.51)	110 30.64 32.37 (25.54,39.20)
Not very harmful to one's health	3 3.80 4.01 (0.00,9.83)	9 5.39 6.12 (0.51,11.72)	12 5.22 5.01 (1.47,8.55)	23 9.83 14.91 (7.14,22.67)	18 8.82 17.07 (7.79,26.34)	23 6.41 5.71 (2.87,8.56)
Not harmful at all to one's health	2 2.53 2.14 (0.00,5.15)	4 2.40 4.38 (0.00,9.68)	4 1.74 1.80 (0.00,3.77)	6 2.56 3.44 (0.00,7.04)	11 5.39 3.86 (0.03,7.69)	16 4.46 4.42 (1.40,7.44)
Don't know/Not sure	0 0.00 0.00 (0.00,0.00)	3 1.80 1.38 (0.00,3.41)	1 0.43 0.41 (0.00,1.21)	6 2.56 2.39 (0.00,5.74)	12 5.88 3.80 (0.54,7.06)	17 4.74 5.36 (1.67,9.05)
Total	79 100.00 100.00	167 100.00 100.00	230 100.00 100.00	234 100.00 100.00	204 100.00 100.00	359 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Harmful by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: shsharmopn

	Education			
	Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School
<b>Second-Hand Smoke - Harmful</b>				
Very harmful to one's health	71 55.47 55.96 (41.57,70.34)	206 50.99 47.42 (39.86,54.98)	202 54.89 52.08 (43.73,60.42)	212 53.81 54.12 (47.23,61.02)
Somewhat harmful to one's health	35 27.34 23.75 (11.41,36.08)	136 33.66 35.79 (28.43,43.15)	124 33.70 38.06 (29.68,46.44)	136 34.52 32.00 (25.64,38.36)
Not very harmful to one's health	4 3.13 3.97 (0.00,8.97)	39 9.65 11.48 (6.56,16.41)	17 4.62 5.81 (2.05,9.58)	28 7.11 8.25 (4.22,12.27)
Not harmful at all to one's health	9 7.03 9.76 (0.96,18.57)	12 2.97 3.16 (0.53,5.79)	14 3.80 3.08 (0.42,5.74)	9 2.28 2.53 (0.53,4.53)
Don't know/Not sure	9 7.03 6.56 (0.00,13.60)	11 2.72 2.15 (0.51,3.79)	11 2.99 0.97 (0.10,1.83)	9 2.28 3.10 (0.53,5.68)
Total	128 100.00 100.00	404 100.00 100.00	368 100.00 100.00	394 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Harmful by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: shsharmopn

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Second-Hand Smoke - Harmful				
Very harmful to one's health	114 56.44 58.12 (46.94,69.30)	179 54.91 52.42 (44.40,60.44)	94 47.96 44.20 (32.96,55.44)	78 45.35 41.54 (29.90,53.18)	105 54.12 53.08 (43.42,62.73)
Somewhat harmful to one's health	58 28.71 24.69 (14.84,34.53)	107 32.82 34.41 (26.63,42.18)	71 36.22 40.06 (28.60,51.52)	74 43.02 43.23 (31.27,55.18)	61 31.44 31.45 (22.49,40.41)
Not very harmful to one's health	11 5.45 6.67 (1.49,11.85)	23 7.06 6.84 (2.53,11.16)	14 7.14 10.78 (3.61,17.94)	15 8.72 10.52 (3.58,17.47)	18 9.28 11.25 (4.97,17.53)
Not harmful at all to one's health	10 4.95 6.60 (0.90,12.31)	7 2.15 2.84 (0.18,5.49)	11 5.61 3.37 (0.20,6.53)	4 2.33 3.76 (0.00,8.56)	7 3.61 2.03 (0.00,4.11)
Don't know/Not sure	9 4.46 3.92 (0.00,7.94)	10 3.07 3.50 (0.38,6.62)	6 3.06 1.60 (0.00,3.23)	1 0.58 0.95 (0.00,2.80)	3 1.55 2.19 (0.00,5.52)
Total	202 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Harmful by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: shsharmopn

	Marital Status		
	Count		
	Percent		
	Weighted Percent		
	95% CI	Married	Not Married
Second-Hand Smoke - Harmful			
Very harmful to one's health	355 53.71 49.85 (44.23,55.47)	329 52.98 53.34 (47.01,59.66)	
Somewhat harmful to one's health	221 33.43 35.31 (29.91,40.71)	205 33.01 32.94 (26.80,39.09)	
Not very harmful to one's health	45 6.81 8.12 (5.02,11.22)	43 6.92 8.71 (5.05,12.36)	
Not harmful at all to one's health	25 3.78 4.24 (1.91,6.58)	18 2.90 2.30 (0.84,3.75)	
Don't know/Not sure	15 2.27 2.48 (0.74,4.23)	26 4.19 2.72 (1.16,4.27)	
Total	661 100.00 100.00	621 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Lung Cancer by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: shslungca

		Gender	
		Male	Female
Second-Hand Smoke - Lung Cancer	Count Percent Weighted Percent 95% CI		
Yes	381 79.87 81.52 (76.67,86.36)	607 89.66 89.40 (85.30,93.50)	
No	96 20.13 18.48 (13.64,23.33)	70 10.34 10.60 (6.50,14.70)	
Total	477 100.00 100.00	677 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Lung Cancer by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: shslungca

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Second-Hand Smoke - Lung Cancer</b>					
Yes	73 96.05 94.93 (88.44,100.00)	147 92.45 92.06 (85.63,98.48)	180 88.24 88.62 (82.85,94.38)	177 83.49 87.55 (82.18,92.92)	134 77.46 60.38 (46.91,73.84)	255 83.06 85.30 (79.97,90.63)	
No	3 3.95 5.07 (0.00,11.56)	12 7.55 7.94 (1.52,14.37)	24 11.76 11.38 (5.62,17.15)	35 16.51 12.45 (7.08,17.82)	39 22.54 39.62 (26.16,53.09)	52 16.94 14.70 (9.37,20.03)	
Total	76 100.00 100.00	159 100.00 100.00	204 100.00 100.00	212 100.00 100.00	173 100.00 100.00	307 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Lung Cancer by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: shslungca

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<b>Second-Hand Smoke - Lung Cancer</b>					
Yes	90	309	282	303	
	81.82	85.60	85.71	86.57	
	84.59	85.63	84.12	86.79	
	(74.64,94.53)	(80.37,90.89)	(76.86,91.39)	(82.02,91.57)	
No	20	52	47	47	
	18.18	14.40	14.29	13.43	
	15.41	14.37	15.88	13.21	
	(5.47,25.36)	(9.11,19.63)	(8.61,23.14)	(8.43,17.98)	
Total	110	361	329	350	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Lung Cancer by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: shslungca

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Second-Hand Smoke - Lung Cancer</b>						
Yes	160 86.02 86.22 (78.77,93.68)	246 85.42 87.34 (81.82,92.86)	145 84.80 83.68 (75.46,91.90)	127 80.38 78.91 (67.87,89.95)	152 86.36 85.72 (78.69,92.74)	
No	26 13.98 13.78 (6.32,21.23)	42 14.58 12.66 (7.14,18.18)	26 15.20 16.32 (8.10,24.54)	31 19.62 21.09 (10.05,32.13)	24 13.64 14.28 (7.26,21.31)	
Total	186 100.00 100.00	288 100.00 100.00	171 100.00 100.00	158 100.00 100.00	176 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Lung Cancer by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: shslungca

		Marital Status	
	Count	Percent	Weighted Percent
	95% CI	Married	Not Married
Second-Hand Smoke - Lung Cancer			
Yes	509	469	
	86.42	84.96	
	85.69	85.62	
	(81.17,90.21)	(81.27,89.97)	
No	80	83	
	13.58	15.04	
	14.31	14.38	
	(9.79,18.83)	(10.03,18.73)	
Total	589	552	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Heart Disease by Respondent's Gender

Independent Variable: Gender

Dependent Variable: shsheart

		Gender	
	Count		
	Percent		
	Weighted Percent		
	95% CI	Male	Female
<b>Second-Hand Smoke - Heart Disease</b>			
Yes	342	499	
	76.85	82.07	
	77.08	82.66	
	(71.47,82.69)	(77.72,87.61)	
No	103	109	
	23.15	17.93	
	22.92	17.34	
	(17.31,28.53)	(12.39,22.28)	
Total	445	608	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Heart Disease by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: shsheart

		Age					
Count	Percent						
Weighted Percent							
95% CI	18-24	25-34	35-44	45-54	55-64	65+	
<b>Second-Hand Smoke - Heart Disease</b>							
Yes	62	117	156	160	120	211	
	89.86	82.98	80.83	78.82	74.07	79.03	
	89.19	83.75	82.00	82.11	55.32	82.79	
	(80.65,97.72)	(74.63,92.87)	(74.95,89.05)	(74.95,89.26)	(41.52,69.13)	(76.75,88.82)	
No	7	24	37	43	42	56	
	10.14	17.02	19.17	21.18	25.93	20.97	
	10.81	16.25	18.00	17.89	44.68	17.21	
	(2.28,19.35)	(7.13,25.37)	(10.95,25.05)	(10.74,25.05)	(30.87,58.48)	(11.18,23.25)	
Total	69	141	193	203	162	267	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Heart Disease by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: shsheart

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<hr/> Second-Hand Smoke - Heart Disease <hr/>					
Yes	75	252	255	257	
	81.52	76.36	81.73	81.07	
	80.60 (65.55,95.65)	75.18 (68.10,82.25)	82.61 (75.30,89.92)	81.78 (76.15,87.40)	
No	17	78	57	60	
	18.48	23.64	18.27	18.93	
	19.40 (4.35,34.45)	24.82 (17.75,31.90)	17.39 (10.08,24.70)	18.22 (12.60,23.85)	
Total	92	330	312	317	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Heart Disease by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: shsheart

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Second-Hand Smoke - Heart Disease</b>						
Yes	136 80.47 79.78 (69.71,89.85)	211 79.92 79.79 (72.54,87.05)	121 78.57 80.24 (71.19,89.29)	115 79.31 77.76 (66.24,89.28)	131 77.06 76.99 (68.47,85.51)	
No	33 19.53 20.22 (10.15,30.29)	53 20.08 20.21 (12.95,27.46)	33 21.43 19.76 (10.71,28.81)	30 20.69 22.24 (10.72,33.76)	39 22.94 23.01 (14.49,31.53)	
Total	169 100.00 100.00	264 100.00 100.00	154 100.00 100.00	145 100.00 100.00	170 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Heart Disease by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: shsheart

		Marital Status	
		Married	Not Married
	Count		
	Percent		
	Weighted Percent		
	95% CI		
<b>Second-Hand Smoke - Heart Disease</b>			
	Yes	433 81.09 80.08 (74.82,85.34)	402 78.82 79.89 (74.61,85.16)
	No	101 18.91 19.92 (14.66,25.18)	108 21.18 20.11 (14.84,25.39)
	<b>Total</b>	534 100.00 100.00	510 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Colon Cancer by Respondent's Gender

Independent Variable: Gender

Dependent Variable: shscolonca

		Gender	
	Count	Male	Female
	Percent		
	Weighted Percent		
	95% CI		
Second-Hand Smoke - Colon Cancer			
Yes	108	162	
	35.64	39.90	
	35.91	47.57	
	(27.77,44.05)	(39.98,55.16)	
No	195	244	
	64.36	60.10	
	64.09	52.43	
	(55.95,72.23)	(44.84,60.02)	
Total	303	406	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Colon Cancer by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: shscolonca

		Age					
Count							
Percent							
Weighted Percent							
95% CI							
		18-24	25-34	35-44	45-54	55-64	65+
<b>Second-Hand Smoke - Colon Cancer</b>							
Yes	26	46	55	39	35	62	
	63.41	46.94	40.15	30.95	31.82	34.07	
	60.90	55.61	47.38	30.32	22.18	34.67	
	(37.27,84.54)	(41.42,69.80)	(35.04,59.72)	(18.08,42.55)	(9.62,34.75)	(25.43,43.92)	
No	15	52	82	87	75	120	
	36.59	53.06	59.85	69.05	68.18	65.93	
	39.10	44.39	52.62	69.68	77.82	65.33	
	(15.46,62.73)	(30.20,58.58)	(40.28,64.96)	(57.45,81.92)	(65.25,90.38)	(56.08,74.57)	
Total	41	98	137	126	110	182	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Colon Cancer by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: shscolonca

		Education			
	Count	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	Percent Weighted Percent 95% CI				
<hr/> Second-Hand Smoke - Colon Cancer <hr/>					
Yes	25	80	74	91	
	40.98 50.03 (29.27,70.80)	35.56 42.60 (32.39,52.82)	35.41 31.86 (22.14,41.58)	42.72 48.20 (38.40,57.99)	
No	36	145	135	122	
	59.02 49.97 (29.20,70.73)	64.44 57.40 (47.18,67.61)	64.59 68.14 (58.42,77.86)	57.28 51.80 (42.01,61.60)	
Total	61	225	209	213	
	100.00 100.00	100.00 100.00	100.00 100.00	100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Colon Cancer by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: shscolonca

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Second-Hand Smoke - Colon Cancer</b>						
Yes	45 38.79 45.88 (31.60,60.15)	79 42.70 48.71 (37.97,59.45)	38 34.86 29.18 (15.76,42.60)	28 28.87 39.59 (23.51,55.67)	43 37.39 41.42 (28.93,53.91)	
No	71 61.21 54.12 (39.85,68.40)	106 57.30 51.29 (40.55,62.03)	71 65.14 70.82 (57.40,84.24)	69 71.13 60.41 (44.33,76.49)	72 62.61 58.58 (46.09,71.07)	
Total	116 100.00 100.00	185 100.00 100.00	109 100.00 100.00	97 100.00 100.00	115 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Colon Cancer by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: shscolonca

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Second-Hand Smoke - Colon Cancer					
Yes	130	37.25	39.24	(31.52,46.97)	(36.02,52.75)
No	219	62.75	60.76	(53.03,68.48)	(47.25,63.98)
Total	349	100.00	100.00	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Child Resp Probs by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: shschild

				Gender	
				Male	Female
	Count	Percent	Weighted Percent	95% CI	
<b>Second-Hand Smoke - Child Resp Probs</b>					
Yes	439	89.41	88.67	(84.52,92.81)	685 95.40 94.58 (92.12,97.03)
No	52	10.59	11.33	(7.19,15.48)	33 4.60 5.42 (2.97,7.88)
Total	491	100.00	100.00		718 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Child Resp Probs by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: shschild

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Second-Hand Smoke - Child Resp Probs</b>					
Yes	75 98.68 97.19 (91.76,100.00)	158 98.14 97.35 (94.16,100.00)	207 94.52 93.63 (88.67,98.59)	206 92.79 90.01 (83.62,96.41)	158 86.34 81.25 (71.19,91.31)	297 91.95 90.13 (85.43,94.84)	
No	1 1.32 2.81 (0.00,8.24)	3 1.86 2.65 (0.00,5.84)	12 5.48 6.37 (1.41,11.33)	16 7.21 9.99 (3.59,16.38)	25 13.66 18.75 (8.69,28.81)	26 8.05 9.87 (5.16,14.57)	
Total	76 100.00 100.00	161 100.00 100.00	219 100.00 100.00	222 100.00 100.00	183 100.00 100.00	323 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Child Resp Probs by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: shschild

		Education			
Count Percent Weighted Percent 95% CI					
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus	
<b>Second-Hand Smoke - Child Resp Probs</b>					
Yes	101 87.07 85.43 (75.56,95.30)	350 92.84 91.84 (87.42,96.26)	328 94.80 94.17 (90.43,97.92)	341 93.42 91.27 (87.02,95.52)	
No	15 12.93 14.57 (4.70,24.44)	27 7.16 8.16 (3.74,12.58)	18 5.20 5.83 (2.08,9.57)	24 6.58 8.73 (4.48,12.98)	
Total	116 100.00 100.00	377 100.00 100.00	346 100.00 100.00	365 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Child Resp Probs by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: shschild

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Second-Hand Smoke - Child Resp Probs</b>						
Yes	179 92.27 92.41 (87.17,97.65)	279 93.00 91.96 (86.93,96.98)	170 91.89 90.81 (84.37,97.26)	156 95.12 92.71 (86.37,99.05)	165 91.16 88.73 (82.22,95.23)	
No	15 7.73 7.59 (2.35,12.83)	21 7.00 8.04 (3.02,13.07)	15 8.11 9.19 (2.74,15.63)	8 4.88 7.29 (0.95,13.63)	16 8.84 11.27 (4.77,17.78)	
Total	194 100.00 100.00	300 100.00 100.00	185 100.00 100.00	164 100.00 100.00	181 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - Child Resp Probs by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: shschild

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent		
	95% CI				
<hr/>					
Second-Hand Smoke - Child Resp Probs					
Yes	571	92.10	91.04	539	93.90
	(87.83,94.25)			(89.03,96.13)	
No	49	7.90	8.96	35	6.10
	(5.75,12.17)			(3.87,10.97)	
Total	620	100.00	100.00	574	100.00
<hr/>					

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - SIDS by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: shssids

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Second-Hand Smoke - SIDS			
Yes	129	221	
	41.88	52.87	
	41.90	52.82	
	(33.57,50.22)	(45.32,60.32)	
No	179	197	
	58.12	47.13	
	58.10	47.18	
	(49.78,66.43)	(39.68,54.68)	
Total	308	418	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - SIDS by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: shssids

		Age					
	Count						
	Percent						
Weighted Percent							
95% CI	18-24	25-34	35-44	45-54	55-64	65+	
<b>Second-Hand Smoke - SIDS</b>							
Yes	39	63	76	47	29	88	
	72.22	61.17	54.29	37.30	27.36	48.09	
	71.97	63.75	52.13	33.66	14.28	42.65	
	(54.19,89.74)	(49.57,77.93)	(40.36,63.90)	(21.14,46.18)	(6.27,22.28)	(32.73,52.56)	
No	15	40	64	79	77	95	
	27.78	38.83	45.71	62.70	72.64	51.91	
	28.03	36.25	47.87	66.34	85.72	57.35	
	(10.26,45.81)	(22.07,50.43)	(36.10,59.64)	(53.82,78.86)	(77.72,93.73)	(47.44,67.27)	
Total	54	103	140	126	106	183	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - SIDS by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: shssids

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School Graduate	Diploma or GED	or Tech. School	Graduate Plus
Second-Hand Smoke - SIDS					
Yes	37	119	90	103	
	55.22	48.97	43.69	49.52	
	51.80	54.24	40.69	45.12	
	(31.99,71.62)	(44.61,63.87)	(29.96,51.42)	(35.31,54.94)	
No	30	124	116	105	
	44.78	51.03	56.31	50.48	
	48.20	45.76	59.31	54.88	
	(28.38,68.01)	(36.13,55.39)	(48.58,70.04)	(45.06,64.69)	
Total	67	243	206	208	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - SIDS by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: shssids

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Second-Hand Smoke - SIDS</b>						
Yes	67	93	45	40	50	
	56.78	50.27	41.28	38.83	43.10	
	58.33	47.66	45.37	39.30	37.59	
	(44.40,72.25)	(36.68,58.63)	(30.46,60.28)	(24.51,54.10)	(25.70,49.49)	
No	51	92	64	63	66	
	43.22	49.73	58.72	61.17	56.90	
	41.67	52.34	54.63	60.70	62.41	
	(27.75,55.60)	(41.37,63.32)	(39.72,69.54)	(45.90,75.49)	(50.51,74.30)	
Total	118	185	109	103	116	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Second-Hand Smoke - SIDS by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: shssids

		Marital Status	
	Count		
	Percent	Married	Not Married
	Weighted Percent		
	95% CI		
Second-Hand Smoke - SIDS			
Yes	175	173	
	47.30	49.86	
	41.99	54.69	
	(34.61,49.37)	(46.23,63.15)	
No	195	174	
	52.70	50.14	
	58.01	45.31	
	(50.63,65.39)	(36.85,53.77)	
Total	370	347	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Heart Attacks by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: cigheart

		Gender	
	Count		
	Percent	Male	Female
	Weighted Percent		
	95% CI		
Cigarettes Cause Heart Attacks			
Yes	371	540	
	76.02	79.30	
	77.86	80.08	
	(72.39,83.33)	(75.65,84.51)	
No	117	141	
	23.98	20.70	
	22.14	19.92	
	(16.67,27.61)	(15.49,24.35)	
Total	488	681	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Heart Attacks by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: cigheart

		Age					
Count							
Percent							
Weighted Percent							
95% CI							
	18-24	25-34	35-44	45-54	55-64	65+	
<b>Cigarettes Cause Heart Attacks</b>							
Yes	56	117	175	166	137	244	
	76.71	75.00	82.16	77.21	74.86	78.96	
	80.17	75.95	81.59	82.72	66.66	82.58	
	(67.94,92.40)	(66.52,85.37)	(73.93,89.24)	(75.50,89.93)	(54.94,78.37)	(77.11,88.04)	
No	17	39	38	49	46	65	
	23.29	25.00	17.84	22.79	25.14	21.04	
	19.83	24.05	18.41	17.28	33.34	17.42	
	(7.60,32.06)	(14.63,33.48)	(10.76,26.07)	(10.07,24.50)	(21.63,45.06)	(11.96,22.89)	
Total	73	156	213	215	183	309	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Heart Attacks by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: cigheart

		Education			
Count		Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Percent					
Weighted Percent					
95% CI					
<b>Cigarettes Cause Heart Attacks</b>					
Yes	81	275	264	289	
	72.32	74.32	79.04	82.57	
	72.07	78.42	77.80	82.25	
	(57.65,86.48)	(72.02,84.82)	(71.04,84.57)	(76.68,87.82)	
No	31	95	70	61	
	27.68	25.68	20.96	17.43	
	27.93	21.58	22.20	17.75	
	(13.52,42.35)	(15.18,27.98)	(15.43,28.96)	(12.18,23.32)	
Total	112	370	334	350	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Heart Attacks by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: cigheart

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
		<b>Cigarettes Cause Heart Attacks</b>				
Yes	141 76.22 73.72 (62.90,84.53)	211 73.52 73.72 (65.82,81.62)	131 71.58 78.46 (70.38,86.55)	138 86.79 85.45 (77.30,93.59)	149 80.11 76.81 (68.27,85.35)	
No	44 23.78 26.28 (15.47,37.10)	76 26.48 26.28 (18.38,34.18)	52 28.42 21.54 (13.45,29.62)	21 13.21 14.55 (6.41,22.70)	37 19.89 23.19 (14.65,31.73)	
Total	185 100.00 100.00	287 100.00 100.00	183 100.00 100.00	159 100.00 100.00	186 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Heart Attacks by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: cigheart

		Marital Status	
Count	Percent	Married	Not Married
Weighted Percent	95% CI		
Cigarettes Cause Heart Attacks			
Yes		464	436
		78.51	77.30
		77.61	80.36
		(72.70,82.51)	(75.35,85.37)
No		127	128
		21.49	22.70
		22.39	19.64
		(17.49,27.30)	(14.63,24.65)
Total		591	564
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Colon Cancer by Respondent's Gender

Independent Variable: Gender

Dependent Variable: cigcolonca

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Cigarettes Cause Colon Cancer			
Yes	140	204	
	37.84	40.88	
	38.30	44.07	
	(30.82,45.79)	(37.35,50.80)	
No	230	295	
	62.16	59.12	
	61.70	55.93	
	(54.21,69.18)	(49.20,62.65)	
Total	370	499	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Colon Cancer by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: cigcolonca

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Cigarettes Cause Colon Cancer</b>							
Yes	32	53	76	49	45	80	
	53.33	45.30	46.06	31.01	33.58	36.70	
	51.32	53.09	48.52	32.12	24.12	35.01	
	(32.77,69.86)	(40.01,66.16)	(37.40,59.63)	(20.80,43.44)	(13.46,34.77)	(26.40,43.62)	
No	28	64	89	109	89	138	
	46.67	54.70	53.94	68.99	66.42	63.30	
	48.68	46.91	51.48	67.88	75.88	64.99	
	(30.14,67.23)	(33.84,59.99)	(40.37,62.60)	(56.56,79.20)	(65.23,86.54)	(56.38,73.60)	
Total	60	117	165	158	134	218	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Colon Cancer by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: cigcolonca

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate
		Graduate	GED	School	Plus
Cigarettes Cause Colon Cancer					
Yes	30	119	86	109	
	37.04	40.34	36.60	42.41	
	43.45	46.07	30.45	44.98	
	(26.07,60.82)	(37.18,54.96)	(21.55,39.35)	(36.13,53.83)	
No	51	176	149	148	
	62.96	59.66	63.40	57.59	
	56.55	53.93	69.55	55.02	
	(39.18,73.93)	(45.04,62.82)	(60.65,78.45)	(46.17,63.87)	
Total	81	295	235	257	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Colon Cancer by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: cigcolonca

		Income				
Count						
Percent						
Weighted Percent	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
95% CI						
<b>Cigarettes Cause Colon Cancer</b>						
Yes	61 42.36 42.96 (29.90,56.02)	86 39.45 47.04 (37.13,56.96)	53 35.81 30.67 (19.21,42.14)	42 35.29 39.27 (25.21,53.34)	57 43.18 47.39 (35.60,59.17)	
No	83 57.64 57.04 (43.98,70.10)	132 60.55 52.96 (43.04,62.87)	95 64.19 69.33 (57.86,80.79)	77 64.71 60.73 (46.66,74.79)	75 56.82 52.61 (40.83,64.40)	
Total	144 100.00 100.00	218 100.00 100.00	148 100.00 100.00	119 100.00 100.00	132 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Colon Cancer by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: cigcolonca

		Marital Status	
	Count Percent Weighted Percent 95% CI	Married	Not Married
Cigarettes Cause Colon Cancer			
Yes	160 37.04 37.21 (30.45,43.97)	181 42.29 45.40 (37.74,53.07)	
No	272 62.96 62.79 (56.03,69.55)	247 57.71 54.60 (46.93,62.26)	
Total	432 100.00 100.00	428 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Strokes by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: cigstroke

Gender			
	Count	Gender	
	Percent	Male	Female
	Weighted Percent		
	95% CI		
Cigarettes Cause Strokes			
Yes	361	551	
	75.37	82.24	
	74.32	86.36	
	(68.34,80.29)	(83.09,89.64)	
No	118	119	
	24.63	17.76	
	25.68	13.64	
	(19.71,31.66)	(10.36,16.91)	
Total	479	670	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Strokes by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: cigstroke

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Cigarettes Cause Strokes</b>							
Yes	60	116	178	166	137	236	
	81.08	78.91	84.76	76.50	78.74	77.89	
	83.49	84.99	78.61	76.42	73.98	83.49	
	(73.01,93.98)	(77.35,92.64)	(69.81,87.40)	(67.48,85.36)	(63.19,84.77)	(78.37,88.60)	
No	14	31	32	51	37	67	
	18.92	21.09	15.24	23.50	21.26	22.11	
	16.51	15.01	21.39	23.58	26.02	16.51	
	(6.02,26.99)	(7.36,22.65)	(12.60,30.19)	(14.64,32.52)	(15.23,36.81)	(11.40,21.63)	
Total	74	147	210	217	174	303	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Strokes by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: cigstroke

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
<b>Cigarettes Cause Strokes</b>					
Yes	70	285	263	291	
	64.22	78.73	79.70	84.59	
	70.48	81.37	78.29	83.88	
	(56.57,84.40)	(75.46,87.28)	(71.30,85.29)	(78.33,89.43)	
No	39	77	67	53	
	35.78	21.27	20.30	15.41	
	29.52	18.63	21.71	16.12	
	(15.60,43.43)	(12.72,24.54)	(14.71,28.70)	(10.57,21.67)	
Total	109	362	330	344	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Strokes by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: cigstroke

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Cigarettes Cause Strokes</b>						
Yes	140 74.87 79.53 (71.27,87.79)	223 78.80 78.74 (71.28,86.20)	138 77.09 80.51 (72.27,88.75)	132 82.50 81.58 (72.39,90.76)	142 81.61 78.18 (69.25,87.11)	
No	47 25.13 20.47 (12.21,28.73)	60 21.20 21.26 (13.80,28.72)	41 22.91 19.49 (11.25,27.73)	28 17.50 18.42 (9.24,27.61)	32 18.39 21.82 (12.89,30.75)	
Total	187 100.00 100.00	283 100.00 100.00	179 100.00 100.00	160 100.00 100.00	174 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Strokes by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: cigstroke

	Marital Status	
	Count	
	Percent	
	Weighted Percent	
	95% CI	
	Married	Not Married
Cigarettes Cause Strokes		
Yes	469	429
	80.58	78.00
	80.39	80.35
	(75.50,85.28)	(75.51,85.20)
No	113	121
	19.42	22.00
	19.61	19.65
	(14.72,24.50)	(14.80,24.49)
Total	582	550
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Low Birth Weight by Respondent's Gender

Independent Variable: Gender

Dependent Variable: ciglbw

		Gender	
	Count	Male	Female
	Percent		
	Weighted Percent		
	95% CI		
Cigarettes Cause Low Birth Weight			
Yes	367	608	
	80.84	89.54	
	83.93	90.68	
	(79.30,88.56)	(87.79,93.58)	
No	87	71	
	19.16	10.46	
	16.07	9.32	
	(11.44,20.70)	(6.42,12.21)	
Total	454	679	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Low Birth Weight by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: ciglbw

		Age					
Count	Percent						
Weighted Percent	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Cigarettes Cause Low Birth Weight</b>							
Yes	72	150	205	186	138	204	
	93.51	95.54	94.91	86.11	80.23	75.28	
	96.22	95.24	94.13	86.52	78.80	74.46	
	(91.51,100.00)	(90.60,99.89)	(89.38,98.88)	(79.77,93.28)	(69.14,88.45)	(67.32,81.60)	
No	5	7	11	30	34	67	
	6.49	4.46	5.09	13.89	19.77	24.72	
	3.78	4.76	5.87	13.48	21.20	25.54	
	(0.00,8.49)	(0.11,9.40)	(1.12,10.62)	(6.72,20.23)	(11.55,30.86)	(18.40,32.68)	
Total	77	157	216	216	172	271	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Low Birth Weight by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: ciglbw

		Education			
Count		Less Than	High School	Some College	College
Percent		High School	Diploma or	or Tech.	Graduate
Weighted Percent		Graduate	GED	School	Plus
95% CI					
<b>Cigarettes Cause Low Birth Weight</b>					
Yes	78	307	276	312	
	74.29	84.11	87.34	90.43	
	80.01	86.20	86.06	91.35	
	(69.71,90.30)	(81.42,90.99)	(80.24,91.89)	(87.38,95.32)	
No	27	58	40	33	
	25.71	15.89	12.66	9.57	
	19.99	13.80	13.94	8.65	
	(9.70,30.29)	(9.01,18.58)	(8.11,19.76)	(4.68,12.62)	
Total	105	365	316	345	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Low Birth Weight by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: ciglbw

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Cigarettes Cause Low Birth Weight</b>						
Yes	137 79.19 81.77 (72.93,90.60)	241 83.68 84.40 (78.65,90.15)	147 85.96 85.81 (78.76,92.86)	145 90.06 88.39 (80.96,95.83)	153 90.53 91.96 (86.50,97.42)	
No	36 20.81 18.23 (9.40,27.07)	47 16.32 15.60 (9.85,21.35)	24 14.04 14.19 (7.14,21.24)	16 9.94 11.61 (4.17,19.04)	16 9.47 8.04 (2.58,13.50)	
Total	173 100.00 100.00	288 100.00 100.00	171 100.00 100.00	161 100.00 100.00	169 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Low Birth Weight by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: ciglbw

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Cigarettes Cause Low Birth Weight					
Yes	502	86.70	86.79	(82.96,90.62)	460 85.19 88.03 (84.31,91.75)
No	77	13.30	13.21	(9.38,17.04)	80 14.81 11.97 (8.25,15.69)
Total	579	100.00	100.00		540 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Lung Cancer by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: ciglungca

		Gender	
	Count	Male	Female
	Percent		
	Weighted Percent		
	95% CI		
Cigarettes Cause Lung Cancer			
Yes	496	719	
	94.84	97.03	
	96.09	97.68	
	(93.85,98.33)	(96.36,99.00)	
No	27	22	
	5.16	2.97	
	3.91	2.32	
	(1.67,6.15)	(1.00,3.64)	
Total	523	741	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Lung Cancer by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: ciglungca

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Cigarettes Cause Lung Cancer</b>					
Yes	79 100.00 100.00 (100.00,100.00)	164 98.80 99.89 (99.72,100.00)	223 97.81 98.55 (96.23,100.00)	223 97.38 97.79 (95.61,99.96)	185 93.43 89.91 (82.72,97.10)	318 93.81 95.11 (92.42,97.80)	
No	0 0.00 0.00 (0.00,0.00)	2 1.20 0.11 (0.00,0.28)	5 2.19 1.45 (0.00,3.77)	6 2.62 2.21 (0.04,4.39)	13 6.57 10.09 (2.90,17.28)	21 6.19 4.89 (2.20,7.58)	
Total	79 100.00 100.00	166 100.00 100.00	228 100.00 100.00	229 100.00 100.00	198 100.00 100.00	339 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Lung Cancer by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: ciglungca

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate
		Graduate	GED	School	Plus
Cigarettes Cause Lung Cancer					
Yes	107	378	350	376	
	87.70	95.70	97.22	98.17	
	87.25	97.19	98.01	97.68	
	(78.34,96.16)	(95.27,99.11)	(96.36,99.66)	(95.24,100.00)	
No	15	17	10	7	
	12.30	4.30	2.78	1.83	
	12.75	2.81	1.99	2.32	
	(3.84,21.66)	(0.89,4.73)	(0.34,3.64)	(0.00,4.76)	
Total	122	395	360	383	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Lung Cancer by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: ciglungca

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
		<b>Cigarettes Cause Lung Cancer</b>				
Yes	182	299	181	168	188	
	93.81	94.92	93.78	98.25	98.95	
	95.19 (91.39,98.98)	95.84 (93.22,98.46)	93.99 (89.23,98.75)	99.69 (99.24,100.00)	97.13 (92.93,100.00)	
No	12	16	12	3	2	
	6.19	5.08	6.22	1.75	1.05	
	4.81 (1.02,8.61)	4.16 (1.54,6.78)	6.01 (1.25,10.77)	0.31 (0.00,0.76)	2.87 (0.00,7.07)	
Total	194	315	193	171	190	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Lung Cancer by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: ciglungca

		Marital Status	
Count	Percent	Married	Not Married
Weighted Percent	95% CI		
Cigarettes Cause Lung Cancer			
Yes		626	572
		96.75	95.33
		97.42	96.19
		(95.72,99.12)	(94.20,98.18)
No		21	28
		3.25	4.67
		2.58	3.81
		(0.88,4.28)	(1.82,5.80)
Total		647	600
		100.00	100.00
		100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Impotence by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: cigimpotent

		Gender	
		Male	Female
	Count Percent Weighted Percent 95% CI		
Cigarettes Cause Impotence			
Yes	190 51.91 52.41 (44.30,60.52)	246 54.67 60.86 (54.28,67.44)	
No	176 48.09 47.59 (39.48,55.70)	204 45.33 39.14 (32.56,45.72)	
Total	366 100.00 100.00	450 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Impotence by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: cigimpotent

		Age					
	Count						
	Percent						
Weighted Percent							
95% CI	18-24	25-34	35-44	45-54	55-64	65+	
<b>Cigarettes Cause Impotence</b>							
Yes	33	69	80	72	62	113	
	57.89	58.97	54.05	50.00	47.33	55.39	
	63.68	67.40	52.60	54.11	48.61	54.47	
	(43.83,83.53)	(55.34,79.46)	(41.08,64.13)	(41.79,66.43)	(34.07,63.14)	(45.16,63.77)	
No	24	48	68	72	69	91	
	42.11	41.03	45.95	50.00	52.67	44.61	
	36.32	32.60	47.40	45.89	51.39	45.53	
	(16.47,56.17)	(20.54,44.66)	(35.87,58.92)	(33.57,58.21)	(36.86,65.93)	(36.23,54.84)	
Total	57	117	148	144	131	204	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Impotence by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: cigimpotent

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate Plus
95% CI		Graduate	GED	School	Graduate Plus
<hr/>					
Cigarettes Cause Impotence					
<hr/>					
Yes		38	138	122	138
		48.72	51.69	53.28	57.26
		37.89	58.50	54.92	60.86
		(20.88,54.90)	(49.62,67.38)	(44.00,65.84)	(52.11,69.61)
No		40	129	107	103
		51.28	48.31	46.72	42.74
		62.11	41.50	45.08	39.14
		(45.10,79.12)	(32.62,50.38)	(34.16,56.00)	(30.39,47.89)
Total		78	267	229	241
		100.00	100.00	100.00	100.00
		100.00	100.00	100.00	100.00
<hr/>					

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Impotence by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: cigimpotent

		Income				
Count						
Percent						
Weighted Percent	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
95% CI						
<b>Cigarettes Cause Impotence</b>						
Yes	79 59.40 63.13 (49.66,76.60)	106 51.96 56.14 (46.17,66.10)	57 41.61 41.97 (28.44,55.50)	69 57.98 65.64 (52.77,78.50)	70 54.69 55.21 (43.35,67.07)	
No	54 40.60 36.87 (23.40,50.34)	98 48.04 43.86 (33.90,53.83)	80 58.39 58.03 (44.50,71.56)	50 42.02 34.36 (21.50,47.23)	58 45.31 44.79 (32.93,56.65)	
Total	133 100.00 100.00	204 100.00 100.00	137 100.00 100.00	119 100.00 100.00	128 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Cigarettes Cause Impotence by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: cigimpotent

		Marital Status	
	Count	Percent	Weighted Percent
	95% CI	Married	Not Married
Cigarettes Cause Impotence			
Yes	211	222	
	51.59	55.50	
	53.40	60.79	
	(46.19,60.61)	(52.89,68.69)	
No	198	178	
	48.41	44.50	
	46.60	39.21	
	(39.39,53.81)	(31.31,47.11)	
Total	409	400	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Asthma/Bronchitis/Emphysema by Respondent's Gender

Independent Variable: Gender

Dependent Variable: toldlung

		Gender	
Count			
Percent		Male	Female
Weighted Percent			
95% CI			
Dr. Told Asthma/Bronchitis/Emphysema			
	Yes	193 36.35 39.92 (33.40,46.43)	321 42.74 42.74 (37.37,48.12)
	No	338 63.65 60.08 (53.57,66.60)	430 57.26 57.26 (51.88,62.63)
	Total	531 100.00 100.00	751 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Asthma/Bronchitis/Emphysema by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: toldlung

		Age					
	Count Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64	65+
		<b>Dr. Told Asthma/Bronchitis/Emphysema</b>					
Yes	40 51.28 53.57 (36.83,70.30)	63 37.95 44.91 (33.40,56.43)	87 37.99 41.47 (32.09,50.85)	92 39.83 40.96 (31.23,50.69)	76 37.81 27.34 (17.95,36.73)	146 41.36 40.93 (33.79,48.07)	
No	38 48.72 46.43 (29.70,63.17)	103 62.05 55.09 (43.57,66.60)	142 62.01 58.53 (49.15,67.91)	139 60.17 59.04 (49.31,68.77)	125 62.19 72.66 (63.27,82.05)	207 58.64 59.07 (51.93,66.21)	
Total	78 100.00 100.00	166 100.00 100.00	229 100.00 100.00	231 100.00 100.00	201 100.00 100.00	353 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Asthma/Bronchitis/Emphysema by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: toldlung

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School	Diploma or	or Tech.	Graduate Plus
		Graduate	GED	School	
Dr. Told Asthma/Bronchitis/Emphysema					
Yes	58	171	141	143	
	45.31	42.54	38.74	37.24	
	34.14	50.07	37.83	38.31	
	(21.84,46.44)	(42.51,57.63)	(29.74,45.92)	(31.32,45.30)	
No	70	231	223	241	
	54.69	57.46	61.26	62.76	
	65.86	49.93	62.17	61.69	
	(53.56,78.16)	(42.37,57.49)	(54.08,70.26)	(54.70,68.68)	
Total	128	402	364	384	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Asthma/Bronchitis/Emphysema by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: toldlung

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Dr. Told Asthma/Bronchitis/Emphysema</b>						
Yes	97 48.74 49.21 (37.67,60.76)	129 39.69 37.82 (30.06,45.57)	87 45.08 45.05 (33.59,56.52)	52 30.41 38.98 (26.89,51.07)	68 35.42 37.12 (27.46,46.79)	
No	102 51.26 50.79 (39.24,62.33)	196 60.31 62.18 (54.43,69.94)	106 54.92 54.95 (43.48,66.41)	119 69.59 61.02 (48.93,73.11)	124 64.58 62.88 (53.21,72.54)	
Total	199 100.00 100.00	325 100.00 100.00	193 100.00 100.00	171 100.00 100.00	192 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Asthma/Bronchitis/Emphysema by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: toldlung

		Marital Status	
		Married	Not Married
Count	Percent		
Weighted Percent	95% CI		
Dr. Told Asthma/Bronchitis/Emphysema			
Yes	256	252	
	39.20	41.18	
	37.80	46.26	
	(32.24,43.35)	(39.84,52.67)	
No	397	360	
	60.80	58.82	
	62.20	53.74	
	(56.65,67.76)	(47.33,60.16)	
Total	653	612	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Diabetes by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: tolddiab

		Gender	
	Count		
	Percent		
	Weighted Percent		
	95% CI	Male	Female
<b>Dr. Told Diabetes</b>			
Yes	66	82	
	12.97	11.52	
	11.82	10.81	
	(7.80,15.85)	(7.36,14.26)	
No	443	630	
	87.03	88.48	
	88.18	89.19	
	(84.15,92.20)	(85.74,92.64)	
Total	509	712	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Diabetes by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: tolddiab

		Age					
		-----					
Count							
Percent							
Weighted Percent							
95% CI							
		18-24	25-34	35-44	45-54	55-64	65+
		-----					
Dr. Told Diabetes							
Yes		7	12	18	21	29	59
		9.33	7.50	8.22	9.55	15.34	17.61
		10.91	8.42	4.45	9.41	13.12	19.71
		(1.43,20.38)	(1.88,14.96)	(1.24,7.66)	(3.15,15.67)	(5.63,20.61)	(13.46,25.97)
No		68	148	201	199	160	276
		90.67	92.50	91.78	90.45	84.66	82.39
		89.09	91.58	95.55	90.59	86.88	80.29
		(79.62,98.57)	(85.04,98.12)	(92.34,98.76)	(84.33,96.85)	(79.39,94.37)	(74.03,86.54)
Total		75	160	219	220	189	335
		100.00	100.00	100.00	100.00	100.00	100.00
		100.00	100.00	100.00	100.00	100.00	100.00
		-----					

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Diabetes by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: tolddiab

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School Graduate	Diploma or GED	or Tech. School	Graduate Plus
Dr. Told Diabetes					
Yes	19	45	44	39	
	16.10	11.60	12.64	10.74	
	16.43	12.36	10.78	9.46	
	(6.37,26.50)	(7.09,17.63)	(5.93,15.63)	(5.35,13.57)	
No	99	343	304	324	
	83.90	88.40	87.36	89.26	
	83.57	87.64	89.22	90.54	
	(73.50,93.63)	(82.37,92.91)	(84.37,94.07)	(86.43,94.65)	
Total	118	388	348	363	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Diabetes by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: tolddiab

		Income				
Count						
Percent						
Weighted Percent	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
95% CI						
<b>Dr. Told Diabetes</b>						
Yes	36 18.75 16.39 (8.03,24.75)	44 14.19 13.68 (8.03,19.33)	12 6.42 7.68 (1.21,14.14)	12 7.27 4.84 (0.31,9.37)	17 9.55 9.70 (3.22,16.18)	
No	156 81.25 83.61 (75.25,91.97)	266 85.81 86.32 (80.67,91.97)	175 93.58 92.32 (85.86,98.79)	153 92.73 95.16 (90.63,99.69)	161 90.45 90.30 (83.82,96.78)	
Total	192 100.00 100.00	310 100.00 100.00	187 100.00 100.00	165 100.00 100.00	178 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Diabetes by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: tolddiab

		Marital Status	
Count	Percent	Married	Not Married
Weighted Percent	95% CI		
Dr. Told Diabetes			
Yes	72	76	
	11.71	12.86	
	10.56	12.51	
	(7.06,14.06)	(8.40,16.61)	
No	543	515	
	88.29	87.14	
	89.44	87.49	
	(85.94,92.94)	(83.39,91.60)	
Total	615	591	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Heart Disease by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: toldheart

		Gender	
	Count	Percent	Weighted Percent
	95% CI	Male	Female
Dr. Told Heart Disease			
Yes	137	189	
	26.15	25.68	
	27.30	25.18	
	(21.46,33.15)	(20.41,29.96)	
No	387	547	
	73.85	74.32	
	72.70	74.82	
	(66.85,78.54)	(70.04,79.59)	
Total	524	736	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Heart Disease by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: toldheart

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Dr. Told Heart Disease</b>							
Yes	22	26	50	50	51	124	
	28.95	15.76	22.03	21.83	26.29	35.73	
	34.31	14.74	26.72	25.17	20.78	34.89	
	(18.69,49.93)	(7.06,22.42)	(17.53,35.91)	(16.26,34.07)	(11.99,29.58)	(28.03,41.75)	
No	54	139	177	179	143	223	
	71.05	84.24	77.97	78.17	73.71	64.27	
	65.69	85.26	73.28	74.83	79.22	65.11	
	(50.07,81.31)	(77.58,92.94)	(64.09,82.47)	(65.93,83.74)	(70.42,88.01)	(58.25,71.97)	
Total	76	165	227	229	194	347	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Heart Disease by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: toldheart

		Education			
Count	Percent	Less Than	High School	Some College	College
Weighted Percent	95% CI	High School Graduate	Diploma or GED	or Tech. School	Graduate Plus
Dr. Told Heart Disease					
Yes	42	117	79	87	
	33.60	29.47	22.13	23.08	
	33.36	31.81	21.86	23.45	
	(20.70,46.01)	(24.47,39.16)	(15.45,28.28)	(17.02,29.89)	
No	83	280	278	290	
	66.40	70.53	77.87	76.92	
	66.64	68.19	78.14	76.55	
	(53.99,79.30)	(60.84,75.53)	(71.72,84.55)	(70.11,82.98)	
Total	125	397	357	377	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Heart Disease by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: toldheart

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Dr. Told Heart Disease</b>						
Yes	56	82	50	38	44	
	28.57	25.79	26.46	22.22	23.28	
	27.76	25.59	23.08	27.84	25.07	
	(17.32,38.20)	(18.78,32.39)	(14.47,31.68)	(16.50,39.17)	(16.18,33.97)	
No	140	236	139	133	145	
	71.43	74.21	73.54	77.78	76.72	
	72.24	74.41	76.92	72.16	74.93	
	(61.80,82.68)	(67.61,81.22)	(68.32,85.53)	(60.83,83.50)	(66.03,83.82)	
Total	196	318	189	171	189	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Dr. Told Heart Disease by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: toldheart

	Marital Status	
	Count	
	Percent	
	Weighted Percent	
	95% CI	Married
		Not Married
Dr. Told Heart Disease		
Yes		
	182	143
	28.35	23.75
	27.11	25.67
	(22.00,32.22)	(20.07,31.26)
No		
	460	459
	71.65	76.25
	72.89	74.33
	(67.78,78.00)	(68.74,79.93)
Total		
	642	602
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking is Physically Addictive by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: rskaddictopn

		Gender	
	Count Percent Weighted Percent 95% CI	Male	Female
<b>Smoking is Physically Addictive</b>			
Strongly agree	326 60.26 61.44 (55.13,67.75)	488 64.38 66.26 (61.18,71.34)	
Agree	174 32.16 31.24 (25.20,37.29)	247 32.59 29.02 (24.30,33.74)	
Disagree	26 4.81 4.58 (2.07,7.09)	14 1.85 3.24 (0.66,5.82)	
Strongly disagree	7 1.29 0.58 (0.02,1.14)	5 0.66 0.54 (0.00,1.39)	
Don't know/Not sure	8 1.48 2.16 (0.22,4.10)	4 0.53 0.94 (0.00,1.95)	
Total	541 100.00 100.00	758 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking is Physically Addictive by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: rskaddictopn

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Smoking is Physically Addictive</b>							
Strongly agree	41	98	156	161	132	211	
	51.90	58.68	68.12	68.80	64.71	58.61	
	57.47	58.93	73.40	66.82	66.34	59.28	
	(41.01,73.94)	(47.70,70.16)	(65.63,81.17)	(57.60,76.03)	(55.61,77.06)	(52.28,66.28)	
Agree	34	58	67	60	62	130	
	43.04	34.73	29.26	25.64	30.39	36.11	
	39.90	31.43	22.90	26.42	26.49	35.01	
	(23.39,56.41)	(21.16,41.70)	(15.64,30.15)	(17.78,35.07)	(16.84,36.15)	(28.32,41.70)	
Disagree	4	7	3	9	7	9	
	5.06	4.19	1.31	3.85	3.43	2.50	
	2.63	4.95	2.05	6.23	6.11	2.29	
	(0.00,5.57)	(0.00,11.59)	(0.00,4.75)	(1.16,11.29)	(0.00,12.50)	(0.08,4.49)	
Strongly disagree	0	2	1	3	3	3	
	0.00	1.20	0.44	1.28	1.47	0.83	
	0.00	1.40	0.06	0.45	1.07	0.48	
	(0.00,0.00)	(0.00,4.03)	(0.00,0.17)	(0.00,1.10)	(0.00,2.63)	(0.00,1.17)	
Don't know/Not sure	0	2	2	1	0	7	
	0.00	1.20	0.87	0.43	0.00	1.94	
	0.00	3.29	1.60	0.09	0.00	2.94	
	(0.00,0.00)	(0.00,7.85)	(0.00,4.03)	(0.00,0.26)	(0.00,0.00)	(0.31,5.57)	
Total	79	167	229	234	204	360	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking is Physically Addictive by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: rskaddictopn

	Education			
	Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School
<b>Smoking is Physically Addictive</b>				
Strongly agree	76 59.38 66.75 (52.64,80.86)	237 58.52 58.15 (50.64,65.67)	241 65.31 65.16 (57.14,73.19)	259 65.90 67.93 (61.69,74.17)
Agree	44 34.38 29.79 (15.72,43.85)	152 37.53 37.53 (30.23,44.82)	111 30.08 28.24 (20.58,35.91)	111 28.24 24.50 (18.99,30.01)
Disagree	7 5.47 3.27 (0.00,6.70)	8 1.98 3.25 (0.00,7.06)	9 2.44 3.48 (0.49,6.47)	16 4.07 4.99 (1.84,8.14)
Strongly disagree	1 0.78 0.20 (0.00,0.59)	5 1.23 0.27 (0.00,0.62)	3 0.81 0.50 (0.00,1.23)	3 0.76 0.96 (0.00,2.34)
Don't know/Not sure	0 0.00 0.00 (0.00,0.00)	3 0.74 0.80 (0.00,1.93)	5 1.36 2.61 (0.00,5.40)	4 1.02 1.61 (0.00,3.51)
Total	128 100.00 100.00	405 100.00 100.00	369 100.00 100.00	393 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking is Physically Addictive by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: rskaddictopn

Count Percent Weighted Percent 95% CI	Income				
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
	Smoking is Physically Addictive				
Strongly agree	119 58.62 53.67 (42.13,65.22)	203 62.27 60.85 (53.05,68.65)	117 59.69 66.17 (54.93,77.41)	115 66.86 66.82 (55.85,77.79)	138 71.13 72.96 (64.42,81.51)
Agree	71 34.98 38.71 (27.52,49.89)	105 32.21 29.95 (22.92,36.98)	67 34.18 28.20 (17.34,39.07)	55 31.98 32.63 (21.68,43.58)	47 24.23 21.04 (13.33,28.75)
Disagree	9 4.43 6.88 (0.00,15.10)	9 2.76 3.92 (0.38,7.47)	7 3.57 4.52 (0.00,9.60)	2 1.16 0.54 (0.00,1.37)	8 4.12 5.54 (0.75,10.33)
Strongly disagree	2 0.99 0.14 (0.00,0.37)	5 1.53 1.72 (0.00,3.83)	5 2.55 1.11 (0.00,2.54)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
Don't know/Not sure	2 0.99 0.60 (0.00,1.71)	4 1.23 3.55 (0.00,7.39)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.52 0.46 (0.00,1.37)
Total	203 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking is Physically Addictive by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: rskaddictopn

Count Percent Weighted Percent 95% CI	Marital Status		
	Married	Not Married	
	Smoking is Physically Addictive		
	Strongly agree	428 64.95 67.09 (61.94,72.25)	376 60.35 59.60 (53.26,65.93)
Agree	199 30.20 26.54 (21.83,31.26)	216 34.67 34.84 (28.66,41.02)	
Disagree	21 3.19 4.45 (1.98,6.93)	18 2.89 3.20 (0.51,5.90)	
Strongly disagree	6 0.91 0.65 (0.00,1.52)	6 0.96 0.46 (0.00,0.92)	
Don't know/Not sure	5 0.76 1.25 (0.00,2.53)	7 1.12 1.90 (0.05,3.75)	
Total	659 100.00 100.00	623 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Light Cigarettes is Safer by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: rskliteopn

	Gender	
	Count	Female
	Percent	Male
	Weighted Percent	95% CI
<b>Smoking Light Cigarettes is Safer</b>		
Strongly agree	12 2.23 2.38 (0.67,4.10)	21 2.77 3.10 (1.36,4.84)
Agree	82 15.21 13.92 (9.68,18.16)	122 16.09 13.29 (10.11,16.47)
Disagree	259 48.05 48.32 (41.85,54.79)	358 47.23 47.95 (42.57,53.32)
Strongly disagree	120 22.26 23.81 (17.86,29.77)	165 21.77 25.43 (20.56,30.31)
Don't know/Not sure	66 12.24 11.56 (7.92,15.20)	92 12.14 10.23 (7.30,13.15)
Total	539 100.00 100.00	758 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Light Cigarettes is Safer by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: rskliteopn

Count Percent Weighted Percent 95% CI	Age					
	18-24	25-34	35-44	45-54	55-64	65+
	Smoking Light Cigarettes is Safer					
Strongly agree	0 0.00 0.00 (0.00,0.00)	2 1.20 1.31 (0.00,3.34)	9 3.93 4.48 (0.82,8.15)	6 2.56 0.81 (0.00,1.79)	7 3.45 4.91 (0.14,9.67)	6 1.67 2.45 (0.12,4.77)
Agree	14 17.72 11.19 (3.52,18.86)	31 18.56 16.10 (8.61,23.59)	30 13.10 11.08 (5.23,16.94)	34 14.53 13.59 (6.72,20.47)	31 15.27 12.38 (5.58,19.17)	60 16.71 15.53 (10.58,20.49)
Disagree	40 50.63 50.27 (33.89,66.66)	85 50.90 49.42 (38.16,60.68)	126 55.02 54.57 (45.24,63.89)	105 44.87 44.53 (34.88,54.17)	95 46.80 50.98 (39.32,62.65)	158 44.01 43.83 (36.63,51.04)
Strongly disagree	23 29.11 36.44 (20.44,52.45)	41 24.55 26.06 (15.30,36.82)	47 20.52 24.42 (15.77,33.07)	68 29.06 33.24 (24.03,42.46)	44 21.67 20.39 (10.92,29.87)	56 15.60 14.94 (9.86,20.02)
Don't know/Not sure	2 2.53 2.10 (0.00,5.02)	8 4.79 7.11 (1.35,12.86)	17 7.42 5.45 (2.05,8.84)	21 8.97 7.83 (3.14,12.51)	26 12.81 11.34 (5.31,17.38)	79 22.01 23.25 (16.88,29.62)
Total	79 100.00 100.00	167 100.00 100.00	229 100.00 100.00	234 100.00 100.00	203 100.00 100.00	359 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Light Cigarettes is Safer by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: rskliteopn

Education				
Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Smoking Light Cigarettes is Safer				
Strongly agree	1 0.78 0.09 (0.00,0.28)	13 3.21 2.95 (0.56,5.34)	11 2.98 3.13 (0.82,5.44)	7 1.79 2.55 (0.46,4.65)
Agree	19 14.84 14.64 (3.92,25.36)	76 18.77 18.21 (12.54,23.87)	50 13.55 9.68 (5.86,13.50)	58 14.83 12.22 (8.13,16.31)
Disagree	60 46.88 38.83 (25.37,52.29)	201 49.63 49.95 (42.37,57.54)	168 45.53 50.20 (41.93,58.48)	187 47.83 47.37 (40.40,54.34)
Strongly disagree	21 16.41 27.29 (12.66,41.93)	75 18.52 21.92 (15.47,28.36)	100 27.10 28.47 (20.81,36.13)	89 22.76 23.80 (17.23,30.36)
Don't know/Not sure	27 21.09 19.14 (9.01,29.27)	40 9.88 6.97 (3.92,10.03)	40 10.84 8.52 (4.62,12.41)	50 12.79 14.06 (9.38,18.73)
Total	128 100.00 100.00	405 100.00 100.00	369 100.00 100.00	391 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Light Cigarettes is Safer by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: rskliteopn

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Smoking Light Cigarettes is Safer</b>						
Strongly agree	4 1.98 1.63 (0.00,4.51)	7 2.15 1.47 (0.18,2.76)	4 2.04 2.90 (0.00,6.33)	6 3.49 3.17 (0.00,6.40)	6 3.09 3.60 (0.22,6.98)	
Agree	42 20.79 19.45 (10.84,28.06)	57 17.48 18.08 (11.67,24.49)	29 14.80 8.59 (4.49,12.69)	24 13.95 11.40 (5.23,17.57)	26 13.40 12.54 (6.20,18.89)	
Disagree	94 46.53 48.31 (36.73,59.88)	157 48.16 48.07 (40.11,56.02)	95 48.47 53.69 (42.35,65.04)	87 50.58 45.03 (33.13,56.92)	88 45.36 52.30 (42.65,61.95)	
Strongly disagree	33 16.34 18.83 (9.25,28.41)	64 19.63 20.29 (13.47,27.10)	51 26.02 28.82 (18.18,39.45)	46 26.74 34.83 (22.88,46.78)	50 25.77 19.58 (12.15,27.00)	
Don't know/Not sure	29 14.36 11.79 (5.86,17.71)	41 12.58 12.09 (6.82,17.37)	17 8.67 5.99 (1.56,10.42)	9 5.23 5.57 (1.34,9.80)	24 12.37 11.98 (6.08,17.88)	
Total	202 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Light Cigarettes is Safer by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: rskliteopn

Smoking Light Cigarettes is Safer	Marital Status	
	Count	Not Married
	Percent	Married
	Weighted Percent	Not Married
	95% CI	Married
Strongly agree	16 2.43 2.57 (0.84,4.31)	16 2.57 2.64 (1.10,4.18)
Agree	89 13.53 13.04 (9.38,16.69)	111 17.85 14.32 (10.47,18.17)
Disagree	327 49.70 49.57 (43.91,55.22)	284 45.66 47.28 (40.93,53.63)
Strongly disagree	151 22.95 23.85 (18.78,28.92)	131 21.06 25.97 (20.05,31.89)
Don't know/Not sure	75 11.40 10.97 (7.76,14.18)	80 12.86 9.80 (6.71,12.88)
Total	658 100.00 100.00	622 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Can Harm Unborn Baby by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: rskpregopn

	Gender	
	Count	
	Percent	
	Weighted Percent	
	95% CI	Male
		Female
<b>Smoking Can Harm Unborn Baby</b>		
Strongly agree	269 49.81 55.12 (48.66,61.59)	442 58.31 62.60 (57.58,67.62)
Agree	215 39.81 36.70 (30.44,42.96)	264 34.83 31.74 (26.94,36.54)
Disagree	20 3.70 2.52 (0.77,4.28)	26 3.43 2.95 (1.35,4.55)
Strongly disagree	4 0.74 0.51 (0.00,1.06)	3 0.40 0.34 (0.00,0.85)
Don't know/Not sure	32 5.93 5.15 (2.08,8.21)	23 3.03 2.37 (1.09,3.65)
Total	540 100.00 100.00	758 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Can Harm Unborn Baby by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: rskpregopn

	Age					
	Count					
	Percent Weighted Percent 95% CI	18-24	25-34	35-44	45-54	55-64
<b>Smoking Can Harm Unborn Baby</b>						
Strongly agree	51 64.56 57.04 (40.31,73.77)	109 65.27 74.28 (65.03,83.53)	150 65.50 67.77 (59.36,76.19)	130 55.56 58.26 (48.69,67.84)	100 49.02 54.72 (43.41,66.03)	156 43.33 43.37 (36.14,50.60)
Agree	24 30.38 36.07 (19.68,52.46)	51 30.54 21.70 (13.20,30.20)	75 32.75 31.07 (22.70,39.44)	87 37.18 37.35 (27.83,46.86)	82 40.20 36.56 (25.87,47.24)	154 42.78 42.33 (35.20,49.47)
Disagree	1 1.27 0.04 (0.00,0.13)	4 2.40 3.54 (0.00,8.10)	0 0.00 0.00 (0.00,0.00)	7 2.99 2.10 (0.15,4.06)	12 5.88 4.49 (0.92,8.05)	20 5.56 5.02 (1.97,8.07)
Strongly disagree	2 2.53 1.33 (0.00,3.72)	2 1.20 0.42 (0.00,1.01)	1 0.44 0.45 (0.00,1.33)	1 0.43 0.56 (0.00,1.65)	0 0.00 0.00 (0.00,0.00)	1 0.28 0.12 (0.00,0.37)
Don't know/Not sure	1 1.27 5.52 (0.00,15.91)	1 0.60 0.07 (0.00,0.20)	3 1.31 0.71 (0.00,1.64)	9 3.85 1.73 (0.14,3.31)	10 4.90 4.24 (0.14,8.35)	29 8.06 9.15 (5.17,13.13)
Total	79 100.00 100.00	167 100.00 100.00	229 100.00 100.00	234 100.00 100.00	204 100.00 100.00	360 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Can Harm Unborn Baby by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: rskpregopn

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<b>Smoking Can Harm Unborn Baby</b>					
Strongly agree	52	189	218	250	
	40.63	46.67	59.24	63.61	
	54.39	54.20	58.21	64.99	
	(40.26,68.52)	(46.73,61.68)	(49.94,66.49)	(58.49,71.48)	
Agree	61	179	122	115	
	47.66	44.20	33.15	29.26	
	34.50	38.65	34.78	29.32	
	(21.62,47.38)	(31.38,45.93)	(26.88,42.68)	(23.07,35.57)	
Disagree	9	17	12	8	
	7.03	4.20	3.26	2.04	
	6.87	3.11	2.73	1.58	
	(0.96,12.77)	(0.92,5.31)	(0.15,5.32)	(0.13,3.04)	
Strongly disagree	0	0	5	2	
	0.00	0.00	1.36	0.51	
	0.00	0.00	0.87	0.53	
	(0.00,0.00)	(0.00,0.00)	(0.00,1.88)	(0.00,1.25)	
Don't know/Not sure	6	20	11	18	
	4.69	4.94	2.99	4.58	
	4.25	4.03	3.40	3.58	
	(0.00,9.44)	(1.68,6.39)	(0.00,7.68)	(1.44,5.71)	
Total	128	405	368	393	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Smoking Can Harm Unborn Baby by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: rskpregopn

	Income				
	Count	\$20,000-	\$35,000-	\$50,000-	\$75,000 +
	Percent Weighted Percent 95% CI	< \$20,000	\$34,999	\$49,999	\$74,999
<b>Smoking Can Harm Unborn Baby</b>					
Strongly agree	90 44.33 51.42 (40.06,62.78)	176 53.99 55.03 (47.11,62.95)	106 54.08 56.88 (45.12,68.65)	107 62.21 67.05 (56.31,77.79)	126 64.95 62.50 (52.91,72.09)
Agree	86 42.36 38.94 (28.22,49.66)	123 37.73 36.10 (28.53,43.67)	69 35.20 30.74 (19.47,42.02)	59 34.30 31.98 (21.28,42.68)	59 30.41 33.68 (24.15,43.21)
Disagree	9 4.43 2.82 (0.40,5.24)	12 3.68 5.52 (1.51,9.54)	12 6.12 4.19 (0.47,7.91)	1 0.58 0.06 (0.00,0.18)	4 2.06 1.31 (0.00,2.80)
Strongly disagree	1 0.49 1.02 (0.00,3.03)	3 0.92 0.65 (0.00,1.53)	1 0.51 0.19 (0.00,0.57)	1 0.58 0.17 (0.00,0.50)	1 0.52 0.50 (0.00,1.47)
Don't know/Not sure	17 8.37 5.79 (1.63,9.95)	12 3.68 2.70 (0.30,5.10)	8 4.08 7.99 (0.00,16.45)	4 2.33 0.74 (0.00,1.70)	4 2.06 2.02 (0.00,4.30)
Total	203 100.00 100.00	326 100.00 100.00	196 100.00 100.00	172 100.00 100.00	194 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Smoking Can Harm Unborn Baby by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: rskpregopn

Smoking Can Harm Unborn Baby	Marital Status	
	Count	Not Married
	Percent	Married
	Weighted Percent	Not Married
	95% CI	Married
Strongly agree	373 56.60 60.72 (55.33,66.11)	330 53.05 56.48 (50.19,62.78)
Agree	241 36.57 33.83 (28.60,39.06)	231 37.14 34.91 (28.88,40.94)
Disagree	23 3.49 2.28 (1.01,3.54)	23 3.70 3.42 (1.24,5.59)
Strongly disagree	1 0.15 0.16 (0.00,0.46)	6 0.96 0.76 (0.00,1.53)
Don't know/Not sure	21 3.19 3.01 (1.36,4.66)	32 5.14 4.42 (1.40,7.45)
Total	659 100.00 100.00	622 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Friends Using Tobacco Products by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: friendsuse

		Gender	
		Male	Female
# Friends Using Tobacco Products	Count Percent Weighted Percent 95% CI		
None	3 4.69 6.16 (0.00,14.29)	16 18.82 18.60 (5.09,32.12)	
A few	24 37.50 34.86 (18.45,51.27)	30 35.29 33.04 (19.38,46.70)	
Less than half	7 10.94 14.45 (0.81,28.09)	9 10.59 13.03 (1.69,24.38)	
About half	14 21.88 14.36 (4.65,24.07)	5 5.88 3.59 (0.00,7.33)	
Most or all	16 25.00 30.17 (12.25,48.08)	25 29.41 31.74 (17.83,45.65)	
Total	64 100.00 100.00	85 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: # Friends Using Tobacco Products by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: friendsuse

# Friends Using Tobacco Products	Age	
	Count	Percent
	Weighted Percent	95% CI
	18-24	25-34
	95% CI	95% CI
None	8 10.13 7.72 (0.12,15.32)	11 15.71 17.62 (2.91,32.32)
A few	30 37.97 39.21 (23.54,54.88)	24 34.29 27.51 (13.66,41.35)
Less than half	8 10.13 13.34 (1.69,24.99)	8 11.43 14.30 (0.47,28.14)
About half	11 13.92 8.93 (2.45,15.40)	8 11.43 9.50 (0.72,18.29)
Most or all	22 27.85 30.81 (14.24,47.38)	19 27.14 31.07 (15.79,46.34)
Total	79 100.00 100.00	70 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: # Friends Using Tobacco Products by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: friendsuse

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<b># Friends Using Tobacco Products</b>					
None	0	9	8	2	
	0.00	16.36	15.69	6.67	
	0.00	17.41	12.08	6.32	
	(0.00,0.00)	(1.63,33.18)	(0.00,25.33)	(0.00,16.29)	
A few	6	17	19	12	
	46.15	30.91	37.25	40.00	
	31.59	27.30	35.55	44.48	
	(0.00,64.92)	(11.69,42.92)	(16.63,54.46)	(19.47,69.49)	
Less than half	0	6	5	5	
	0.00	10.91	9.80	16.67	
	0.00	16.11	15.17	11.53	
	(0.00,0.00)	(0.46,31.76)	(0.00,32.86)	(0.00,23.23)	
About half	1	8	7	3	
	7.69	14.55	13.73	10.00	
	8.89	13.04	5.29	8.34	
	(0.00,26.12)	(2.20,23.89)	(0.00,10.61)	(0.00,19.20)	
Most or all	6	15	12	8	
	46.15	27.27	23.53	26.67	
	59.52	26.14	31.91	29.33	
	(23.44,95.60)	(10.65,41.64)	(8.36,55.46)	(7.74,50.92)	
Total	13	55	51	30	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: # Friends Using Tobacco Products by Income Level (5 categories)  
 Independent Variable: Income Level  
 Dependent Variable: friendsuse

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b># Friends Using Tobacco Products</b>						
None	2	8	3	3	0	
	9.09	14.04	13.64	17.65	0.00	
	30.05	6.97	11.57	4.00	0.00	
	(0.00,62.15)	(0.42,13.51)	(0.00,26.45)	(0.00,9.12)	(0.00,0.00)	
A few	7	23	4	6	4	
	31.82	40.35	18.18	35.29	40.00	
	20.09	44.68	7.69	40.17	50.98	
	(0.00,40.97)	(26.69,62.68)	(0.00,18.07)	(7.94,72.40)	(15.31,86.66)	
Less than half	3	5	1	4	1	
	13.64	8.77	4.55	23.53	10.00	
	6.25	8.25	4.22	38.86	7.98	
	(0.00,15.30)	(0.80,15.69)	(0.00,12.64)	(5.46,72.27)	(0.00,23.43)	
About half	2	5	5	0	4	
	9.09	8.77	22.73	0.00	40.00	
	2.91	13.59	8.26	0.00	35.72	
	(0.00,7.22)	(0.69,26.49)	(0.00,18.18)	(0.00,0.00)	(1.65,69.78)	
Most or all	8	16	9	4	1	
	36.36	28.07	40.91	23.53	10.00	
	40.70	26.51	68.25	16.97	5.32	
	(12.76,68.64)	(10.41,42.61)	(43.44,93.07)	(0.00,36.45)	(0.00,15.90)	
Total	22	57	22	17	10	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: # Friends Using Tobacco Products by Marital Status (2 categories)  
 Independent Variable: Marital Status  
 Dependent Variable: friendsuse

Count Percent Weighted Percent 95% CI	Marital Status	
	Married	Not Married
	# Friends Using Tobacco Products	
	None	A few
	7	12
	17.50	11.01
	11.54	12.35
	(1.26,21.82)	(2.07,22.63)
	16	38
	40.00	34.86
	42.53	30.86
	(21.01,64.05)	(18.69,43.04)
	3	13
	7.50	11.93
	16.20	12.88
	(0.00,37.35)	(3.54,22.23)
	4	15
	10.00	13.76
	10.13	8.84
	(0.00,21.65)	(2.92,14.76)
	10	31
	25.00	28.44
	19.60	35.06
	(3.93,35.27)	(20.99,49.13)
	40	109
	100.00	100.00
	100.00	100.00

## Section II: Bivariate Distributions – demographics

Description: People Would Be Upset if I Smoked by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: upsetifsmok

	Gender	
	Count	Female
	Percent	Weighted Percent
	95% CI	Male
People Would Be Upset if I Smoked		
Strongly agree	196 47.46 50.25 (43.06,57.44)	312 54.17 58.28 (52.51,64.05)
Agree	171 41.40 40.14 (33.11,47.18)	215 37.33 33.77 (28.30,39.24)
Disagree	43 10.41 9.36 (5.44,13.29)	44 7.64 7.00 (4.36,9.63)
Strongly disagree	3 0.73 0.25 (0.00,0.57)	5 0.87 0.95 (0.00,1.97)
Total	413 100.00 100.00	576 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: People Would Be Upset if I Smoked by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: upsetifsmok

Count Percent Weighted Percent 95% CI	Age					
	18-24	25-34	35-44	45-54	55-64	65+
	People Would Be Upset if I Smoked					
Strongly agree	21 36.84 40.13 (22.18,58.08)	63 51.64 58.31 (46.19,70.44)	96 57.83 58.58 (47.74,69.41)	94 56.63 56.02 (44.89,67.15)	79 52.67 59.47 (47.78,71.16)	143 46.13 50.45 (42.62,58.29)
Agree	25 43.86 39.35 (21.18,57.52)	47 38.52 34.62 (23.10,46.15)	54 32.53 34.26 (23.72,44.81)	54 32.53 33.69 (22.97,44.41)	62 41.33 36.48 (25.26,47.71)	139 44.84 41.66 (34.00,49.33)
Disagree	8 14.04 18.43 (4.97,31.88)	11 9.02 6.13 (0.81,11.46)	15 9.04 6.14 (2.10,10.19)	17 10.24 10.16 (4.16,16.16)	8 5.33 3.94 (0.00,8.66)	27 8.71 7.73 (3.94,11.53)
Strongly disagree	3 5.26 2.09 (0.00,4.91)	1 0.82 0.93 (0.00,2.75)	1 0.60 1.02 (0.00,3.01)	1 0.60 0.13 (0.00,0.39)	1 0.67 0.10 (0.00,0.31)	1 0.32 0.15 (0.00,0.44)
Total	57 100.00 100.00	122 100.00 100.00	166 100.00 100.00	166 100.00 100.00	150 100.00 100.00	310 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: People Would Be Upset if I Smoked by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: upsetifsmok

Count Percent Weighted Percent 95% CI	Education			
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
	People Would Be Upset if I Smoked			
Strongly agree	41 46.07 50.48 (33.21,67.74)	128 44.44 52.06 (43.22,60.91)	147 53.45 58.10 (49.65,66.55)	189 56.59 53.64 (46.09,61.18)
Agree	41 46.07 41.36 (24.60,58.11)	123 42.71 36.71 (28.36,45.07)	102 37.09 34.12 (26.09,42.15)	120 35.93 38.46 (31.04,45.88)
Disagree	6 6.74 7.98 (0.00,16.65)	35 12.15 10.91 (5.61,16.21)	22 8.00 6.54 (3.00,10.09)	24 7.19 7.42 (3.69,11.14)
Strongly disagree	1 1.12 0.19 (0.00,0.56)	2 0.69 0.32 (0.00,0.81)	4 1.45 1.23 (0.00,2.69)	1 0.30 0.49 (0.00,1.45)
Total	89 100.00 100.00	288 100.00 100.00	275 100.00 100.00	334 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: People Would Be Upset if I Smoked by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: upsetifsmok

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>People Would Be Upset if I Smoked</b>						
Strongly agree	76 52.05 62.28 (50.66,73.90)	109 47.19 51.10 (41.80,60.40)	68 45.03 42.69 (31.43,53.95)	71 53.38 56.45 (43.54,69.35)	102 62.96 62.84 (52.69,72.98)	
Agree	52 35.62 28.35 (18.25,38.45)	102 44.16 40.44 (31.29,49.59)	63 41.72 43.10 (31.75,54.46)	48 36.09 33.73 (21.53,45.92)	51 31.48 31.44 (21.64,41.24)	
Disagree	17 11.64 9.04 (2.41,15.67)	16 6.93 6.72 (2.38,11.06)	18 11.92 13.96 (5.98,21.94)	13 9.77 8.73 (1.90,15.57)	9 5.56 5.73 (1.08,10.37)	
Strongly disagree	1 0.68 0.32 (0.00,0.96)	4 1.73 1.74 (0.00,3.71)	2 1.32 0.25 (0.00,0.60)	1 0.75 1.09 (0.00,3.23)	0 0.00 0.00 (0.00,0.00)	
Total	146 100.00 100.00	231 100.00 100.00	151 100.00 100.00	133 100.00 100.00	162 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: People Would Be Upset if I Smoked by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: upsetifsmok

		Marital Status	
Count	Percent	Married	Not Married
Weighted Percent	95% CI		
People Would Be Upset if I Smoked			
Strongly agree	280	221	
	53.74	48.46	
	56.20	51.11	
	(50.09,62.31)	(44.08,58.13)	
Agree	194	188	
	37.24	41.23	
	36.64	37.75	
	(30.75,42.53)	(30.92,44.58)	
Disagree	45	41	
	8.64	8.99	
	7.11	9.74	
	(4.33,9.88)	(5.69,13.80)	
Strongly disagree	2	6	
	0.38	1.32	
	0.06	1.40	
	(0.00,0.14)	(0.08,2.72)	
Total	521	456	
	100.00	100.00	
	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: People Are Upset About My Smoking by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: upsetatsmok

Count Percent Weighted Percent 95% CI	Gender		
	Male	Female	
	People Are Upset About My Smoking		
	Strongly agree	12 10.81 12.29 (1.51,23.06)	36 23.84 25.39 (12.54,38.23)
Agree	50 45.05 36.87 (23.33,50.42)	57 37.75 33.55 (22.30,44.80)	
Disagree	45 40.54 49.17 (34.10,64.24)	51 33.77 37.63 (24.75,50.52)	
Strongly disagree	4 3.60 1.67 (0.00,3.66)	7 4.64 3.43 (0.00,7.07)	
Total	111 100.00 100.00	151 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: People Are Upset About My Smoking by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: upsetatsmok

		Age					
		18-24	25-34	35-44	45-54	55-64	65+
	Count						
	Percent						
	Weighted Percent						
	95% CI						
<b>People Are Upset About My Smoking</b>							
Strongly agree	1	8	16	7	12	1	
	4.55	18.60	27.12	11.48	25.00	4.17	
	15.88	11.38	26.31	8.78	32.71	0.34	
	(0.00,43.59)	(0.00,26.15)	(11.19,41.43)	(0.46,17.10)	(6.75,58.66)	(0.00,1.03)	
Agree	10	17	22	35	14	8	
	45.45	39.53	37.29	57.38	29.17	33.33	
	38.17	25.70	31.55	49.66	32.69	32.55	
	(8.99,67.36)	(7.43,43.96)	(15.74,47.37)	(29.23,70.10)	(11.82,53.56)	(5.89,59.22)	
Disagree	9	16	21	16	19	14	
	40.91	37.21	35.59	26.23	39.58	58.33	
	42.23	60.04	42.14	34.52	34.06	66.60	
	(9.28,75.18)	(37.42,82.66)	(24.33,59.94)	(12.50,56.54)	(12.62,55.50)	(39.86,93.34)	
Strongly disagree	2	2	0	3	3	1	
	9.09	4.65	0.00	4.92	6.25	4.17	
	3.71	2.88	0.00	7.04	0.54	0.51	
	(0.00,10.71)	(0.00,7.22)	(0.00,0.00)	(0.00,15.45)	(0.00,1.23)	(0.00,1.55)	
Total	22	43	59	61	48	24	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: People Are Upset About My Smoking by Education Level (4 categories)  
 Independent Variable: Education Level  
 Dependent Variable: upsetatsmok

Education				
Count Percent Weighted Percent 95% CI	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
People Are Upset About My Smoking				
Strongly agree	3 9.38 16.58 (0.00,35.49)	20 18.87 15.20 (5.62,24.78)	15 20.00 28.33 (7.17,49.50)	10 20.41 10.50 (2.16,18.84)
Agree	12 37.50 30.26 (2.42,58.10)	41 38.68 34.32 (21.06,47.57)	35 46.67 40.43 (21.72,59.14)	19 38.78 30.74 (13.94,47.54)
Disagree	14 43.75 46.19 (17.30,75.09)	41 38.68 48.41 (33.79,63.04)	21 28.00 28.03 (7.31,48.75)	20 40.82 58.76 (39.89,77.63)
Strongly disagree	3 9.38 6.97 (0.00,19.13)	4 3.77 2.07 (0.00,5.00)	4 5.33 3.21 (0.00,7.01)	0 0.00 0.00 (0.00,0.00)
Total	32 100.00 100.00	106 100.00 100.00	75 100.00 100.00	49 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: People Are Upset About My Smoking by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: upsetatsmok

		Income				
Count Percent Weighted Percent 95% CI		< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
		<b>People Are Upset About My Smoking</b>				
	Strongly agree	10 18.87 14.35 (0.69,28.00)	14 17.07 18.64 (5.86,31.42)	10 24.39 26.40 (0.65,52.16)	8 20.51 27.70 (0.00,56.65)	3 12.00 5.62 (0.00,13.75)
	Agree	24 45.28 41.49 (19.13,63.85)	29 35.37 28.75 (15.23,42.27)	14 34.15 16.84 (3.69,29.99)	21 53.85 42.51 (17.69,67.32)	11 44.00 51.54 (23.99,79.08)
	Disagree	16 30.19 40.62 (16.70,64.53)	35 42.68 49.71 (33.26,66.17)	17 41.46 56.76 (29.51,84.00)	9 23.08 26.26 (3.46,49.05)	9 36.00 38.55 (11.05,66.04)
	Strongly disagree	3 5.66 3.54 (0.00,9.90)	4 4.88 2.90 (0.00,6.20)	0 0.00 0.00 (0.00,0.00)	1 2.56 3.54 (0.00,10.51)	2 8.00 4.30 (0.00,12.10)
	Total	53 100.00 100.00	82 100.00 100.00	41 100.00 100.00	39 100.00 100.00	25 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: People Are Upset About My Smoking by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: upsetatsmok

Count Percent Weighted Percent 95% CI	Marital Status		
	Married	Not Married	
	People Are Upset About My Smoking		
	Strongly agree	23 19.33 22.34 (9.42,35.26)	25 17.86 14.91 (4.09,25.74)
Agree	46 38.66 32.13 (20.23,44.03)	59 42.14 38.01 (24.72,51.31)	
Disagree	44 36.97 41.52 (28.02,55.03)	51 36.43 46.09 (30.98,61.19)	
Strongly disagree	6 5.04 4.00 (0.15,7.86)	5 3.57 0.99 (0.00,2.15)	
Total	119 100.00 100.00	140 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Are Upset About My Smoking by Respondent's Gender  
 Independent Variable: Gender  
 Dependent Variable: upsetchild

Children Are Upset About My Smoking	Gender	
	Count	Female
	Percent	Male
	Weighted Percent	Female
	95% CI	Male
Strongly agree	4 12.50 12.15 (0.00,24.78)	21 40.38 33.07 (15.13,51.01)
Agree	15 46.88 53.56 (25.66,81.46)	14 26.92 35.84 (15.74,55.95)
Disagree	12 37.50 34.10 (6.12,62.09)	15 28.85 25.79 (9.04,42.53)
Strongly disagree	1 3.13 0.19 (0.00,0.59)	2 3.85 5.30 (0.00,14.87)
Total	32 100.00 100.00	52 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Children Are Upset About My Smoking by Age Groups (6 categories)

Independent Variable: Age

Dependent Variable: upsetchild

		Age					
	Count						
	Percent						
	Weighted Percent						
	95% CI	18-24	25-34	35-44	45-54	55-64	65+
<b>Children Are Upset About My Smoking</b>							
Strongly agree	1	7	11	6	0	0	
	50.00	33.33	39.29	24.00	0.00	0.00	
	80.00	16.13	33.34	16.97	0.00	0.00	
	(35.58,100.00)	(0.00,33.14)	(11.34,55.34)	(0.00,35.18)	(0.00,0.00)	(0.00,0.00)	
Agree	0	8	6	12	2	0	
	0.00	38.10	21.43	48.00	33.33	0.00	
	0.00	53.49	33.78	43.92	85.32	0.00	
	(0.00,0.00)	(18.58,88.41)	(9.41,58.16)	(11.74,76.11)	(58.00,100.00)	(0.00,0.00)	
Disagree	1	6	10	7	3	0	
	50.00	28.57	35.71	28.00	50.00	0.00	
	20.00	30.37	26.44	39.11	12.56	0.00	
	(0.00,64.42)	(0.00,64.71)	(6.18,46.70)	(3.75,74.48)	(0.00,37.00)	(0.00,0.00)	
Strongly disagree	0	0	1	0	1	1	
	0.00	0.00	3.57	0.00	16.67	100.00	
	0.00	0.00	6.43	0.00	2.12	100.00	
	(0.00,0.00)	(0.00,0.00)	(0.00,18.62)	(0.00,0.00)	(0.00,7.42)	(100.00,100.00)	
Total	2	21	28	25	6	1	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Are Upset About My Smoking by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: upsetchild

		Education			
Count	Percent	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus
Weighted Percent	95% CI				
<b>Children Are Upset About My Smoking</b>					
Strongly agree	1	14	6	4	
	10.00	40.00	26.09	25.00	
	15.64	30.50	14.69	17.69	
	(0.00,44.10)	(10.13,50.88)	(0.00,31.74)	(0.00,38.03)	
Agree	6	9	8	6	
	60.00	25.71	34.78	37.50	
	63.36	44.38	39.06	42.84	
	(27.16,99.56)	(19.08,69.67)	(8.32,69.81)	(6.04,79.64)	
Disagree	3	11	7	6	
	30.00	31.43	30.43	37.50	
	21.00	24.84	33.16	39.46	
	(0.00,46.26)	(2.71,46.97)	(0.90,65.42)	(1.90,77.03)	
Strongly disagree	0	1	2	0	
	0.00	2.86	8.70	0.00	
	0.00	0.28	13.09	0.00	
	(0.00,0.00)	(0.00,0.85)	(0.00,36.05)	(0.00,0.00)	
Total	10	35	23	16	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Are Upset About My Smoking by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: upsetchild

		Income				
Count	Percent					
Weighted Percent	95% CI	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +
<b>Children Are Upset About My Smoking</b>						
Strongly agree	4	9	5	2	3	
	22.22	42.86	27.78	12.50	50.00	
	9.92	25.90	19.25	39.43	20.56	
	(0.00,23.21)	(5.28,46.52)	(0.00,44.80)	(0.00,79.95)	(0.00,48.15)	
Agree	8	5	5	9	1	
	44.44	23.81	27.78	56.25	16.67	
	71.78	46.93	64.23	39.91	29.12	
	(45.48,98.07)	(16.66,77.20)	(32.31,96.15)	(7.02,72.81)	(0.00,75.50)	
Disagree	5	7	8	4	2	
	27.78	33.33	44.44	25.00	33.33	
	17.08	27.17	16.52	20.02	50.32	
	(0.00,36.65)	(0.94,53.40)	(0.00,33.08)	(0.00,44.99)	(2.14,98.50)	
Strongly disagree	1	0	0	1	0	
	5.56	0.00	0.00	6.25	0.00	
	1.22	0.00	0.00	0.63	0.00	
	(0.00,3.77)	(0.00,0.00)	(0.00,0.00)	(0.00,1.96)	(0.00,0.00)	
Total	18	21	18	16	6	
	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Are Upset About My Smoking by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: upsetchild

	Marital Status	
	Count	Not Married
	Percent	Weighted Percent
	95% CI	Married
Children Are Upset About My Smoking		
Strongly agree	13 25.49 19.57 (6.86,32.27)	12 36.36 30.46 (6.33,54.59)
Agree	22 43.14 41.18 (21.18,61.19)	7 21.21 48.67 (19.88,77.47)
Disagree	15 29.41 39.11 (17.73,60.50)	12 36.36 12.95 (2.29,23.61)
Strongly disagree	1 1.96 0.14 (0.00,0.41)	2 6.06 7.91 (0.00,22.19)
Total	51 100.00 100.00	33 100.00 100.00

## Section II: Bivariate Distributions – demographics

Description: Children Talked About You Not Smoking by Respondent's Gender

Independent Variable: Gender

Dependent Variable: childaskstop

				Gender	
				Male	Female
	Count	Percent	Weighted Percent		
			95% CI		
<b>Children Talked About You Not Smoking</b>					
Yes	23	71.88	86.50	41	78.85
			(65.56,100.00)		79.35
				(63.15,95.56)	
No	9	28.13	13.50	11	21.15
			(0.00,34.44)		20.65
					(4.44,36.85)
Total	32	100.00	100.00	52	100.00

## Section II: Bivariate Distributions – demographics

Description: Children Talked About You Not Smoking by Age Groups (6 categories)  
 Independent Variable: Age  
 Dependent Variable: childaskstop

		Age					
Count Percent Weighted Percent 95% CI		18-24	25-34	35-44	45-54	55-64	65+
<b>Children Talked About You Not Smoking</b>							
Yes	2	15	23	21	2	0	
	66.67	71.43	82.14	87.50	33.33	0.00	
	98.77	69.63	80.68	96.35	85.32	0.00	
	(95.49,100.00)	(35.39,100.00)	(61.20,100.00)	(91.66,100.00)	(58.00,100.00)	(0.00,0.00)	
No	1	6	5	3	4	1	
	33.33	28.57	17.86	12.50	66.67	100.00	
	1.23	30.37	19.32	3.65	14.68	100.00	
	(0.00,4.51)	(0.00,64.61)	(0.00,38.80)	(0.00,8.34)	(0.00,42.00)	(100.00,100.00)	
Total	3	21	28	24	6	1	
	100.00	100.00	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Talked About You Not Smoking by Education Level (4 categories)

Independent Variable: Education Level

Dependent Variable: childaskstop

		Education			
Count Percent Weighted Percent 95% CI					
	Less Than High School Graduate	High School Diploma or GED	Some College or Tech. School	College Graduate Plus	
<b>Children Talked About You Not Smoking</b>					
Yes	9 90.00 94.37 (83.00,100.00)	25 71.43 77.40 (55.38,99.42)	19 79.17 87.35 (65.48,100.00)	11 73.33 86.88 (67.63,100.00)	
No	1 10.00 5.63 (0.00,17.00)	10 28.57 22.60 (0.58,44.62)	5 20.83 12.65 (0.00,34.52)	4 26.67 13.12 (0.00,32.37)	
Total	10 100.00 100.00	35 100.00 100.00	24 100.00 100.00	15 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Talked About You Not Smoking by Income Level (5 categories)

Independent Variable: Income Level

Dependent Variable: childaskstop

		Income				
Count Percent Weighted Percent 95% CI						
	< \$20,000	\$20,000- \$34,999	\$35,000- \$49,999	\$50,000- \$74,999	\$75,000 +	
<b>Children Talked About You Not Smoking</b>						
Yes	15 83.33 91.10 (77.23,100.00)	15 75.00 69.79 (38.45,100.00)	12 63.16 93.83 (85.29,100.00)	12 75.00 84.98 (62.30,100.00)	5 83.33 66.26 (16.46,100.00)	
No	3 16.67 8.90 (0.00,22.77)	5 25.00 30.21 (0.00,61.55)	7 36.84 6.17 (0.00,14.71)	4 25.00 15.02 (0.00,37.70)	1 16.67 33.74 (0.00,83.54)	
Total	18 100.00 100.00	20 100.00 100.00	19 100.00 100.00	16 100.00 100.00	6 100.00 100.00	

## Section II: Bivariate Distributions – demographics

Description: Children Talked About You Not Smoking by Marital Status (2 categories)

Independent Variable: Marital Status

Dependent Variable: childaskstop

				Marital Status	
				Married	Not Married
	Count	Percent	Weighted Percent	95% CI	
Children Talked About You Not Smoking					
Yes	40	80.00	82.67	(67.34,98.00)	24 70.59 83.33 (60.55,100.00)
No	10	20.00	17.33	(2.00,32.66)	10 29.41 16.67 (0.00,39.45)
Total	50	100.00	100.00		34 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Use Medication Last Time Quit by Smoking Status

Independent Variable: smokstatus

Dependent Variable: quitmed

Count Percent Weighted Percent 95% CI	Smoking Status		
	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Use Medication Last Time Quit			
Yes	34 40.48 33.24 (18.04,48.44)	7 24.14 20.85 (1.35,40.34)	24 25.53 21.91 (9.91,33.90)
No	50 59.52 66.76 (51.56,81.96)	22 75.86 79.15 (59.66,98.65)	70 74.47 78.09 (66.10,90.09)
Total	84 100.00 100.00	29 100.00 100.00	94 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Use Medication Last Time Quit

Independent Variable: quitmed

Dependent Variable: smokstatus

	Use Medication Last Time Quit	
	Yes	No
	Count	Count
	Percent	Percent
	Weighted Percent	Weighted Percent
	95% CI	95% CI
Smoking Status		
Current Everyday Smoker	34 52.31 44.20 (25.82,62.58)	50 35.21 30.46 (19.21,41.71)
Current Some Days Smoker	7 10.77 16.05 (2.19,29.91)	22 15.49 20.91 (8.37,33.45)
Former Smoker	24 36.92 39.75 (21.11,58.39)	70 49.30 48.63 (36.11,61.15)
Never Smoker	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
Total	65 100.00 100.00	142 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Use Assistance Last Time Quit by Smoking Status

Independent Variable: smokstatus

Dependent Variable: quitasst

	Smoking Status		
	Count Percent Weighted Percent 95% CI	Current Every day Smoker	Current Some Days Smoker
Use Assistance Last Time Quit			
Yes	3 3.61 2.74 (0.00,6.59)	2 6.90 8.23 (0.00,21.20)	3 3.19 3.49 (0.00,8.73)
No	80 96.39 97.26 (93.41,100.00)	27 93.10 91.77 (78.80,100.00)	91 96.81 96.51 (91.27,100.00)
Total	83 100.00 100.00	29 100.00 100.00	94 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Use Assistance Last Time Quit  
 Independent Variable: quitasst  
 Dependent Variable: smokstatus

	Use Assistance Last Time Quit	
	Yes	No
	Count	Count
	Percent	Percent
	Weighted Percent	Weighted Percent
	95% CI	95% CI
Smoking Status		
Current Everyday Smoker	3 37.50 22.27 (0.00,53.19)	80 40.40 34.39 (24.40,44.37)
Current Some Days Smoker	2 25.00 38.90 (0.00,84.95)	27 13.64 18.86 (8.55,29.17)
Former Smoker	3 37.50 38.83 (0.00,84.14)	91 45.96 46.75 (36.06,57.44)
Never Smoker	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)
Total	8 100.00 100.00	198 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: # Adults in Household Who Smoke by Smoking Status

Independent Variable: smokstatus

Dependent Variable: othsmoker

Smoking Status				
Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
# Adults in Household Who Smoke				
0	53 35.81 33.44 (21.46,45.41)	14 48.28 41.58 (14.99,68.18)	220 84.94 84.17 (77.97,90.38)	347 85.47 86.68 (81.66,91.69)
1	80 54.05 47.10 (34.68,59.53)	12 41.38 37.77 (13.48,62.07)	36 13.90 14.52 (8.48,20.56)	55 13.55 11.80 (7.07,16.54)
2	13 8.78 18.03 (6.12,29.95)	2 6.90 8.29 (0.00,23.22)	2 0.77 1.20 (0.00,2.88)	4 0.99 1.52 (0.00,3.41)
3	2 1.35 1.43 (0.00,3.95)	1 3.45 12.35 (0.00,34.41)	1 0.39 0.11 (0.00,0.31)	0 0.00 0.00 (0.00,0.00)
Total	148 100.00 100.00	29 100.00 100.00	259 100.00 100.00	406 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by # Adults in Household Who Smoke  
 Independent Variable: othsmoker  
 Dependent Variable: smokstatus

# Adults in Household Who Smoke				
Count				
Percent				
Weighted Percent				
95% CI	0	1	2	3
Smoking Status				
Current Everyday Smoker	53	80	13	2
	8.36	43.72	61.90	50.00
	9.15	44.58	70.42	28.19
	(5.36,12.95)	(34.01,55.15)	(46.11,94.73)	(0.00,80.45)
Current Some Days Smoker	14	12	2	1
	2.21	6.56	9.52	25.00
	3.22	10.11	9.15	68.88
	(0.53,5.91)	(3.21,17.01)	(0.00,25.69)	(14.48,100.00)
Former Smoker	220	36	2	1
	34.70	19.67	9.52	25.00
	32.40	19.32	6.59	2.93
	(27.19,37.62)	(11.38,27.26)	(0.00,16.06)	(0.00,9.94)
Never Smoker	347	55	4	0
	54.73	30.05	19.05	0.00
	55.22	25.99	13.84	0.00
	(49.49,60.96)	(16.48,35.50)	(0.00,30.71)	(0.00,0.00)
Total	634	183	21	4
	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: # Days Someone Smoked in Home, Pst 7 by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: smokhome7d

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
<hr/>				
<b># Days Someone Smoked in Home, Pst 7</b>				
<hr/>				
0	78 34.98 31.27 (21.73,40.82)	31 72.09 78.77 (61.98,95.57)	361 91.16 90.55 (86.41,94.69)	586 93.02 94.35 (91.95,96.75)
1	9 4.04 6.58 (0.00,14.45)	1 2.33 0.13 (0.00,0.41)	11 2.78 3.40 (0.75,6.06)	16 2.54 3.08 (1.07,5.10)
2	7 3.14 2.70 (0.00,5.57)	1 2.33 1.50 (0.00,4.48)	3 0.76 0.32 (0.00,0.68)	3 0.48 0.37 (0.00,0.87)
3	5 2.24 5.22 (0.00,13.43)	3 6.98 6.94 (0.00,15.66)	3 0.76 0.40 (0.00,0.90)	0 0.00 0.00 (0.00,0.00)
4	4 1.79 3.07 (0.00,6.96)	1 2.33 0.69 (0.00,2.08)	0 0.00 0.00 (0.00,0.00)	1 0.16 0.01 (0.00,0.02)
5	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.16 0.01 (0.00,0.03)
6	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	1 0.25 0.38 (0.00,1.13)	0 0.00 0.00 (0.00,0.00)
7	120 53.81 51.16 (40.22,62.11)	6 13.95 11.96 (0.00,26.20)	17 4.29 4.95 (1.78,8.12)	23 3.65 2.18 (0.93,3.43)
Total	223 100.00 100.00	43 100.00 100.00	396 100.00 100.00	630 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by # Days Someone Smoked in Home, Pst 7  
 Independent Variable: smokhome7d  
 Dependent Variable: smokstatus

		# Days Someone Smoked in Home, Pst 7						
Count								
Percent								
Weighted Percent								
95% CI	0	1	2	3	4	5	6	7
<b>Smoking Status</b>								
Current Everyday Smoker	78	9	7	5	4	0	0	120
	7.39	24.32	50.00	45.45	66.67	0.00	0.00	72.29
	7.29	33.52	59.90	68.03	93.80	0.00	0.00	75.82
	(4.84,9.74)	(3.20,63.83)	(26.68,93.13)	(26.31,100.00)	(81.00,100.00)	(0.00,0.00)	(0.00,0.00)	(66.43,85.21)
Current Some Days Smoker	31	1	1	3	1	0	0	6
	2.94	2.70	7.14	27.27	16.67	0.00	0.00	3.61
	4.85	0.18	8.80	23.88	5.61	0.00	0.00	4.69
	(2.16,7.54)	(0.00,0.55)	(0.00,25.73)	(0.00,59.07)	(0.00,18.00)	(0.00,0.00)	(0.00,0.00)	(0.00,10.35)
Former Smoker	361	11	3	3	0	0	1	17
	34.19	29.73	21.43	27.27	0.00	0.00	100.00	10.24
	32.80	26.96	10.96	8.09	0.00	0.00	100.00	11.40
	(28.65,36.95)	(6.38,47.54)	(0.00,24.56)	(0.00,21.25)	(0.00,0.00)	(0.00,0.00)	(100.00,100.00)	(4.30,18.50)
Never Smoker	586	16	3	0	1	1	0	23
	55.49	43.24	21.43	0.00	16.67	100.00	0.00	13.86
	55.05	39.34	20.34	0.00	0.60	100.00	0.00	8.09
	(50.50,59.61)	(14.88,63.80)	(0.00,46.45)	(0.00,0.00)	(0.00,1.97)	(100.00,100.00)	(0.00,0.00)	(3.47,12.72)
Total	1056	37	14	11	6	1	1	166
	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: Home Smoking Rules by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: homerules

		Smoking Status			
Count	Percent	Current	Current	Former	Never Smoker
Weighted Percent	95% CI	Everyday Smoker	Some Days Smoker	Smoker	Smoker
Home Smoking Rules					
Smoking not allowed anywhere inside home	77	30	319	558	
	34.53	69.77	82.01	89.00	
	27.54	81.37	81.98	91.28	
	(18.83,36.24)	(65.17,97.58)	(76.42,87.54)	(88.16,94.39)	
Smoking allowed some places or some time	49	4	28	43	
	21.97	9.30	7.20	6.86	
	32.68	2.82	8.30	5.50	
	(21.43,43.93)	(0.00,6.72)	(3.78,12.81)	(3.05,7.96)	
Smoking allowed anywhere inside home	97	9	42	26	
	43.50	20.93	10.80	4.15	
	39.78	15.81	9.73	3.22	
	(29.47,50.10)	(0.11,31.51)	(5.97,13.48)	(1.21,5.23)	
Total	223	43	389	627	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Home Smoking Rules  
 Independent Variable: homerules  
 Dependent Variable: smokstatus

Home Smoking Rules			
Count	Smoking not	Smoking	Smoking
Percent	allowed	allowed some	allowed
Weighted Percent	anywhere	places or	anywhere
95% CI	inside home	some time	inside home
Smoking Status			
Current Everyday Smoker	77	49	97
	7.83	39.52	55.75
	6.90	54.79	59.67
	(4.60,9.20)	(40.49,69.08)	(48.67,70.66)
Current Some Days Smoker	30	4	9
	3.05	3.23	5.17
	5.33	1.24	6.19
	(2.46,8.19)	(0.00,2.90)	(0.00,12.45)
Former Smoker	319	28	42
	32.42	22.58	24.14
	31.26	21.17	22.21
	(27.05,35.47)	(9.99,32.35)	(13.83,30.58)
Never Smoker	558	43	26
	56.71	34.68	14.94
	56.52	22.81	11.93
	(51.85,61.18)	(12.60,33.01)	(4.77,19.10)
Total	984	124	174
	100.00	100.00	100.00
	100.00	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Opinion, Indoor Work Areas by Smoking Status

Independent Variable: smokstatus

Dependent Variable: workindopn

	Smoking Status				
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Smoking Opinion, Indoor Work Areas					
Allowed in all areas	16 7.14 4.14 (0.81,7.48)	1 2.33 0.13 (0.00,0.41)	9 2.29 3.01 (0.45,5.56)	11 1.75 1.20 (0.17,2.22)	
Allowed in some areas	106 47.32 43.40 (33.06,53.75)	12 27.91 11.27 (1.47,21.07)	88 22.39 21.10 (15.48,26.73)	67 10.65 8.99 (5.94,12.04)	
Not allowed at all	96 42.86 49.95 (39.21,60.68)	29 67.44 87.90 (77.87,97.93)	283 72.01 74.81 (68.80,80.81)	539 85.69 88.85 (85.53,92.16)	
Don't know/Not sure	6 2.68 2.51 (0.00,5.01)	1 2.33 0.69 (0.00,2.08)	13 3.31 1.08 (0.22,1.95)	12 1.91 0.97 (0.02,1.91)	
Total	224 100.00 100.00	43 100.00 100.00	393 100.00 100.00	629 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Smoking Opinion, Indoor Work Areas  
 Independent Variable: workindopn  
 Dependent Variable: smokstatus

Smoking Opinion, Indoor Work Areas				
Count Percent Weighted Percent 95% CI	Allowed in all areas	Allowed in some areas	Not allowed at all	Don't know Not sure
Smoking Status				
Current Everyday Smoker	16 43.24 35.35 (12.03,58.66)	106 38.83 43.10 (34.25,51.95)	96 10.14 12.28 (8.42,16.13)	6 18.75 37.28 (9.55,65.02)
Current Some Days Smoker	1 2.70 0.30 (0.00,0.91)	12 4.40 2.92 (0.54,5.31)	29 3.06 5.64 (2.70,8.58)	1 3.13 2.69 (0.00,8.04)
Former Smoker	9 24.32 39.00 (14.13,63.87)	88 32.23 31.86 (23.88,39.84)	283 29.88 27.96 (23.80,32.11)	13 40.63 24.46 (5.17,43.76)
Never Smoker	11 29.73 25.36 (5.63,45.08)	67 24.54 22.12 (15.14,29.09)	539 56.92 54.13 (49.20,59.05)	12 37.50 35.56 (8.55,62.57)
Total	37 100.00 100.00	273 100.00 100.00	947 100.00 100.00	32 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Someone Smoking in Car, Pst 7 Days by Smoking Status

Independent Variable: smokstatus

Dependent Variable: carsmok7d

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Someone Smoking in Car, Pst 7 Days				
Yes	153 68.30 77.24 (69.51,84.98)	21 50.00 64.57 (42.99,86.16)	56 14.07 14.82 (9.75,19.89)	82 13.00 13.38 (9.19,17.57)
No	71 31.70 22.76 (15.02,30.49)	21 50.00 35.43 (13.84,57.01)	342 85.93 85.18 (80.11,90.25)	549 87.00 86.62 (82.43,90.81)
Total	224 100.00 100.00	42 100.00 100.00	398 100.00 100.00	631 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Someone Smoking in Car, Pst 7 Days  
 Independent Variable: carsmok7d  
 Dependent Variable: smokstatus

Someone Smoking in Car, Pst 7 Days		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	153 49.04 51.48 (42.54,60.42)	71 7.22 6.02 (3.93,8.10)
Current Some Days Smoker	21 6.73 11.19 (4.38,17.99)	21 2.14 2.44 (0.81,4.06)
Former Smoker	56 17.95 15.19 (9.74,20.63)	342 34.79 34.64 (30.27,39.00)
Never Smoker	82 26.28 22.15 (15.28,29.01)	549 55.85 56.91 (52.34,61.48)
Total	312 100.00 100.00	983 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Opinion, Indoor Dining Areas by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: shsopn

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Smoking Opinion, Indoor Dining Areas				
Allowed in all areas	8 3.57 4.84 (0.00,10.13)	1 2.33 1.29 (0.00,3.86)	9 2.27 2.08 (0.26,3.90)	3 0.48 0.24 (0.00,0.58)
Allowed in some areas	159 70.98 70.69 (61.23,80.16)	18 41.86 33.31 (10.16,56.46)	128 32.24 35.38 (28.47,42.28)	156 24.84 22.18 (17.65,26.72)
Not allowed at all	54 24.11 23.76 (15.21,32.31)	24 55.81 65.40 (42.22,88.58)	255 64.23 62.07 (55.10,69.04)	462 73.57 75.67 (70.94,80.39)
Don't know/Not sure	3 1.34 0.71 (0.00,1.65)	0 0.00 0.00 (0.00,0.00)	5 1.26 0.47 (0.00,1.23)	7 1.11 1.91 (0.26,3.56)
Total	224 100.00 100.00	43 100.00 100.00	397 100.00 100.00	628 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Smoking Opinion, Indoor Dining Areas  
 Independent Variable: shsopn  
 Dependent Variable: smokstatus

Smoking Opinion, Indoor Dining Areas				
Count Percent Weighted Percent 95% CI	Allowed in all areas	Allowed in some areas	Not allowed at all	Don't know Not sure
Smoking Status				
Current Everyday Smoker	8 38.10 54.00 (20.71,87.28)	159 34.49 37.48 (30.17,44.79)	54 6.79 7.34 (4.54,10.15)	3 20.00 11.50 (0.00,27.17)
Current Some Days Smoker	1 4.76 3.75 (0.00,11.30)	18 3.90 4.61 (0.79,8.44)	24 3.02 5.28 (2.22,8.34)	0 0.00 0.00 (0.00,0.00)
Former Smoker	9 42.86 35.59 (5.68,65.50)	128 27.77 28.76 (22.55,34.97)	255 32.08 29.42 (24.84,33.99)	5 33.33 11.72 (0.00,30.36)
Never Smoker	3 14.29 6.66 (0.00,16.48)	156 33.84 29.15 (23.22,35.07)	462 58.11 57.96 (52.76,63.16)	7 46.67 76.77 (52.44,100.00)
Total	21 100.00 100.00	461 100.00 100.00	795 100.00 100.00	15 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Opinion, Indoor Malls by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: mallopn

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Smoking Opinion, Indoor Malls				
Allowed in all areas	8 3.57 3.73 (0.00,7.84)	0 0.00 0.00 (0.00,0.00)	6 1.52 1.17 (0.00,2.36)	2 0.32 0.27 (0.00,0.65)
Allowed in some areas	107 47.77 46.10 (35.19,57.01)	11 25.58 13.89 (0.69,27.08)	123 31.06 29.02 (22.75,35.28)	154 24.44 23.82 (18.84,28.80)
Not allowed at all	106 47.32 49.39 (38.61,60.17)	32 74.42 86.11 (72.92,99.31)	259 65.40 67.79 (61.36,74.23)	469 74.44 75.11 (70.07,80.15)
Don't know/Not sure	3 1.34 0.78 (0.00,2.12)	0 0.00 0.00 (0.00,0.00)	8 2.02 2.02 (0.20,3.84)	5 0.79 0.80 (0.00,1.79)
Total	224 100.00 100.00	43 100.00 100.00	396 100.00 100.00	630 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Smoking Opinion, Indoor Malls  
 Independent Variable: mallopn  
 Dependent Variable: smokstatus

Smoking Opinion, Indoor Malls				
Count Percent Weighted Percent 95% CI	Allowed in all areas	Allowed in some areas	Not allowed at all	Don't know Not sure
Smoking Status				
Current Everyday Smoker	8 50.00 60.26 (26.81,93.71)	107 27.09 30.08 (21.94,38.21)	106 12.24 13.64 (10.10,17.18)	3 18.75 13.31 (0.00,34.83)
Current Some Days Smoker	0 0.00 0.00 (0.00,0.00)	11 2.78 2.37 (0.11,4.62)	32 3.70 6.21 (2.99,9.43)	0 0.00 0.00 (0.00,0.00)
Former Smoker	6 37.50 28.84 (0.00,57.80)	123 31.14 28.99 (22.40,35.59)	259 29.91 28.68 (24.27,33.08)	8 50.00 52.93 (18.85,87.01)
Never Smoker	2 12.50 10.90 (0.00,26.65)	154 38.99 38.56 (31.06,46.07)	469 54.16 51.47 (46.43,56.51)	5 31.25 33.76 (0.44,67.09)
Total	16 100.00 100.00	395 100.00 100.00	866 100.00 100.00	16 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Little Benefit Quitting After 20 Yrs by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: benquitopn

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
<b>Little Benefit Quitting After 20 Yrs</b>				
Strongly agree	14 6.25 5.38 (1.54,9.23)	4 9.30 5.35 (0.00,12.89)	32 8.06 6.62 (3.70,9.55)	55 8.72 10.03 (6.33,13.72)
Agree	57 25.45 27.09 (17.79,36.38)	8 18.60 15.22 (0.00,32.02)	51 12.85 18.61 (12.26,24.96)	127 20.13 18.66 (13.92,23.41)
Disagree	94 41.96 41.65 (31.00,52.31)	18 41.86 37.29 (14.49,60.09)	171 43.07 40.46 (33.67,47.24)	252 39.94 39.49 (33.77,45.21)
Strongly disagree	44 19.64 19.21 (9.87,28.55)	11 25.58 41.73 (16.92,66.55)	122 30.73 32.11 (25.39,38.83)	150 23.77 25.84 (20.81,30.87)
Don't know/Not sure	15 6.70 6.66 (1.77,11.56)	2 4.65 0.41 (0.00,1.03)	21 5.29 2.21 (0.75,3.67)	47 7.45 5.97 (3.15,8.80)
Total	224 100.00 100.00	43 100.00 100.00	397 100.00 100.00	631 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Little Benefit Quitting After 20 Yrs  
 Independent Variable: benquitopn  
 Dependent Variable: smokstatus

Little Benefit Quitting After 20 Yrs					
Count Percent Weighted Percent 95% CI	Strongly agree	Agree	Disagree	Strongly disagree	Don't know Not sure
Smoking Status					
Current Everyday Smoker	14 13.33 12.87 (4.11,21.63)	57 23.46 25.56 (16.91,34.21)	94 17.57 19.69 (13.94,25.44)	44 13.46 13.38 (6.63,20.13)	15 17.65 26.66 (9.87,43.45)
Current Some Days Smoker	4 3.81 3.34 (0.00,7.95)	8 3.29 3.75 (0.00,8.11)	18 3.36 4.60 (1.33,7.88)	11 3.36 7.59 (1.58,13.61)	2 2.35 0.42 (0.00,1.06)
Former Smoker	32 30.48 24.28 (13.96,34.60)	51 20.99 26.94 (18.03,35.85)	171 31.96 29.34 (23.96,34.72)	122 37.31 34.32 (26.78,41.85)	21 24.71 13.54 (4.45,22.64)
Never Smoker	55 52.38 59.52 (46.58,72.46)	127 52.26 43.75 (34.08,53.42)	252 47.10 46.37 (39.98,52.75)	150 45.87 44.71 (36.62,52.80)	47 55.29 59.37 (41.80,76.94)
Total	105 100.00 100.00	243 100.00 100.00	535 100.00 100.00	327 100.00 100.00	85 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - Harmful by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: shsharmopn

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Second-Hand Smoke - Harmful				
Very harmful to one's health	52 23.32 16.72 (9.98,23.46)	14 32.56 52.69 (28.82,76.55)	200 50.25 53.53 (46.58,60.48)	425 67.46 64.40 (58.73,70.08)
Somewhat harmful to one's health	104 46.64 49.45 (38.56,60.35)	22 51.16 39.33 (16.81,61.85)	136 34.17 31.65 (25.40,37.91)	169 26.83 29.11 (23.65,34.56)
Not very harmful to one's health	37 16.59 22.13 (13.03,31.23)	3 6.98 1.40 (0.00,3.15)	33 8.29 8.23 (4.77,11.69)	16 2.54 3.69 (1.44,5.94)
Not harmful at all to one's health	20 8.97 8.60 (3.26,13.93)	1 2.33 0.69 (0.00,2.08)	15 3.77 3.85 (0.72,6.98)	8 1.27 1.31 (0.32,2.29)
Don't know/Not sure	10 4.48 3.10 (0.20,6.00)	3 6.98 5.89 (0.00,16.41)	14 3.52 2.73 (0.45,5.01)	12 1.90 1.49 (0.30,2.68)
Total	223 100.00 100.00	43 100.00 100.00	398 100.00 100.00	630 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - Harmful  
 Independent Variable: shsharmopn  
 Dependent Variable: smokstatus

Second-Hand Smoke - Harmful					
Count Percent Weighted Percent 95% CI	Very harmful to one's health	Somewhat harmful to one's health	Not very harmful to one's health	Not harmful at all to one's health	Don't know Not sure
Smoking Status					
Current Everyday Smoker	52 7.53 6.09 (3.61,8.57)	104 24.13 27.24 (19.83,34.64)	37 41.57 49.76 (35.07,64.46)	20 45.45 47.73 (26.06,69.40)	10 25.64 24.61 (4.22,44.99)
Current Some Days Smoker	14 2.03 5.05 (1.42,8.67)	22 5.10 5.70 (2.02,9.37)	3 3.37 0.83 (0.00,1.82)	1 2.27 1.01 (0.00,3.03)	3 7.69 12.28 (0.00,32.71)
Former Smoker	200 28.94 30.19 (25.01,35.36)	136 31.55 26.98 (21.16,32.81)	33 37.08 28.65 (16.97,40.33)	15 34.09 33.10 (11.59,54.61)	14 35.90 33.56 (10.41,56.71)
Never Smoker	425 61.51 58.68 (52.99,64.36)	169 39.21 40.09 (32.93,47.24)	16 17.98 20.76 (9.15,32.37)	8 18.18 18.15 (4.73,31.58)	12 30.77 29.55 (8.57,50.54)
Total	691 100.00 100.00	431 100.00 100.00	89 100.00 100.00	44 100.00 100.00	39 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - Lung Cancer by Smoking Status

Independent Variable: smokstatus

Dependent Variable: shslungca

		Smoking Status			
	Count	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
	Percent Weighted Percent 95% CI				
Second-Hand Smoke - Lung Cancer					
Yes	135	30	293	527	
	69.23 67.40 (56.23,78.56)	78.95 86.71 (72.43,100.00)	83.95 85.37 (80.53,90.21)	92.62 92.23 (88.95,95.51)	
No	60	8	56	42	
	30.77 32.60 (21.44,43.77)	21.05 13.29 (0.00,27.57)	16.05 14.63 (9.79,19.47)	7.38 7.77 (4.49,11.05)	
Total	195	38	349	569	
	100.00 100.00	100.00 100.00	100.00 100.00	100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - Lung Cancer

Independent Variable: shslungca

Dependent Variable: smokstatus

Second-Hand Smoke - Lung Cancer		
	Yes	No
Count		
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	135 13.71 13.82 (10.46,17.18)	60 36.14 39.71 (27.48,51.95)
Current Some Days Smoker	30 3.05 4.94 (2.12,7.77)	8 4.82 4.50 (0.00,9.30)
Former Smoker	293 29.75 29.27 (25.06,33.48)	56 33.73 29.80 (20.12,39.47)
Never Smoker	527 53.50 51.96 (47.20,56.73)	42 25.30 25.99 (15.96,36.01)
Total	985 100.00 100.00	166 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - Heart Disease by Smoking Status

Independent Variable: smokstatus

Dependent Variable: shsheart

	Smoking Status				
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Second-Hand Smoke - Heart Disease					
Yes	106 58.24 55.95 (44.29,67.60)	28 80.00 88.41 (72.51,100.00)	252 79.75 83.16 (77.94,88.39)	452 87.43 86.01 (81.53,90.50)	
No	76 41.76 44.05 (32.40,55.71)	7 20.00 11.59 (0.00,27.49)	64 20.25 16.84 (11.61,22.06)	65 12.57 13.99 (9.50,18.47)	
Total	182 100.00 100.00	35 100.00 100.00	316 100.00 100.00	517 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - Heart Disease  
 Independent Variable: shsheart  
 Dependent Variable: smokstatus

Second-Hand Smoke - Heart Disease		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	106 12.65 12.56 (9.16,15.96)	76 35.85 39.35 (28.72,49.97)
Current Some Days Smoker	28 3.34 5.74 (2.57,8.92)	7 3.30 3.00 (0.00,7.23)
Former Smoker	252 30.07 30.30 (25.67,34.93)	64 30.19 24.40 (16.74,32.06)
Never Smoker	452 53.94 51.40 (46.22,56.57)	65 30.66 33.26 (23.68,42.83)
Total	838 100.00 100.00	212 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - Colon Cancer by Smoking Status

Independent Variable: smokstatus

Dependent Variable: shscolonca

		Smoking Status			
	Count	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
	Percent Weighted Percent 95% CI				
Second-Hand Smoke - Colon Cancer					
Yes	30	6	59	175	
	19.48 22.11 (12.09,32.14)	23.08 21.48 (0.00,46.23)	29.21 38.51 (28.06,48.96)	53.68 56.28 (48.21,64.35)	
No	124	20	143	151	
	80.52 77.89 (67.86,87.91)	76.92 78.52 (53.77,100.00)	70.79 61.49 (51.04,71.94)	46.32 43.72 (35.65,51.79)	
Total	154	26	202	326	
	100.00 100.00	100.00 100.00	100.00 100.00	100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - Colon Cancer

Independent Variable: shscolonca

Dependent Variable: smokstatus

Smoking Status	Second-Hand Smoke - Colon Cancer	
	Yes	No
	Count	
	Percent	
	Weighted Percent	
	95% CI	
Current Everyday Smoker	30 11.11 12.61 (6.77,18.44)	124 28.31 31.82 (24.23,39.40)
Current Some Days Smoker	6 2.22 2.52 (0.00,5.69)	20 4.57 6.60 (2.07,11.13)
Former Smoker	59 21.85 24.42 (16.39,32.45)	143 32.65 27.94 (22.06,33.82)
Never Smoker	175 64.81 60.45 (51.55,69.36)	151 34.47 33.65 (26.83,40.46)
Total	270 100.00 100.00	438 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - Child Resp Probs by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: shschild

		Smoking Status			
Count Percent Weighted Percent 95% CI		Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
		Second-Hand Smoke - Child Resp Probs			
	Yes	175 83.73 81.82 (73.14,90.50)	34 87.18 97.57 (95.04,100.00)	325 91.04 89.65 (85.45,93.85)	587 97.67 96.31 (93.97,98.65)
	No	34 16.27 18.18 (9.50,26.86)	5 12.82 2.43 (0.00,4.96)	32 8.96 10.35 (6.15,14.55)	14 2.33 3.69 (1.35,6.03)
	Total	209 100.00 100.00	39 100.00 100.00	357 100.00 100.00	601 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - Child Resp Probs  
 Independent Variable: shschild  
 Dependent Variable: smokstatus

Second-Hand Smoke - Child Resp Probs		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	175 15.61 16.59 (12.83,20.36)	34 40.00 41.11 (25.82,56.39)
Current Some Days Smoker	34 3.03 5.31 (2.67,7.95)	5 5.88 1.47 (0.04,2.91)
Former Smoker	325 28.99 27.96 (24.05,31.87)	32 37.65 36.00 (22.55,49.45)
Never Smoker	587 52.36 50.13 (45.56,54.70)	14 16.47 21.42 (9.15,33.69)
Total	1121 100.00 100.00	85 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Second-Hand Smoke - SIDS by Smoking Status

Independent Variable: smokstatus

Dependent Variable: shssids

		Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Second-Hand Smoke - SIDS					
Yes	38 25.17 27.10 (16.25,37.95)	11 40.74 66.57 (40.22,92.92)	99 44.59 49.07 (39.53,58.61)	202 61.96 53.96 (45.52,62.40)	
No	113 74.83 72.90 (62.05,83.75)	16 59.26 33.43 (7.08,59.78)	123 55.41 50.93 (41.39,60.47)	124 38.04 46.04 (37.60,54.48)	
Total	151 100.00 100.00	27 100.00 100.00	222 100.00 100.00	326 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Second-Hand Smoke - SIDS  
 Independent Variable: shssids  
 Dependent Variable: smokstatus

Second-Hand Smoke - SIDS		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	38 10.86 12.42 (7.07,17.77)	113 30.05 30.06 (22.65,37.48)
Current Some Days Smoker	11 3.14 7.41 (1.13,13.69)	16 4.26 3.35 (0.80,5.89)
Former Smoker	99 28.29 30.42 (22.90,37.95)	123 32.71 28.41 (22.09,34.72)
Never Smoker	202 57.71 49.74 (41.56,57.93)	124 32.98 38.18 (30.50,45.87)
Total	350 100.00 100.00	376 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Heart Attacks by Smoking Status

Independent Variable: smokstatus

Dependent Variable: cigheart

		Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Cigarettes Cause Heart Attacks					
Yes	123 60.89 67.45 (57.31,77.60)	29 72.50 80.10 (63.46,96.74)	285 80.28 82.30 (77.05,87.56)	470 82.75 81.41 (76.45,86.37)	
No	79 39.11 32.55 (22.40,42.69)	11 27.50 19.90 (3.26,36.54)	70 19.72 17.70 (12.44,22.95)	98 17.25 18.59 (13.63,23.55)	
Total	202 100.00 100.00	40 100.00 100.00	355 100.00 100.00	568 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Heart Attacks  
 Independent Variable: cigheart  
 Dependent Variable: smokstatus

Cigarettes Cause Heart Attacks		
	Yes	No
Count		
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	123 13.56 16.40 (12.19,20.61)	79 30.62 29.64 (20.87,38.40)
Current Some Days Smoker	29 3.20 5.15 (2.22,8.08)	11 4.26 4.79 (0.76,8.81)
Former Smoker	285 31.42 30.50 (26.07,34.93)	70 27.13 24.56 (17.36,31.76)
Never Smoker	470 51.82 47.95 (42.97,52.93)	98 37.98 41.01 (31.83,50.19)
Total	907 100.00 100.00	258 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Colon Cancer by Smoking Status

Independent Variable: smokstatus

Dependent Variable: cigcolonca

		Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Cigarettes Cause Colon Cancer					
Yes	39 21.91 23.51 (14.01,33.01)	10 32.26 26.08 (0.96,51.21)	86 34.26 39.97 (30.80,49.14)	209 51.23 52.31 (45.07,59.56)	
No	139 78.09 76.49 (66.99,85.99)	21 67.74 73.92 (48.79,99.04)	165 65.74 60.03 (50.86,69.20)	199 48.77 47.69 (40.44,54.93)	
Total	178 100.00 100.00	31 100.00 100.00	251 100.00 100.00	408 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Colon Cancer  
 Independent Variable: cigcolonca  
 Dependent Variable: smokstatus

Cigarettes Cause Colon Cancer		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	39	139
	11.34	26.53
	12.78	29.20
	(7.50,18.06)	(22.47,35.92)
Current Some Days Smoker	10	21
	2.91	4.01
	3.24	6.45
	(0.00,6.73)	(2.13,10.78)
Former Smoker	86	165
	25.00	31.49
	25.51	26.91
	(18.46,32.56)	(21.66,32.17)
Never Smoker	209	199
	60.76	37.98
	58.47	37.44
	(50.55,66.39)	(31.03,43.85)
Total	344	524
	100.00	100.00
	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Strokes by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: cigstroke

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Cigarettes Cause Strokes				
Yes	127 63.50 65.91 (55.28,76.55)	30 78.95 87.87 (74.07,100.00)	287 80.62 84.03 (79.10,88.95)	467 84.45 83.67 (79.04,88.31)
No	73 36.50 34.09 (23.45,44.72)	8 21.05 12.13 (0.00,25.93)	69 19.38 15.97 (11.05,20.90)	86 15.55 16.33 (11.69,20.96)
Total	200 100.00 100.00	38 100.00 100.00	356 100.00 100.00	553 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Strokes  
 Independent Variable: cigstroke  
 Dependent Variable: smokstatus

Cigarettes Cause Strokes		
	Yes	No
Count		
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	127 13.94 15.77 (11.65,19.90)	73 30.93 33.82 (24.08,43.56)
Current Some Days Smoker	30 3.29 5.59 (2.58,8.61)	8 3.39 3.20 (0.00,6.87)
Former Smoker	287 31.50 30.71 (26.25,35.17)	69 29.24 24.21 (16.83,31.58)
Never Smoker	467 51.26 47.92 (42.92,52.93)	86 36.44 38.77 (29.30,48.24)
Total	911 100.00 100.00	236 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Low Birth Weight by Smoking Status

Independent Variable: smokstatus

Dependent Variable: ciglbw

		Smoking Status			
	Count	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
	Percent Weighted Percent 95% CI				
Cigarettes Cause Low Birth Weight					
Yes	149	34	276	515	
	73.40	89.47	82.39	92.79	
	75.54	93.91	84.22	94.01	
	(66.55,84.53)	(84.19,100.00)	(79.30,89.15)	(91.45,96.56)	
No	54	4	59	40	
	26.60	10.53	17.61	7.21	
	24.46	6.09	15.78	5.99	
	(15.47,33.45)	(0.00,15.81)	(10.85,20.70)	(3.44,8.55)	
Total	203	38	335	555	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Low Birth Weight

Independent Variable: ciglbw

Dependent Variable: smokstatus

Smoking Status	Cigarettes Cause Low Birth Weight		
	Yes	No	
	Count		
	Percent		
	Weighted Percent		
95% CI			
Current Everyday Smoker	149 15.30 17.22 (13.15,21.30)	54 34.39 39.29 (27.80,50.78)	
Current Some Days Smoker	34 3.49 5.59 (2.73,8.44)	4 2.55 2.55 (0.00,6.61)	
Former Smoker	276 28.34 26.99 (22.87,31.11)	59 37.58 35.62 (25.44,45.80)	
Never Smoker	515 52.87 50.20 (45.32,55.07)	40 25.48 22.54 (13.71,31.38)	
Total	974 100.00 100.00	157 100.00 100.00	

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Lung Cancer by Smoking Status

Independent Variable: smokstatus

Dependent Variable: ciglungca

		Smoking Status			
	Count	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
	Percent Weighted Percent 95% CI				
Cigarettes Cause Lung Cancer					
Yes	194	41	367	610	
	89.40	100.00	95.82	98.55	
	92.35 (87.30,97.40)	100.00 (100.00,100.00)	96.20 (93.71,98.70)	99.06 (98.27,99.85)	
No	23	0	16	9	
	10.60	0.00	4.18	1.45	
	7.65 (2.60,12.70)	0.00 (0.00,0.00)	3.80 (1.30,6.29)	0.94 (0.15,1.73)	
Total	217	41	383	619	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Lung Cancer

Independent Variable: ciglungca

Dependent Variable: smokstatus

Cigarettes Cause Lung Cancer		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	194	23
	16.01	47.92
	18.09	48.51
	(14.41,21.76)	(26.98,70.04)
Current Some Days Smoker	41	0
	3.38	0.00
	5.18	0.00
	(2.74,7.62)	(0.00,0.00)
Former Smoker	367	16
	30.28	33.33
	28.79	36.78
	(25.07,32.51)	(16.56,57.00)
Never Smoker	610	9
	50.33	18.75
	47.94	14.71
	(43.65,52.24)	(2.60,26.83)
Total	1212	48
	100.00	100.00
	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: Cigarettes Cause Impotence by Smoking Status

Independent Variable: smokstatus

Dependent Variable: cigimpotent

		Smoking Status			
	Count	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
	Percent Weighted Percent 95% CI				
Cigarettes Cause Impotence					
Yes	50	11	128	246	
	30.49	40.74	50.79	66.31	
	38.43 (25.83,51.03)	59.28 (28.13,90.43)	55.77 (47.19,64.35)	66.22 (58.91,73.52)	
No	114	16	124	125	
	69.51	59.26	49.21	33.69	
	61.57 (48.97,74.17)	40.72 (9.57,71.87)	44.23 (35.65,52.81)	33.78 (26.48,41.09)	
Total	164	27	252	371	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Cigarettes Cause Impotence  
 Independent Variable: cigimpotent  
 Dependent Variable: smokstatus

Cigarettes Cause Impotence		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	50 11.49 15.64 (9.61,21.67)	114 30.08 32.67 (24.70,40.64)
Current Some Days Smoker	11 2.53 5.39 (1.01,9.77)	16 4.22 4.83 (0.29,9.37)
Former Smoker	128 29.43 27.03 (20.98,33.08)	124 32.72 27.95 (21.62,34.28)
Never Smoker	246 56.55 51.94 (44.59,59.28)	125 32.98 34.55 (27.11,41.99)
Total	435 100.00 100.00	379 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Dr. Told Asthma/Bronchitis/Emphysema by Smoking Status

Independent Variable: smokstatus

Dependent Variable: toldlung

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Dr. Told Asthma/Bronchitis/Emphysema				
Yes	96 43.05 39.95 (29.68,50.22)	20 47.62 50.00 (25.62,74.37)	170 43.59 45.06 (37.83,52.28)	226 36.33 38.97 (33.04,44.90)
No	127 56.95 60.05 (49.78,70.32)	22 52.38 50.00 (25.63,74.38)	220 56.41 54.94 (47.72,62.17)	396 63.67 61.03 (55.10,66.96)
Total	223 100.00 100.00	42 100.00 100.00	390 100.00 100.00	622 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Dr. Told Asthma/Bronchitis/Emphysema  
 Independent Variable: toldlung  
 Dependent Variable: smokstatus

	Dr. Told Asthma/Bronchitis/ Emphysema	
	Count	
	Percent	
	Weighted Percent	
	95% CI	
Smoking Status	Yes	No
Current Everyday Smoker	96 18.75 18.47 (13.32,23.61)	127 16.60 19.67 (14.62,24.71)
Current Some Days Smoker	20 3.91 6.06 (1.60,10.52)	22 2.88 4.29 (1.79,6.79)
Former Smoker	170 33.20 31.39 (25.36,37.42)	220 28.76 27.12 (22.61,31.64)
Never Smoker	226 44.14 44.08 (37.35,50.81)	396 51.76 48.92 (43.54,54.29)
Total	512 100.00 100.00	765 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Dr. Told Diabetes by Smoking Status

Independent Variable: smokstatus

Dependent Variable: tolddiab

		Smoking Status			
Count	Percent	Current Everyday Smoker	Current Some Days Smoker	Former Smoker	Never Smoker
Dr. Told Diabetes					
Yes	16	5	58	68	
	7.44	12.20	15.68	11.53	
	8.76	15.45	12.17	11.27	
	(2.81,14.71)	(0.00,32.87)	(7.54,16.80)	(7.54,15.01)	
No	199	36	312	522	
	92.56	87.80	84.32	88.47	
	91.24	84.55	87.83	88.73	
	(85.29,97.19)	(67.13,100.00)	(83.20,92.46)	(84.99,92.46)	
Total	215	41	370	590	
	100.00	100.00	100.00	100.00	
	100.00	100.00	100.00	100.00	

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Dr. Told Diabetes  
 Independent Variable: tolddiab  
 Dependent Variable: smokstatus

Dr. Told Diabetes		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	16 10.88 15.18 (5.47,24.89)	199 18.62 20.06 (15.98,24.13)
Current Some Days Smoker	5 3.40 7.12 (0.00,15.37)	36 3.37 4.94 (2.37,7.52)
Former Smoker	58 39.46 30.93 (20.05,41.80)	312 29.19 28.31 (24.39,32.23)
Never Smoker	68 46.26 46.77 (34.46,59.07)	522 48.83 46.69 (42.10,51.28)
Total	147 100.00 100.00	1069 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Dr. Told Heart Disease by Smoking Status

Independent Variable: smokstatus

Dependent Variable: toldheart

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
Dr. Told Heart Disease				
Yes	50 22.73 19.52 (11.90,27.14)	7 16.67 11.82 (0.00,26.76)	123 32.20 32.85 (25.72,39.98)	145 23.73 26.48 (21.00,31.96)
No	170 77.27 80.48 (72.86,88.10)	35 83.33 88.18 (73.24,100.00)	259 67.80 67.15 (60.02,74.28)	466 76.27 73.52 (68.04,79.00)
Total	220 100.00 100.00	42 100.00 100.00	382 100.00 100.00	611 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by Dr. Told Heart Disease  
 Independent Variable: toldheart  
 Dependent Variable: smokstatus

Dr. Told Heart Disease		
Count	Yes	No
Percent		
Weighted Percent		
95% CI		
Smoking Status		
Current Everyday Smoker	50	170
	15.38	18.28
	14.32	21.00
	(8.78,19.86)	(16.44,25.55)
Current Some Days Smoker	7	35
	2.15	3.76
	2.30	6.11
	(0.00,5.33)	(3.05,9.17)
Former Smoker	123	259
	37.85	27.85
	36.19	26.30
	(28.20,44.17)	(22.26,30.34)
Never Smoker	145	466
	44.62	50.11
	47.19	46.59
	(38.86,55.52)	(41.66,51.52)
Total	325	930
	100.00	100.00
	100.00	100.00

### Section III: Bivariate Distributions – smoking status

Description: # Friends Using Tobacco Products by Smoking Status  
 Independent Variable: smokstatus  
 Dependent Variable: friendsuse

	Smoking Status			
	Count Percent Weighted Percent 95% CI	Current Everyday Smoker	Current Some Days Smoker	Former Smoker
<b># Friends Using Tobacco Products</b>				
None	0 0.00 0.00 (0.00,0.00)	2 14.29 34.37 (0.00,71.94)	1 6.25 5.75 (0.00,16.85)	16 17.58 11.82 (3.02,20.63)
A few	4 14.29 3.65 (0.00,8.78)	3 21.43 8.90 (0.00,25.40)	9 56.25 48.58 (19.62,77.55)	38 41.76 46.56 (31.87,61.26)
Less than half	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	0 0.00 0.00 (0.00,0.00)	16 17.58 23.93 (9.81,38.06)
About half	5 17.86 17.45 (0.00,38.22)	2 14.29 6.36 (0.00,16.91)	1 6.25 5.29 (0.00,15.57)	11 12.09 8.04 (2.34,13.74)
Most or all	19 67.86 78.90 (57.34,100.00)	7 50.00 50.37 (12.52,88.21)	5 31.25 40.38 (11.95,68.81)	10 10.99 9.64 (2.07,17.21)
Total	28 100.00 100.00	14 100.00 100.00	16 100.00 100.00	91 100.00 100.00

### Section III: Bivariate Distributions – smoking status

Description: Smoking Status by # Friends Using Tobacco Products  
 Independent Variable: friendsuse  
 Dependent Variable: smokstatus

# Friends Using Tobacco Products					
Count					
Percent					
Weighted Percent					
95% CI	None	A few	Less than half	About half	Most or all
Smoking Status					
Current Everyday Smoker	0	4	0	5	19
	0.00	7.41	0.00	26.32	46.34
	0.00	1.91	0.00	33.84	45.46
	(0.00,0.00)	(0.00,4.47)	(0.00,0.00)	(2.56,65.13)	(22.22,68.70)
Current Some Days Smoker	2	3	0	2	7
	10.53	5.56	0.00	10.53	17.07
	38.75	3.58	0.00	9.48	22.29
	(1.03,76.47)	(0.00,10.18)	(0.00,0.00)	(0.00,23.99)	(1.53,43.04)
Former Smoker	1	9	0	1	5
	5.26	16.67	0.00	5.26	12.20
	5.19	15.67	0.00	6.32	14.32
	(0.00,15.51)	(3.12,28.22)	(0.00,0.00)	(0.00,18.49)	(1.40,27.23)
Never Smoker	16	38	16	11	10
	84.21	70.37	100.00	57.89	24.39
	56.06	78.83	100.00	50.36	17.94
	(19.42,92.70)	(64.85,92.80)	(100.00,100.00)	(20.92,79.80)	(3.72,32.15)
Total	19	54	16	19	41
	100.00	100.00	100.00	100.00	100.00
	100.00	100.00	100.00	100.00	100.00