

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 13**  
**CITRUS, LAKE, MARION AND SUMTER COUNTIES**

---

**Mid-Year Population Estimates**

**2007**

**Sex**

	<b>Total Pop</b>	
Males	414,673	49%
Females	432,780	51%
Total	847,453	100%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	111,481	13%
13 - 19	65,128	8%
20 - 24	40,583	5%
25 - 29	36,967	4%
30 - 39	84,990	10%
40 - 49	108,142	13%
50 - 59	113,242	13%
60+	286,920	34%
Total	847,453	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	690,784	82%
Black, non-Hispanic	73,663	9%
Hispanic	72,094	9%
Other*	10,912	1%
Total	847,453	100%

**2008**

**Sex**

	<b>Total Pop</b>	
Males	422,067	49.0%
Females	439,260	51.0%
Total	861,327	100.0%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	113,405	13%
13 - 19	65,769	8%
20 - 24	41,638	5%
25 - 29	38,632	4%
30 - 39	85,558	10%
40 - 49	108,422	13%
50 - 59	116,109	13%
60+	291,794	34%
Total	861,327	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	692,699	80%
Black, non-Hispanic	77,087	9%
Hispanic	80,157	9%
Other*	11,384	1%
Total	861,327	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on 2007 & 2008 Partnership 13 population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2007							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	64	62.7%	15.4	0 - 12	0	0.0%	0.0
Female	38	37.3%	8.8	13 - 19	2	2.0%	3.1
Other/Unknown	0	0.0%	N/A	20 - 24	3	2.9%	7.4
Total	102	100.0%	12.0	25 - 29	6	5.9%	16.2
<b>Race/Ethnicity</b>				<b>Race/Ethnicity</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	47	46.1%	6.8	30 - 39	28	27.5%	32.9
Black, Non-Hispanic	44	43.1%	59.7	40 - 49	30	29.4%	27.7
Hispanic	8	7.8%	11.1	50 - 59	23	22.5%	20.3
Asian/Pacific Islander	1	1.0%	N/A	60+	10	9.8%	3.5
Amer. Indian/Alaskan	0	0.0%	N/A	Total	102	100.0%	12.0
Other/Unknown	2	2.0%	N/A				
Total	102	100.0%	12.0				
2008							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	79	71.8%	18.7	0 - 12	0	0.0%	0.0
Female	31	28.2%	7.1	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	4	3.6%	9.6
Total	110	100.0%	12.8	25 - 29	9	8.2%	23.3
<b>Race/Ethnicity</b>				<b>Race/Ethnicity</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	57	51.8%	8.2	30 - 39	24	21.8%	28.1
Black, Non-Hispanic	38	34.5%	49.3	40 - 49	38	34.5%	35.0
Hispanic	15	13.6%	18.7	50 - 59	23	20.9%	19.8
Asian/Pacific Islander	0	0.0%	N/A	60+	12	10.9%	4.1
Amer. Indian/Alaskan	0	0.0%	N/A	Total	110	100.0%	12.8
Other/Unknown	0	0.0%	N/A				
Total	110	100.0%	12.8				

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

2007							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	11	78.6%	2.7	0 - 12	0	0.0%	0.0
Female	3	21.4%	0.7	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	2	14.3%	4.9
Total	14	100.0%	1.7	25 - 29	2	14.3%	5.4
				30 - 39	3	21.4%	3.5
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	6	42.9%	5.5
White, Non-Hispanic	7	50.0%	1.0	50 - 59	1	7.1%	0.9
Black, Non-Hispanic	3	21.4%	4.1	60+	0	0.0%	0.0
Hispanic	2	14.3%	2.8	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	14	100.0%	1.7
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	14.3%	N/A				
Total	14	100.0%	1.7				
2008							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	16	76.2%	3.8	0 - 12	0	0.0%	0.0
Female	5	23.8%	1.1	13 - 19	3	14.3%	4.6
Other/Unknown	0	0.0%	N/A	20 - 24	4	19.0%	9.6
Total	21	100.0%	2.4	25 - 29	3	14.3%	7.8
				30 - 39	4	19.0%	4.7
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	5	23.8%	4.6
White, Non-Hispanic	9	42.9%	1.3	50 - 59	2	9.5%	1.7
Black, Non-Hispanic	8	38.1%	10.4	60+	0	0.0%	0.0
Hispanic	2	9.5%	2.5	Other/Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	21	100.0%	2.4
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	2	9.5%	N/A				
Total	21	100.0%	2.4				

2008 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Gonorrhea cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

2007							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	348	43.1%	83.9	0 - 12	0	0.0%	0.0
Female	459	56.9%	106.1	13 - 19	246	30.5%	377.7
Other/Unknown	0	0.0%	N/A	20 - 24	256	31.7%	630.8
Total	807	100.0%	95.2	25 - 29	142	17.6%	384.1
				30 - 39	96	11.9%	113.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	46	5.7%	42.5
White, Non-Hispanic	221	27.4%	32.0	50 - 59	14	1.7%	12.4
Black, Non-Hispanic	426	52.8%	578.3	60+	7	0.9%	2.4
Hispanic	36	4.5%	49.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	807	100.0%	95.2
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	123	15.2%	N/A				
Total	807	100.0%	95.2				

2008							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	339	46.9%	80.3	0-12	0	0.0%	0.0
Female	383	53.0%	87.2	13 - 19	229	31.7%	348.2
Other/Unknown	1	0.1%	N/A	20 - 24	229	31.7%	550.0
Total	723	100.0%	83.9	25 - 29	125	17.3%	323.6
				30 - 39	88	12.2%	102.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	33	4.6%	30.4
White, Non-Hispanic	185	25.6%	26.7	50 - 59	17	2.4%	14.6
Black, Non-Hispanic	406	56.2%	526.7	60+	2	0.3%	0.7
Hispanic	22	3.0%	27.4	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	723	100.0%	83.9
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	109	15.1%	N/A				
Total	723	100.0%	83.9				

2008 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chlamydia cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

2007							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	583	27.0%	140.6	0 - 12	0	0.0%	0.0
Female	1,568	72.7%	362.3	13 - 19	878	40.7%	1348.1
Other/Unknown	6	0.3%	N/A	20 - 24	788	36.5%	1941.7
Total	2,157	100.0%	254.5	25 - 29	292	13.5%	789.9
				30 - 39	146	6.8%	171.8
				40 - 49	36	1.7%	33.3
				50 - 59	10	0.5%	8.8
				60+	7	0.3%	2.4
				Unknown	0	0.0%	N/A
				Total	2,157	100.0%	254.5
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	854	39.6%	123.6				
Black, Non-Hispanic	838	38.9%	1137.6				
Hispanic	109	5.1%	151.2				
Asian/Pacific Islander	8	0.4%	N/A				
Amer. Indian/Alaskan	2	0.1%	N/A				
Other/Unknown	346	16.0%	N/A				
Total	2,157	100.0%	254.5				
2008							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	619	26.0%	146.7	0-12	0	0.0%	0.0
Female	1,756	73.8%	399.8	13 - 19	870	36.5%	1322.8
Other/Unknown	6	0.3%	N/A	20 - 24	929	39.0%	2231.1
Total	2,381	100.0%	276.4	25 - 29	338	14.2%	874.9
				30 - 39	187	7.9%	218.6
				40 - 49	38	1.6%	35.0
				50 - 59	15	0.6%	12.9
				60+	4	0.2%	1.4
				Unknown	0	0.0%	N/A
				Total	2,381	100.0%	276.4
<b>Race/Ethnicity</b>							
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>				
White, Non-Hispanic	991	41.6%	143.1				
Black, Non-Hispanic	944	39.6%	1224.6				
Hispanic	103	4.3%	128.5				
Asian/Pacific Islander	11	0.5%	N/A				
Amer. Indian/Alaskan	4	0.2%	N/A				
Other/Unknown	328	13.8%	N/A				
Total	2,381	100.0%	276.4				

2008 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

2007							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	11	50.0%	2.7	0 - 12	0	0.0%	0.0
Female	11	50.0%	2.5	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	1	4.5%	0.9
Total	22	100.0%	2.6	25 - 29	1	4.5%	0.9
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	9	40.9%	1.3	30 - 39	2	9.1%	1.8
Black, Non-Hispanic	9	40.9%	12.2	40 - 49	4	18.2%	3.6
Hispanic	1	4.5%	1.4	50 - 59	3	13.6%	2.7
Asian/Pacific Islander	3	13.6%	N/A	60+	11	50.0%	9.9
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Unknown	0	0.0%	N/A	Total	22	100.0%	2.6
Total	22	100.0%	2.6				

2008							
<b>Gender</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	9	60.0%	2.1	0 - 12	1	6.7%	0.9
Female	6	40.0%	1.4	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	15	100.0%	1.7	25 - 29	2	13.3%	5.2
<b>Race/Ethnicity</b>				<b>Age Groups</b>			
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
White, Non-Hispanic	7	46.7%	1.0	30 - 39	3	20.0%	3.5
Black, Non-Hispanic	4	26.7%	5.2	40 - 49	2	13.3%	1.8
Hispanic	1	6.7%	1.2	50 - 59	1	6.7%	0.9
Asian/Pacific Islander	3	20.0%	N/A	60+	6	40.0%	2.1
Amer. Indian/Alaskan	0	0.0%	N/A	Unknown	0	0.0%	N/A
Unknown	0	0.0%	N/A	Total	15	100.0%	1.7
Total	15	100.0%	1.7				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 13**

2007							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	3	75.0%	0.7	0 - 12	0	0.0%	0.0
Female	1	25.0%	0.2	13 - 19	2	50.0%	3.1
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	4	100.0%	0.5	25 - 29	0	0.0%	0.0
				30 - 39	0	0.0%	0.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	0	0.0%	0.0
White, Non-Hispanic	0	0.0%	0.0	50 - 59	0	0.0%	0.0
Black, Non-Hispanic	0	0.0%	0.0	60+	0	0.0%	0.0
Hispanic	4	100.0%	5.5	Unknown	2	50.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	4	100.0%	0.5
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	0	0.0%	N/A				
Total	4	100.0%	0.5				
2008							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	5	100.0%	1.2	0 - 12	0	0.0%	0.0
Female	0	0.0%	0.0	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	5	100.0%	0.6	25 - 29	1	20.0%	2.6
				30 - 39	1	20.0%	1.2
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	0	0.0%	0.0
White, Non-Hispanic	4	80.0%	0.6	50 - 59	1	20.0%	0.9
Black, Non-Hispanic	0	0.0%	0.0	60+	2	40.0%	0.7
Hispanic	0	0.0%	0.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	0	0.0%	N/A	Total	5	100.0%	0.6
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	1	20.0%	N/A				
Total	5	100.0%	0.6				

2008 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.





**HIV COUNSELING AND TESTING DATA  
Partnership 13**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2007 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	18	2	11.1	Male	2,612	54	2.1
Male Sex With Male	255	19	7.5	Female	9,080	25	0.3
Injecting Drug User	296	1	0.3	Unknown	171	1	0.6
Sex Partner at Risk	136	3	2.2	<b>Total</b>	<b>11,863</b>	<b>80</b>	<b>0.7</b>
Child of Woman with HIV/AIDS	32	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	411	1	0.2	White	6,375	30	0.5
Sex for Drugs or Money	22	0	0.0	Black	2,523	31	1.2
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	2,418	12	0.5
Victim of Sexual Assault	769	3	0.4	Asian	95	3	3.2
Health Care Exposure	295	2	0.7	Am. Native	30	1	3.3
Heterosexual	9,237	33	0.4	Other	87	0	0.0
No Acknowledged Risk	67	0	0.0	Unknown	335	3	0.9
Unknown	325	16	4.9	<b>Total</b>	<b>11,863</b>	<b>80</b>	<b>0.7</b>
<b>Total</b>	<b>11,863</b>	<b>80</b>	<b>0.7</b>	<b>Total</b>	<b>11,863</b>	<b>80</b>	<b>0.7</b>

<b>2008 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	10	1	10.0	Male	2,650	64	2.4
Male Sex With Male	226	29	12.8	Female	9,883	31	0.3
Injecting Drug User	229	2	0.9	Unknown	113	5	4.4
Sex Partner at Risk	358	11	3.1	<b>Total</b>	<b>12,646</b>	<b>100</b>	<b>0.8</b>
Child of Woman with HIV/AIDS	46	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	1,772	13	0.7	White	6,557	34	0.5
Sex for Drugs or Money	91	1	1.1	Black	2,996	42	1.4
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	2,526	15	0.6
Victim of Sexual Assault	548	1	0.3	Asian	97	2	2.1
Health Care Exposure	340	2	0.0	Am. Native	28	0	0.0
Heterosexual	8,706	14	0.2	Other	59	0	0.0
No Acknowledged Risk	92	0	0.0	Unknown	383	7	1.8
Unknown	228	26	11.4	<b>Total</b>	<b>12,646</b>	<b>100</b>	<b>0.8</b>
<b>Total</b>	<b>12,646</b>	<b>100</b>	<b>0.8</b>	<b>Total</b>	<b>12,646</b>	<b>100</b>	<b>0.8</b>

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 13

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2007 & 2008					HIV Cases (regardless of current AIDS Status) Reported in 2007 & 2008					HIV/AIDS Case Deaths in 2007 & 2008				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/08.					HIV Cases (regardless of current AIDS Status) Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/08.					HIV or AIDS cases that died (regardless of cause) in 2008, data as of 03/31/08.				
	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change
<b>Race/Ethnicity</b>															
White, not Hispanic	47	46%	57	52%	21.3%	68	49%	60	45%	-11.8%	17	40%	22	49%	29.4%
Black, not Hispanic	44	43%	38	35%	-13.6%	48	35%	51	38%	6.3%	12	29%	15	33%	25.0%
Hispanic	8	8%	15	14%	87.5%	18	13%	20	15%	11.1%	9	21%	7	16%	-22.2%
Asian/Pacific Islander	1	1%	0	0%	-100.0%	3	2%	2	2%	-33.3%	0	0%	0	0%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	1	1%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!
Not Specified/Other	2	2%	0	0%	-100.0%	0	0%	0	0%	#DIV/0!	4	10%	1	2%	-75.0%
<b>Total:</b>	102	100%	110	100%	7.8%	138	100%	133	100%	-3.6%	42	100%	45	100%	7.1%
<b>Gender</b>															
Male	64	62.7%	79	71.8%	23.4%	86	62.3%	94	70.7%	9.3%	30	71.4%	29	64.4%	-3.3%
Female	38	37.3%	31	28.2%	-18.4%	52	37.7%	39	29.3%	-25.0%	12	28.6%	16	35.6%	33.3%
<b>Total:</b>	102	100.0%	110	100.0%	7.8%	138	100.0%	133	100.0%	-3.6%	42	100.0%	45	100.0%	7.1%
<b>Age at Diagnosis (Years)</b>															
0- 2 years	0	0.0%	0	0.0%	#DIV/0!	2	1.4%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	1	0.7%	1	0.8%	0.0%	0	0.0%	0	0.0%	#DIV/0!
13-19 years	2	2.0%	0	0.0%	-100.0%	6	4.3%	3	2.3%	-50.0%	0	0.0%	0	0.0%	#DIV/0!
20-24 years	3	2.9%	4	3.6%	33.3%	17	12.3%	11	8.3%	-35.3%	0	0.0%	0	0.0%	#DIV/0!
25-29 years	6	5.9%	9	8.2%	50.0%	15	10.9%	14	10.5%	-6.7%	2	4.8%	3	6.7%	50.0%
30-39 years	28	27.5%	24	21.8%	-14.3%	36	26.1%	33	24.8%	-8.3%	6	14.3%	8	17.8%	33.3%
40-44 years	17	16.7%	16	14.5%	-5.9%	19	13.8%	17	12.8%	-10.5%	7	16.7%	7	15.6%	0.0%
45-49 years	13	12.7%	22	20.0%	69.2%	20	14.5%	23	17.3%	15.0%	7	16.7%	7	15.6%	0.0%
50-59 years	23	22.5%	23	20.9%	0.0%	16	11.6%	19	14.3%	18.8%	10	23.8%	13	28.9%	30.0%
60+ years	10	9.8%	12	10.9%	20.0%	6	4.3%	12	9.0%	100.0%	10	23.8%	7	15.6%	-30.0%
<b>Total:</b>	102	100.0%	110	100.0%	7.8%	138	100.0%	133	100.0%	-3.6%	42	100.0%	45	100.0%	7.1%

HIV data (for 2008) includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2007 & 2008					HIV Cases (regardless of current AIDS Status) Reported in 2007 & 2008					HIV/AIDS Case Deaths in 2007 & 2008				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/08.					HIV Cases (regardless of current AIDS Status) Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/08.					HIV or AIDS cases that died (regardless of cause) in 2008, data as of 03/31/08.				
<b>Male Adult/Adolescent AIDS Exposure Category</b>	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change
MSM	31	49.1%	58	73.5%	84.6%	47	55.0%	71	75.1%	51.1%	16	51.7%	12	41.1%	-23.2%
IDU	17	27.1%	4	4.7%	-78.5%	10	11.3%	11	11.6%	13.5%	3	11.0%	8	26.0%	128.7%
MSM/IDU	4	6.3%	3	3.8%	-25.0%	7	8.2%	1	1.1%	-85.7%	5	16.7%	1	3.4%	-80.0%
Heterosexual	11	17.5%	14	18.0%	27.0%	22	25.5%	10	11.1%	-51.7%	6	20.7%	8	26.0%	21.7%
Other	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	1.1%	#DIV/0!	0	0.0%	1	3.4%	#DIV/0!
<b>Total:</b>	<b>64</b>	<b>100.0%</b>	<b>79</b>	<b>100.0%</b>	<b>23.4%</b>	<b>85</b>	<b>100.0%</b>	<b>94</b>	<b>100.0%</b>	<b>10.6%</b>	<b>30</b>	<b>100.0%</b>	<b>29</b>	<b>100.0%</b>	<b>-3.3%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change
IDU	4	10.3%	6	19.4%	50.0%	10	20.0%	3	7.9%	-70.0%	1	8.3%	6	39.6%	533.3%
Heterosexual	33	84.6%	25	80.6%	-24.2%	40	80.0%	35	92.1%	-12.5%	11	91.7%	8	50.0%	-27.3%
Other	2	5.1%	0	0.0%	-100.0%	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	2	10.4%	#DIV/0!
<b>Total:</b>	<b>39</b>	<b>100.0%</b>	<b>31</b>	<b>100.0%</b>	<b>-20.5%</b>	<b>50</b>	<b>100.0%</b>	<b>38</b>	<b>100.0%</b>	<b>-24.0%</b>	<b>12</b>	<b>100.0%</b>	<b>16</b>	<b>100.0%</b>	<b>33.3%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	0	#DIV/0!	#DIV/0!	3	100%	1	100%	-66.7%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	#DIV/0!	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>-66.7%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>#DIV/0!</b>

HIV data (for 2008) includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2007 & 2008					HIV Cases (regardless of current AIDS Status) Reported in 2007 & 2008					HIV/AIDS Case Deaths in 2007 & 2008				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/08.					HIV Cases (regardless of current AIDS Status) Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/08.					HIV or AIDS cases that died (regardless of cause) in 2008, data as of 03/31/08.				
Special Populations	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change	2007	% of Total	2008	% of Total	% change
White MSM*	20	N/A	32	N/A	60.0%	36	N/A	32	N/A	-11.1%	9	N/A	8	N/A	-11.1%
Black MSM*	7	N/A	6	N/A	-14.3%	8	N/A	11	N/A	37.5%	6	N/A	3	N/A	-50.0%
Hispanic: MSM*	2	N/A	4	N/A	100.0%	4	N/A	7	N/A	75.0%	2	N/A	1	N/A	-50.0%
white Male IDU**	8	N/A	2	N/A	-75.0%	7	N/A	4	N/A	-42.9%	4	N/A	2	N/A	-50.0%
Black Male IDU**	7	N/A	2	N/A	-71.4%	5	N/A	1	N/A	-80.0%	1	N/A	3	N/A	200.0%
Hispanic Male IDU**	2	N/A	1	N/A	-50.0%	2	N/A	2	N/A	0.0%	3	N/A	2	N/A	-33.3%
white Female IDU**	2	N/A	3	N/A	50.0%	5	N/A	0	N/A	-100.0%	1	N/A	4	N/A	300.0%
Black Female IDU**	1	N/A	1	N/A	0.0%	1	N/A	2	N/A	100.0%	0	N/A	1	N/A	#DIV/0!
Hispanic Female IDU**	0	N/A	1	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Male Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Male Haitian Born	0	N/A	1	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Female Haitian Born	0	N/A	0	N/A	#DIV/0!	2	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
white Male Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	5	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	0	N/A	2	N/A	#DIV/0!	5	N/A	7	N/A	40.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Male Youth (ages 13-24)	0	N/A	1	N/A	#DIV/0!	1	N/A	3	N/A	200.0%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	4	N/A	1	N/A	-75.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	2	N/A	1	N/A	-50.0%	5	N/A	3	N/A	-40.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	2	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	8	N/A	5	N/A	-37.5%	15	N/A	7	N/A	-53.3%	2	N/A	2	N/A	0.0%
Black WCBA* (ages 15-44)	16	N/A	10	N/A	-37.5%	21	N/A	13	N/A	-38.1%	1	N/A	4	N/A	300.0%
Hispanic WCBA* (ages 15-44)	1	N/A	3	N/A	200.0%	5	N/A	2	N/A	-60.0%	1	N/A	2	N/A	100.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	1	N/A	0.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
DOC cases	17	N/A	28	N/A	64.7%	25	N/A	38	N/A	52.0%	9	N/A	6	N/A	-33.3%

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU


\*\*Male IDU includes IDU & MSM/IDU

**Directions: Partnership 13**

In the spaces provided (Figure 1 and Figure 2) below, insert a graph which indicates trends or changes in the HIV/AIDS data over the past five (5) years, broken down by race and gender.

Section 2: Figure 1: Trends or changes in the AIDS case data (RACE)


**Adult AIDS Cases by Race/Ethnicity and Year of Report Partnership 13, 1999-2008**



**Comment:** In 2008, blacks accounted for 34% of reported AIDS cases, but only 8% of the population. Hispanic cases increased from 12% in 1999 to 14% in 2008. Disparities are even more evident among women: Annually, more than 70% of female AIDS cases have been reported among black women since 1998. HIV case reporting, implemented in mid-1997, has shown a very similar distribution of cases by race/ethnicity and sex. \*Other includes American Indian/Alaska Native, Asian/Pacific Islander, and Multi-racial.

Section 2: Figure 2: Trends or changes in the AIDS case data (GENDER)

**Adult AIDS Cases by Sex and Year of Report Partnership 13, 1999-2008**




**Comment:** AIDS cases tend to represent HIV transmission that occurred many years ago. The relative increases in female cases reflect the changing face of the AIDS epidemic over time. \*The male-to-female ratio is the number or percent of cases among males divided by the number or percent of female cases.

**Directions: Partnership 13**

In the spaces provided (Figure 1 and Figure 2) below, insert a graph which indicates trends or changes in the HIV/AIDS data over the past five (5) years, broken down by race and gender.

Section 2: Figure 3: Trends or changes in the HIV (regardless of AIDS status) case data (RACE)


**Adult HIV Cases  
by Race/Ethnicity and Year of Report  
Partnership 13, 1999-2008**



**Comment:** In absolute numbers, from 1999-2007, HIV cases among blacks, whites and Hispanics fluctuated over the years.

Section 2: Figure 4: Trends or changes in the HIV (regardless of AIDS status) case data (GENDER)

**Adult HIV Cases by Sex and Year of Report  
Partnership 13, 1999-2008**



**Comment:** The trend for HIV cases by sex is the opposite of that for AIDS cases. Recent trends in HIV transmission are best described by the HIV case data. The relative increases in male HIV cases might be attributed to proportional increases in HIV transmission among men who have sex with men (MSM), which may influence future AIDS trends.

Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers Partnership 13

Documented Co-morbidity cases in 2008	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	Prevalence Rate of this Co-morbidity within the general population of this Disease in this Area
	N= 1,247				
AIDS Cases diagnosed through 2008 with Tuberculosis diagnosed in 2008	-	-	HARS	Data through 2008 (data as of 04/09)	1.7
Infectious Syphilis reported in 2008 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	1	80.2	PRISM	Data through 2008 (data as of 04/09)	2.4
Gonorrhea reported in 2008 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	6	481.2	PRISM	Data through 2008 (data as of 04/09)	83.9
Chlamydia reported in 2008 among HIV/AIDS patients by the County Health Department (minimal estimate, based on STD client data only)	13	1,042.5	PRISM	Data through 2008 (data as of 04/09)	276.4
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	164	13,151.6	HARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2008 (data as of 04/09)	

Other Factors / Surrogate Markers Documented in 2008	Prevalence of the HIV/AIDS Population in this Area	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	-	-	HARS (address variable)	Data through 2008 (data as of 04/09)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	298	23,897.4	HARS (local use variable)	Data through 2008 (data as of 04/09)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	29	2,325.6	HARS (local use variable)	Data through 2008 (data as of 04/09)	
MSM (estimated seroprevalence of males with HIV/AIDS who have an MSM or MSM/IDU risk)	559	44,828.7	(Determined by PLWHA data)	Data through 2008 (data as of 04/09)	
IDU (estimated seroprevalence of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	245	19,622.0	(Determined by PLWHA data)	Data through 2008 (data as of 04/09)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2008	1,778	51	2.9%	Dept. of Corrections Offender-based Information System	CY 2008, data as of 04/09
Offenders who returned to the Area in 2007	1,742	41	2.4%	Dept. of Corrections Offender-based Information System	CY 2007, data as of 02/08
Offenders who returned to the Area in 2006	1,558	46	3.0%	Dept. of Corrections Offender-based Information System	CY 2006, data as of 01/07

Section 2 – Table IV: Socio-Economic Data of the General Population

Data on Unemployment, Poverty levels and Insurance coverage are not readily available for the PLWHA cases

Race/ Ethnicity	Civilian Labor Force Unemployed		Population Living Below 100% Poverty		Without insurance coverage including without Medicaid.	
	Number	Percent	Number	Percent	Number	Percent
White	10,381	77.2%	65,437	75.4%	321	55.7%
Black	1,844	13.7%	12,378	14.3%	128	22.2%
Hispanic	1,048	7.8%	8,933	10.3%	127	22.1%
Other*	169	1.3%	N/A	N/A	N/A	N/A
<b>Total</b>	<b>13,442</b>	<b>100.0%</b>	<b>86,748</b>	<b>100.0%</b>	<b>576</b>	<b>100.0%</b>

Selected Socioeconomic Indicators, Partnership 13 (U.S. Census 2000)

\* Other race includes Asian/Hawaiian, Native American/Alaska Native, Other and multiple races.

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.**

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." (CARE Act)

**Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 13**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2008 as of 04/09		HIV (not AIDS) Case Prevalence (excl DOC) through 2008 as of 04/09		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2008 as of 04/09	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Race/Ethnicity</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
White, not Hispanic	379	49.9%	226	46.3%	605	48.5%
Black, not Hispanic	258	34.0%	186	38.1%	444	35.6%
Hispanic	110	14.5%	66	13.5%	176	14.1%
Asian/Pacific Islander	9	1.2%	5	1.0%	14	1.1%
American Indian/Alaskan Native	0	0.0%	1	0.2%	1	0.1%
Not Specified/Other	3	0.4%	4	0.8%	7	0.6%
<b>Total:</b>	<b>759</b>	<b>100.0%</b>	<b>488</b>	<b>100.0%</b>	<b>1,247</b>	<b>100.0%</b>
<b>Gender</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
Male	524	69.0%	300	61.5%	824	66.1%
Female	235	31.0%	188	38.5%	423	33.9%
<b>Total:</b>	<b>759</b>	<b>100.0%</b>	<b>488</b>	<b>100.0%</b>	<b>1,247</b>	<b>100.0%</b>
<b>Current Age on 12/31/08 (Years)</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
0- 2 years	0	0.0%	1	0.2%	1	0.1%
3-12 years	1	0.1%	1	0.2%	2	0.2%
13-19 years	6	0.8%	9	1.8%	15	1.2%
20-24 years	12	1.6%	20	4.1%	32	2.6%
25-29 years	20	2.6%	45	9.2%	65	5.2%
30-39 years	121	15.9%	134	27.5%	255	20.4%
40-44 years	152	20.0%	77	15.8%	229	18.4%
45-49 years	191	25.2%	88	18.0%	279	22.4%
50-59 years	182	24.0%	78	16.0%	260	20.9%
60+ years	74	9.7%	35	7.2%	109	8.7%
<b>Total:</b>	<b>759</b>	<b>100.0%</b>	<b>488</b>	<b>100.0%</b>	<b>1,247</b>	<b>100.0%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2008 as of 04/09		HIV (not AIDS) Case Prevalence (excl DOC) through 2008 as of 04/09		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2008 as of 04/09	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	310	59.2%	187	62.6%	497	60.4%
IDU	73	13.9%	29	9.7%	102	12.4%
MSM/IDU	42	8.0%	20	6.7%	62	7.5%
Heterosexual	92	17.6%	61	20.3%	153	18.6%
Other	7	1.4%	2	0.7%	9	1.1%
<b>Total:</b>	<b>524</b>	<b>100.0%</b>	<b>299</b>	<b>100.0%</b>	<b>823</b>	<b>100.0%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	55	23.4%	26	13.9%	81	19.2%
Heterosexual	168	71.7%	158	84.5%	326	77.4%
Other	11	4.9%	3	1.6%	14	3.4%
<b>Total:</b>	<b>234</b>	<b>100.0%</b>	<b>187</b>	<b>100.0%</b>	<b>421</b>	<b>100.0%</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	1	100.0%	2	100.0%	3	100.0%
Risk not reported/Other	0	0.0%	0	0.0%	0	0.0%
<b>Total:</b>	<b>1</b>	<b>100.0%</b>	<b>2</b>	<b>100.0%</b>	<b>3</b>	<b>100.0%</b>

Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2008 as of 04/09		HIV (not AIDS) Case Prevalence (excl DOC) through 2008 as of 04/09		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2008 as of 04/09	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Special Populations</b>	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	222	N/A	121	N/A	343	N/A
Black MSM	61	N/A	36	N/A	97	N/A
Hispanic MSM	26	N/A	20	N/A	46	N/A
white Male IDU	47	N/A	20	N/A	67	N/A
Black Male IDU	28	N/A	13	N/A	41	N/A
Hispanic Male IDU	24	N/A	7	N/A	31	N/A
white Female IDU	30	N/A	13	N/A	43	N/A
Black Female IDU	13	N/A	7	N/A	20	N/A
Hispanic Female IDU	6	N/A	2	N/A	8	N/A
white Male Homeless	0	N/A	0	N/A	0	N/A
Black Male Homeless	0	N/A	0	N/A	0	N/A
Hispanic Male Homeless	0	N/A	0	N/A	0	N/A
white Female Homeless	0	N/A	0	N/A	0	N/A
Black Female Homeless	0	N/A	0	N/A	0	N/A
Hispanic Female Homeless	0	N/A	0	N/A	0	N/A
Male Haitian Born	4	N/A	0	N/A	4	N/A
Female Haitian Born	0	N/A	4	N/A	4	N/A
white Male Youth (current ages 13-24)	0	N/A	3	N/A	3	N/A
Black Male Youth (current ages 13-24)	3	N/A	9	N/A	12	N/A
Hispanic Male Youth (current ages 13-24)	4	N/A	4	N/A	8	N/A
white Female Youth (current ages 13-24)	2	N/A	2	N/A	4	N/A
Black Female Youth (current ages 13-24)	9	N/A	9	N/A	18	N/A
Hispanic Female Youth (current ages 13-24)	0	N/A	2	N/A	2	N/A
White WCBA* (current ages 15-44)	39	N/A	39	N/A	78	N/A
Black WCBA* (current ages 15-44)	57	N/A	56	N/A	113	N/A
Hispanic WCBA* (current ages 15-44)	14	N/A	20	N/A	34	N/A
White Ped Cases (current current ages 0-12)	0	N/A	1	N/A	1	N/A
Black Ped Cases (current ages 0-12)	1	N/A	1	N/A	2	N/A
Hispanic Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
DOC Cases	194	N/A	183	N/A	377	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU