


HIV/AIDS: United States vs. Florida Sheet

UNITED STATES, 2004

- ✘ Cumulatively through December 2004, an estimated **918,286** AIDS cases have been reported in the US.
- ✘ In 2004, **44,737** AIDS cases were reported in the US.
- ✘ Cumulatively through December 2004, **9,381** pediatric AIDS cases have been reported in the US.
- ✘ Males account for **81%** of cumulative reported AIDS cases, and females account for **19%**. The male-to-female ratio is **4.2:1**.
- ✘ Of the cumulative number of AIDS cases, **40%** are among whites, **39%** are among blacks, and **18%** are among Hispanics.
- ✘ Cumulatively through December 2004, the five leading states/territories reporting the highest number of AIDS cases were:

| | | | |
|----------------|---------------|------------|--------|
| New York | 166,814 | Texas | 64,479 |
| California | 135,221 | New Jersey | 47,224 |
| Florida | 96,712 | | |
- ✘ Cumulatively through December 2004**, the five leading metropolitan statistical areas (MSAs) reporting the highest number of AIDS cases are:

| | | | |
|---------------|---------|----------------|---------------|
| New York City | 187,424 | Miami | 52,526 |
| Los Angeles | 55,106 | Washington, DC | 28,758 |
| San Francisco | 38,836 | | |
- ✘ Cumulatively through December 2004, **224,597** HIV (not AIDS) cases have been reported in adults and **4,814** in pediatrics, based on 33 HIV reporting states.
- ✘ In 2004, **33,563** HIV cases were reported in the US.
- ✘ Males account for **70%** of cumulative reported HIV (not AIDS) cases, and females account for **30%**. The male-to-female ratio is **2.3:1**.
- ✘ At the end of 2004, an estimated **212,572** adults/adolescents and pediatrics were living with HIV (not AIDS) and **415,193** were living with AIDS.



FLORIDA, 2005

- ✘ Cumulatively through 2005, **101,013** (99,509 adults, aged 13+ yr.) AIDS cases have been reported in Florida. Florida ranks **third** in the nation in the number of AIDS cases.
- ✘ In 2005, **4,869** AIDS cases were reported in Florida.
- ✘ Cumulatively through 2005, **1,504** pediatric AIDS cases have been reported in Florida. Florida ranks second in the nation in the number of pediatric AIDS cases.
- ✘ Males account for **76%** of cumulative reported AIDS cases, and females account for **24%**. The male-to-female ratio is **3.1:1**.
- ✘ Of the cumulative number of AIDS cases, **49%** are among blacks, **35%** are among whites, and **16%** are among Hispanics.
- ✘ Cumulatively through 2005, **35,584** HIV (not AIDS) cases have been reported, which includes **370** pediatric HIV (not AIDS) cases. (Reporting of HIV was implemented July 1, 1997.)
- ✘ In 2005, **5,621** HIV cases were reported in Florida.
- ✘ Males account for **65%** of cumulative reported HIV (not AIDS) cases, and females account for **35%**. The male-to-female ratio is **1.8:1**.
- ✘ Of the cumulative number of HIV (not AIDS) cases, **53%** are among blacks, **28%** are among whites, and **18%** are among Hispanics.
- ✘ In 2005, there were **286,258** HIV tests performed by county public health departments, with **1.8%** of the tests being positive.
- ✘ An estimated 125,000 persons, or roughly 11.7% of the national estimate of 1,185,000 are currently thought to be HIV-infected in Florida.



Cumulative AIDS Cases for 30 States and Florida's Title I EMAs

Reported through December 2004*

| RANK | STATE (EMA) | TOTAL |
|-------------|---------------------------------|---------------|
| 1 | New York | 162,446 |
| 2 | California | 133,292 |
| 3 | Florida | 94,725 |
| 4 | Texas | 62,983 |
| 5 | New Jersey | 46,703 |
| 6 | Illinois | 30,139 |
| 7 | Pennsylvania | 29,988 |
| | Miami, FL | 27,964 |
| 8 | Georgia | 27,915 |
| 9 | Maryland | 26,918 |
| 10 | Massachusetts | 18,525 |
| 11 | Virginia | 15,723 |
| 12 | Louisiana | 15,653 |
| | Ft. Lauderdale, FL | 15,280 |
| 13 | Connecticut | 13,464 |
| 14 | Ohio | 13,502 |
| 15 | Michigan | 13,326 |
| 16 | North Carolina | 13,456 |
| 17 | South Carolina | 11,818 |
| 18 | Washington | 10,987 |
| 19 | Missouri | 10,406 |
| 20 | Tennessee | 10,740 |
| | Tampa-St. Petersburg, FL | 10,242 |
| | West Palm Beach, FL | 9,282 |
| 21 | Arizona | 9,208 |
| 22 | Colorado | 8,073 |
| | Orlando, FL | 7,742 |
| 23 | Alabama | 7,607 |
| 24 | Indiana | 7,504 |
| 25 | Oregon | 5,599 |
| 26 | Mississippi | 5,799 |
| | Jacksonville, FL | 5,535 |
| 27 | Nevada | 5,237 |
| 28 | Oklahoma | 4,441 |
| 29 | Minnesota | 4,252 |
| 30 | Wisconsin | 4,136 |

*Source: CDC HIV/AIDS Surveillance Report, Vol. 16 (2005 data not available)



HIV/AIDS in Florida as of December 31, 2005

National ranking, total cases

Adult/adolescent: Third behind New York and California
 Pediatric: Second behind New York

First reported AIDS case: June 1981

AIDS Cases that are Known Dead AIDS (cumulative thru 2005):

Adult: 53 percent
 Pediatric: 56 percent

Male exposure – HIV/AIDS (Living thru 2005)

| Mode of Exposure | No. | % |
|--------------------------------|--------|------|
| Male/male sex | 32,403 | 60% |
| Intravenous drug use | 6,067 | 11% |
| Male/male sex/IV drug use | 3,056 | 6% |
| Heterosexual sex | 11,961 | 22% |
| Perinatal, Blood or Other Risk | 211 | 0% |
| Total | 53,698 | 100% |
| NIRs Redistributed | | |

Female exposure – HIV/AIDS (Living thru 2005)

| Mode of Exposure | No. | % |
|--------------------------------|--------|------|
| Intravenous drug use | 3,922 | 16% |
| Heterosexual sex | 19,910 | 83% |
| Perinatal, Blood or Other Risk | 192 | 1% |
| Total | 24,024 | 100% |
| NIRs Redistributed | | |

RESIDENT HIV/AIDS DEATHS:

A decrease in resident HIV/AIDS deaths from 4,336 in 1995 to 3,093 in 1996, representing a 29% decline, was the first ever, due mainly to improved treatment.

In 2004, HIV was still the leading cause of death among black males and females ages 25-44. It is 5th and 7th for white males and females and 4th and 5th for Hispanic males and females, respectively, for individuals in the same age group.

RESIDENT HIV/AIDS DEATHS, 2004

| Race/Ethnicity | 2004 | |
|-----------------|--------------|------------|
| | No. | rate |
| White Male | 361 | 6.5 |
| White Female | 79 | 1.4 |
| Black Male | 591 | 46.4 |
| Black Female | 437 | 31.9 |
| Hispanic Male | 179 | 11.3 |
| Hispanic Female | 35 | 2.2 |
| Other** | 32 | 7.8 |
| TOTAL | 1,714 | 9.7 |

HIV test sites

Approximately 1,600 sites statewide
 Approximately 300 anonymous sites

HIV tests conducted through public health system

| Year | No. tests | No. Positive | % Positive |
|--------------|------------------|----------------|-------------|
| 1985 | 6,155 | 1,404 | 22.8% |
| 1986 | 9,040 | 1,816 | 20.1% |
| 1987 | 33,910 | 2,566 | 7.6% |
| 1988 | 83,545 | 4,931 | 5.9% |
| 1989 | 113,880 | 6,031 | 5.3% |
| 1990 | 143,877 | 6,540 | 4.5% |
| 1991 | 178,573 | 6,531 | 3.7% |
| 1992 | 200,896 | 5,995 | 3.0% |
| 1993 | 202,611 | 5,653 | 2.8% |
| 1994 | 209,660 | 5,163 | 2.5% |
| 1995 | 215,296 | 4,799 | 2.2% |
| 1996 | 225,304 | 4,485 | 2.0% |
| 1997 | 213,028 | 4,353 | 2.0% |
| 1998 | 228,441 | 4,716 | 2.1% |
| 1999 | 225,131 | 4,892 | 2.2% |
| 2000 | 245,048 | 5,263 | 2.1% |
| 2001 | 271,376 | 6,547 | 2.4% |
| 2002 | 294,493 | 6,723 | 2.3% |
| 2003 | 301,461 | 6,574 | 2.2% |
| 2004 | 288,716 | 5,722 | 2.0% |
| 2005 | 286,258 | 5,230 | 1.8% |
| Total | 3,401,725 | 105,934 | 3.1% |

AIDS cases by year of report*

| | | | | | |
|------|-------|------|-------|------|-------|
| 1981 | 8 | 1991 | 5,301 | 2001 | 4,633 |
| 1982 | 58 | 1992 | 5,386 | 2002 | 4,758 |
| 1983 | 170 | 1993 | 9,956 | 2003 | 4,515 |
| 1984 | 309 | 1994 | 8,029 | 2004 | 5,517 |
| 1985 | 545 | 1995 | 7,607 | 2005 | 4,869 |
| 1986 | 1,021 | 1996 | 6,825 | | |
| 1987 | 1,637 | 1997 | 5,517 | | |
| 1988 | 2,579 | 1998 | 5,021 | | |
| 1989 | 3,439 | 1999 | 4,973 | | |
| 1990 | 3,721 | 2000 | 4,619 | | |

HIV cases by year of report**

| | | | |
|------|-------|------|-------|
| | | 2001 | 5,992 |
| 1997 | 2,136 | 2002 | 6,757 |
| 1998 | 6,725 | 2003 | 6,328 |
| 1999 | 6,616 | 2004 | 6,110 |
| 2000 | 5,852 | 2005 | 5,621 |

*CDC changed the AIDS case definition on January 1, 1993.

**HIV regardless of AIDS status first reported in July 1, 1997.